Porsche Club of America COMPETITION RULES



JULY 9-15, 2017

Cover Photos courtesy of Visit Spokane/James Richman Front Cover: Monroe Street Bridge at Night Back Cover: Sunrise at the Clocktower.

2017

PORSCHE CLUB of AMERICA COMPETITION RULES

NOTICE

The particular purpose shall result from publication of, or compliance with, these rules and/or regulations. They are intended as a guide for the conduct of the sport and are in no way a guarantee against injury or death to participants, spectators, or others.

Although all attempts have been made to assure similarity between the printed and the Portable Document Format (PDF), used for the compact disk and website versions, some formatting discrepancies can occur. The most notable discrepancy being the table of contents and the corresponding listed page numbers in the PDF versions.

Porsche Club of America Competition Rules Committee

Danny Saxton (Chairman) djsaxton@bellsouth.net

Bob Kuchenbecker kootch@mindspring.com

Leeds Gulick leedsg@frontier.com

Rik Larson rik.larson@gmail.com

Jack Stephensen jack.stephensen@e-arc.com Ron Gordon nein44@comcast.net

Paul Gilbreath paulgilbreath@live.com

Debbie Cooper annie911@verizon.net

Steve Hoffman steve1rob2@aol.com

PCA National Office P.O. Box 6400 Columbia, Maryland 21045 410-381-0911 www.pca.org

Previous PCR Committee Chairman

Dwight Mitchell (1969-1971) George Thwing (1972) Mike Robbins (1973-1974) John Clever (1975-1981) Charlie Davis (1982-1984) Chick Misura (1985-1992) Dennis Frick (1993-2002) Mike Lommatzsch (2003-2015) Danny Saxton (2016-current)

Table of Contents

INTRODUCTION1		
I-1.	Usage1	
I-2.	Liability1	
I-3.	PCR Committee and Functions1	
I-3.1.	Pre-Parade Duties1	
I-3.1.1.	Publication of the PCRs1	
I-3.1.2.	Review of Planning1	
I-3.2.	Parade Duties1	
I-3.2.1.	Protests1	
I-3.2.2.	Administration and Enforcement of Rules1	
I-4.	PCR Revision Procedure2	
I-4.1.	Change Requests2	
I-4.2.	Formulation and Distribution of Proposals.2	
I-4.3.	Approval2	
I-4.4.	Exceptions2	
GENERA	L RULES	
G-1.	Official Competitive Events3	
G-2.	Registration	
G-2.1.	Entry Categories3	
G-2.2.	Eligible Entrants	
G-2.3.	Entrants Per Automobile3	
G-2.3.1.	Exceptions	
G-2.4.	Registration Requirement3	
G-2.4.1.	Registration Deadlines3	
G-2.5.	Non-Transferability4	
G-2.6.	Eligible Automobiles4	
G-2.6.1.	Non-Street Legal Automobiles	
	Concours and Autocross4	
G-2.6.2.		
G-2.6.3.		
G-2.6.4.		
G-2.6.5.	Autocross Automobiles4	
G-2.6.6.	Technical Quiz Automobiles4	
G-2.7.	Registration Fees4	

G-3.	Parade Competition Rules (PCR)	4
G-3.1.	Knowledge of Rules	
G-3.2.	Questions	
G-3.3.	Supplementary Regulations	
G-3.4.	Verbal Instructions	
G-4.	Fairness	4
G-5.	Causes for Disqualification	4
G-5.1.	Unsportsmanlike Conduct	
G-5.2.	Misclassification	
G-5.3.	Alcohol, Narcotics, Illegal Substances	5
G-5.4.	Schedules	5
G-5.5.	Unsafe Driving	
G-5.6.	Other Causes	
G-6.	Vehicle Driving Laws	5
G-6.1.	Traffic Laws	
G-0.1.	ITallic Laws	J
G-7.	Cofety (Tech) Increation	5
u-7.	Safety (Tech) Inspection	J
G-8.	Classification Disputes	
	Classification Disputes	5
G-8.	Classification Disputes	5 5
G-8. G-9.	Classification Disputes Protests Right to Protest	5 5
G-8. G-9. G-9.1.	Classification Disputes	5 5 5
G-8. G-9. G-9.1. G-9.2.	Classification Disputes Protests Right to Protest Submission of Protest	5 5 5
G-8. G-9. G-9.1. G-9.2. G-9.2.1.	Classification Disputes Protests Right to Protest Submission of Protest Protest Fee	5 5 5 5
G-8. G-9. G-9.1. G-9.2. G-9.2.1. G-9.2.2.	Classification Disputes Protests Right to Protest Submission of Protest Protest Fee Time and Place Protest Committee Procedure	5 5 5 6
G-8. G-9. G-9.1. G-9.2. G-9.2.1. G-9.2.2. G-9.2.3.	Classification Disputes Protests Right to Protest Submission of Protest Protest Fee Time and Place	5 5 5 6 6
G-8. G-9. G-9.1. G-9.2. G-9.2.1. G-9.2.2. G-9.2.3. G-9.3.	Classification Disputes Protests Right to Protest Submission of Protest Protest Fee Time and Place Protest Committee Procedure Final Authority	5 5 5 6 6
G-8. G-9. G-9.1. G-9.2. G-9.2.1. G-9.2.2. G-9.2.3. G-9.3. G-9.4.	Classification Disputes Protests Right to Protest Submission of Protest Protest Fee Time and Place Protest Committee Procedure Final Authority Concours Protests	5 5 5 6 6 6
G-8. G-9. G-9.1. G-9.2. G-9.2.1. G-9.2.2. G-9.2.3. G-9.3. G-9.4. G-9.5.	Classification Disputes Protests Right to Protest Submission of Protest Protest Fee Time and Place Protest Committee Procedure Final Authority Concours Protests Autocross Protests	5 5 6 6 6 6
G-8. G-9. G-9.1. G-9.2. G-9.2.2. G-9.2.3. G-9.3. G-9.4. G-9.5. G-9.5.1.	Classification Disputes Protests	5 5 5 5 5 5 5 6 6 6 6 6 6 6 6
G-8. G-9. G-9.1. G-9.2. G-9.2.2. G-9.2.3. G-9.3. G-9.4. G-9.5. G-9.5.1. G-9.5.2.	Classification Disputes Protests Right to Protest Submission of Protest Protest Fee Time and Place Protest Committee Procedure Final Authority Concours Protests Autocross Protests Non-Conforming Automobile Responsibility of Inspection Expense	5 5 5 5 5 5 5 6 6 6 6 6 6 6 6
G-8. G-9. G-9.1. G-9.2. G-9.2.2. G-9.2.3. G-9.3. G-9.4. G-9.5. G-9.5.1. G-9.5.2. G-9.5.3.	Classification Disputes Protests	5 5 5 5 5 5 6 6 6 6 6 6 6 6

G-10.	Scoring7
G-11.	Awards7
G-11.1.	Class Awards7
G-11.2.	Concours Awards8
G-11.3.	Autocross Awards8
G-11.4.	Rally Awards8
G-11.5.	Technical Quiz Awards8
CONCOU	RS D'ELEGANCE9
C-1.	Referenced Rules9
C-2.	Classification9
C-2.1.	Restoration Group9
C-2.2.	Preservation Group 10
C-2.3.	Preparation Group10
C-3.	Preparing Your Porsche11
C-4.	Competitor's Rules11
C-5.	Judging 11
C-5.1.	Judging Standards11
C-5.1.1.	Judges12
C-5.1.2.	Inspection of Automobiles12
C-5.2.	Judging Procedures12
C-5.2.1.	Removal of Caps/Covers/Lids12
C-5.2.1.	1. Restoration Group/Preparation Group12
C-5.2.1.	2. Preservation Group12
C-5.2.2.	Judging Sequence
C-5.2.2.	1. Restoration/Preparation/
	Groups13
C-5.2.2.	
C-5.2.3.	Last Minute Preparations13
C-6.	Scoring13
C-6.1.	Forms
C-6.2.	Tied Scores13
C-6.3.	Posting of Scores14
AUTOCR	OSS 15
A-1.	Referenced Rules15
A-2.	Classification15
A-2.1.	Categories15
A-2.2.	Classes15
A-2.2.1.	Showroom Stock Classes16
A-2.2.2.	Production Classes16

A-2.2.3.	Improved Classes	17
A-2.2.4.	Modified Classes	17
A-2.3.	Class Scoring	17
A-2.4.	Class Progression	17
A-2.5.	Allowances	
A-2.5.1.	Engine Swaps	
A-2.5.2.	Update/Backdate Modifications	
	Model Ranges	
A-2.5.3.	"Free" Modifications	
A-2.5.4.	Showroom Stock Modifications	
A-2.5.5.	Production Modifications	
A-2.5.6.	Improved Modifications	
A-2.5.7.	Modified Modifications	
A-2.5.8.	Other Modifications	
A-3.	Course	23
A-3.1.	Boundaries	
A-3.2.	Entrance/Exit	
A-3.3.	Course Map	
A-3.4.	Safety and Impound Areas	
A-4.	Flags	24
A-5.	Driver Safety	24
A-5.1.	Automobiles and Drivers	
11 5.1.	ridiofilobiles and Drivers	
A-6.	Autocross Runs	25
A-6. A-6.1.	Autocross Runs Schedules	
		25
A-6.1.	Schedules Timed Runs Re-Runs	25 25 25
A-6.1. A-6.2.	Schedules Timed Runs	25 25 25
A-6.1. A-6.2. A-6.3. A-6.4.	Schedules Timed Runs Re-Runs Penalties	25 25 25 26
A-6.1. A-6.2. A-6.3.	Schedules Timed Runs Re-Runs	25 25 25 26
A-6.1. A-6.2. A-6.3. A-6.4.	Schedules Timed Runs Re-Runs Penalties	25 25 26 26
A-6.1. A-6.2. A-6.3. A-6.4. A-7.	Schedules Timed Runs Re-Runs Penalties Competitor's Rules Timing and Scoring	25 25 26 26 26
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8.	Schedules Timed Runs Re-Runs Penalties Competitor's Rules	25 25 26 26 26 26 27
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8. A-8.1.	Schedules Timed Runs Re-Runs Penalties Competitor's Rules Timing and Scoring Timing	25 25 26 26 26 27 27
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8. A-8.1. A-8.1.1.	Schedules Timed Runs Re-Runs Penalties Competitor's Rules Timing and Scoring Timing Equipment	25 25 26 26 26 27 27 27 27
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8. A-8.1. A-8.1.1. A-8.1.2.	Schedules Timed Runs Re-Runs Penalties Competitor's Rules Timing and Scoring Timing Equipment Timer Problems	25 25 26 26 26 26 27 27 27 27 27
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8. A-8.1. A-8.1.1. A-8.1.2. A-8.1.3.	Schedules Timed Runs Re-Runs Penalties Competitor's Rules Timing and Scoring Timing Equipment Timer Problems Timing Slips	25 25 26 26 26 26 27 27 27 27 27 27
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8. A-8.1. A-8.1.1. A-8.1.2. A-8.1.3. A-8.2.	Schedules Timed Runs Re-Runs Penalties Competitor's Rules Timing and Scoring Timing Equipment Timer Problems Timing Slips Scoring	25 25 26 26 26 26 27 27 27 27 27 27 27
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8. A-8.1. A-8.1.1. A-8.1.2. A-8.1.3. A-8.2. A-8.2.1.	Schedules Timed Runs Re-Runs Penalties Competitor's Rules Timing and Scoring Equipment Timer Problems Timing Slips Scoring Official Time	25 25 26 26 26 26 27 27 27 27 27 27 27
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8. A-8.1. A-8.1.1. A-8.1.2. A-8.1.3. A-8.2.1. A-8.2.2.	Schedules Timed Runs Re-Runs Penalties Competitor's Rules Timing and Scoring Timing Equipment Timer Problems Timer Problems Timing Slips Scoring Official Time Event Score Pylon Penalties Tied Scores	25 25 26 26 26 26 27
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8. A-8.1. A-8.1.2. A-8.1.3. A-8.2.1. A-8.2.2. A-8.2.3.	Schedules Timed Runs Re-Runs Penalties Competitor's Rules Timing and Scoring Timing Equipment Timer Problems Timer Problems Timing Slips Scoring Official Time Event Score Pylon Penalties	25 25 26 26 26 26 27
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8. A-8.1. A-8.1.1. A-8.1.2. A-8.1.3. A-8.2.1. A-8.2.2. A-8.2.3. A-8.2.4. A-8.2.5.	SchedulesTimed Runs	25 25 26 26 26 26 27
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8. A-8.1. A-8.1.2. A-8.1.3. A-8.2.1. A-8.2.2. A-8.2.3. A-8.2.4. A-8.2.5. A-9.	Schedules Timed Runs Re-Runs Penalties Competitor's Rules Timing and Scoring Timing Equipment Timer Problems Timer Problems Timing Slips Scoring Official Time Event Score Pylon Penalties Tied Scores Posting of Scores Smaller Region Classing	25 25 26 26 26 26 27
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8. A-8.1. A-8.1.1. A-8.1.2. A-8.1.3. A-8.2.1. A-8.2.2. A-8.2.3. A-8.2.4. A-8.2.5. A-9. A-9.1.	SchedulesTimed Runs Re-RunsPenalties Competitor's Rules Timing and Scoring Timing and Scoring Equipment Timer Problems Timer Problems Timing Slips Scoring Official Time Event Score Pylon Penalties Tied Scores Posting of Scores Smaller Region Classing Small Sized Regions	25 25 26 26 26 26 27
A-6.1. A-6.2. A-6.3. A-6.4. A-7. A-8. A-8.1. A-8.1.2. A-8.1.3. A-8.2.1. A-8.2.2. A-8.2.3. A-8.2.4. A-8.2.5. A-9.	Schedules Timed Runs Re-Runs Penalties Competitor's Rules Timing and Scoring Timing Equipment Timer Problems Timer Problems Timing Slips Scoring Official Time Event Score Pylon Penalties Tied Scores Posting of Scores Smaller Region Classing	25 25 26 26 26 26 26 27

2017 PORSCHE CLUB OF AMERICA COMPETITION RULES

TIME, SPEED AND DISTANCE (TSD) RALLY		
R-1.	Referenced Rules	
R-2.	Classification	
R-3. R-3.1.	General Description of Rally 31 Duration of Rally 31	
R-4.	General Instructions32	
R-4.1.	Contents	
R-4.2.	Questions and Answers	
R-4.3.	Supplementary Generals33	
R-5.	Time33	
R.5.1.	Official Time	
R-5.2.	Start Time33	
R-6.	Route Instructions33	
R-6.1.	Equal Time for Study33	
R-6.2.	Identical Instructions	
R-6.3.	Content of Instructions	
R-6.3.1.	Sheet Numbering	
R-6.3.2.	Quoted Signs	
R-6.3.3.	Action Point Identification	
R-6.3.4	Distance/Speed	
R-7.	Odometer Calibration Run33	
R-8.	Controls	
R-8.1.	Open Controls (Manned Checkpoint)34	
R-8.1.1.	Location of Open Controls	
R-8.1.2.	Leg Information	
R-8.1.3.	Control Departure	
R-8.1.4.	Closing of Controls	
R-8.2.	Unmanned Timing Controls (DIYC)	
R-8.2.1.	Location of DIYC Controls	
R-8.2.2.	Procedures for DIYC Controls	
R-8.2.3.	DIYC Control Departure	
R-8.2.4.	DIYC Leg Information	
R-8.2.5.	DIYC Example	
R-8.3.	Manned Route Controls	
R-9.	Delay Allowances35	
R-9.1.	Delay Request	
R-9.2.	Delay Amounts35	
R-9.3.	Submitting Delay Requests	
R-10.	Competitor's Rules35	

R-11.	Timing and Scoring35
R-11.1.	Timing35
R-11.1.1.	Measure of Arrival Time35
R-11.1.2.	Missed Controls35
R-11.2.	Scoring
R-11.2.1.	Leg Score
R-11.2.2.	Maximum Duration for Intended Traps36
R-11.2.3.	Missed Control Score and Penalty36
R-11.2.4.	Other Penalties
R-11.2.5.	Total Score
R-11.3.	Tied Scores
R-11.4.	Posting of Scores

TECHNI	ICAL QUIZ	37
Q-1.	Referenced Rules	37
Q-2.	Classes	37
	Content	
Q-3.1.	Format	
Q-3.2.	Sources	
Q-4.	Competitor's Rules	38
Q-5.	Scoring	38
Q-6.	Official Answer Sheets	

APPENDICES

Appendix I – Definition of Concours Cars	
Appendix II – Concours Organization Chart	41
Appendix III – Kardex Sample	43
Certificate of Authenticity Sample	44
COA Order Form	45
Monroney Label Samples	46
Appendix IV – Concours Score Sheets	
Preservation	49
Restoration (Air Cooled)	51
Restoration (Liquid Cooled)	

Restoration (III Cooled)	51
Restoration (Liquid Cooled)	55
Preparation	59
Preparation (Street)	63

Table of Contents

2017 PORSCHE CLUB OF AMERICA COMPETITION RULES

Appendix V – Autocross Modification List65
Appendix VI – Specifications67
Appendix VII – Rally Glossary75
Appendix VIII – Competition Protest Form77
Appendix IX – Index79
Appendix X – Parade Over-Subscription Procedure85
Appendix XI – Tech Inspection Form
Appendix XII – Roll Bars / Roll Cages

Introduction

Introduction

The rules and regulations set forth herein are the Porsche Club of America Competition Rules, known as the PCR's. The purpose of the PCRs is to provide for the orderly conduct of all official and un official comp etitive even t of the Porsche Parade and to make provisions for participant and spectator safety. Fairness to and among competitors is the goal of the PCRs.

I-1. USAGE

The current PCRs are the official competition regulations for the current Porsche Parade. The General Rules specifically apply to Parade applications and overall Parade operations. The four major competitive events (concours, autocross, rally and technical/historical quiz) are governed by the specific events rules contained within. These rules may also be used for, and are suggested for, conduct of other PCA competitive events, at the discretion of the zones/regions.

I-2. LIABILITY

No express or implied warranty of safety or fitness for a particular use shall result from publication of, or compliance with, these rules and/or regulations. The PCRs are intended as a guide for the sport and are in no way a guarantee against injury or death to participants, spectators, or others.

I-3. PCR COMMITTEE AND FUNCTIONS

The responsibility for developing, maintaining, revising, administering, and enforcing the PCRs is vested in the Porsche Club of America Competition Rules Committee, appointed by the National President and approved by the Executive Council of PCA. The PCR Committee reserves the right to review Parade events and to make any changes deemed necessary.

I-3.1. Pre-Parade Duties

I-3.1.1. Publication of the PCRs. The PCR Committee will publish the PCRs annually, incorporating all approved changes, by January 31st of each year. Copies will be available via the website to each regional president, each member of the national staff, the Parade Committee and Parade entrants.

I-3.1.2. Review of Planning. The PCR Committee, its Chairman, or designated member(s) will review and approve the following:

- (a) Supplemental Parade Regulations, published by the Parade Committee. This may include concours, autocross, rally and/or tech quiz supplementary instructions.
- (b) Appointments to the Parade Protest Committee
- (c) Appointments to the concours judging staff
- (d) Rally route in conjunction with the Safety Chairman and Parade Rally Chair, plus rally general instructions, including penalties. This event cannot begin or continue unless all aspects of the rally are and remain consistent with the PCR Chair/Safety Chair/Parade Rally Chair prior approval.
- (e) Autocross site and course design in conjunction with the Safety Chairman and Parade Autocross Chair, plus the driving event penalties. This event cannot begin or continue unless all aspects of the autocross are and remain consistent with the PCR Chair/Safety Chair/Parade Autocross Chair prior approval.
- (f) Scoring procedures for the four official events.

I-3.2. Parade Duties

The PCR Committee's Parade duties will be carried out by those members of the Committee at the Parade.

I-3.2.1. Protests. At least two members of the PCR Committee will be involved in every decision of a Parade Protest Committee.

I-3.2.2. Administration and Enforcement of Rules. The PCR Committee Chairman and members will be available to:

- (a) Answer questions regarding the PCRs (both before and during the Parade)
- (b) Enforce the PCRs and assist the Parade officials and event chairmen in enforcing the PCRs.

I-4. PCR REVISION PROCEDURE

I-4.1. Change Requests

Any PCA member may suggest/request any change(s) to the PCRs by making written application to a member of the PCR Committee. Rule suggestions/requests received prior to September 1st will be considered for the following calendar year.

I-4.2. Formulation and Distribution of Proposals

The PCR Committee will meet annually after the Parade at a time and place designated by the PCR Committee Chairman, to consider all comments and to formulate the proposed rule changes. At that meeting, the PCR Committee will review suggestions/requests and other rule changes. Based on this review, a final set of proposed rule changes will be published by November 15th for membership comment. The proposed changes(s) will be shown along with the existing rule(s), when applicable, and the reason(s) for the change(s). Final submission for membership comments based on these proposed changes will be December 15th.

I-4.3. Approval

Approved changes and rules will be submitted to the Executive Council for final review and will be effective for the following calendar year and Parade.

I-4.4. Exceptions

Exceptions to this procedure may be made only if, in the opinion of the PCR Committee, a hardship or an emergency condition will exist due to the existing rule (or lack thereof). Editorial changes for the purposes of administration, clarification and/or correction of errors are not considered changes in the rules

Parade General Rules

G.1. OFFICIAL/UNOFFICIAL COMPETITIVE EVENTS

The Porsche Parade consists of official (concours, mally, autocross, technical/historical quiz) and unofficial/social (art show, gimmick rally, radio controlled cars, etc.) competitive events.

The General Rules set forth herein are for overall Parade operation. Some specifics (generally G-6. through G-11. - safety (tech) inspection, protests, class award numbers) under the General Rules do not apply to the unofficial/ social competitive events.

G.2. REGISTRATION

G-2.1. Entry Categories

There will be two category of entry: the competitive entry and social. Competitive entrants will be eligible to enter all official competitive events. Any other category (or categories) of entry and all events in which such entrants are eligible to compete for awards will be identified on the registration form.

G-2.2. Eligible Entrants

Entrants and co-entrants must be 18 or over and must be PCA members in good standing, of any class of membership set forth in the PCA Bylaws. Participants in the Junior Participation Program (JPP) or the College Age Family Program (CAFP) must register as a JPP or CAFP participant with their sponsoring entrant or co-entrant. They may not register as an entrant or co-entrant. Coentrants do not have to be affiliated/family members; e.g., two active members, as defined in the Bylaws, may register together provided fees are paid per G-2.7. Nonclub members and additional family members may register as guests.

Only entrants, co-entrants and JPP or CAFP participants may register for the four official competitive events, except that registered children of the entrant or co-entrant, aged 13 through 15, may participate in the technical and historical quiz. Guests are not eligible to compete in the four official competitive events.

G-2.2.1. Junior Participant Program (JPP)

The JPP is a club-wide program for 16 and 17 year olds. Details about this program may be found in the Region Procedures Manuel. For a copy of the RPMs write or call the Executive Office or see www.pca.org.

G-2.2.2. College Age Family Program (CAFP)

The CAFP is a Parade specific **p** og ram. This **p** og ram allows 18 - 25 year old college students to attend Parade and participate in the events, who, except for their age, would otherwise qualify as JPP participants. The CAFP is not mandatory. If a participant meets the CAFP requirements, but are also PCA member in good standing and desires to enter his/her own Porsche, they can pay the entry fee and be a competitive entrant.

G-2.3. Participants per Automobile

The maximum number of four (4) drivers per automobile will be allowed for the autocross. A maximum of two (2) eligible entrants (term participant is associated with JPP and CAFP) per automobile will be allowed in the rally.

G-2.3.1. JPP Participants

JPP participants may compete in the autocross in the same automobile and the same category/class as their sponsoring entrant or co-entrant, subject to the JPP guidelines. JPP participants may compete in the rally only as a navigator with the sponsoring entrant or coentrant driving.

G-2.3.2. CAFP Participants

CAFP participants may compete in the autocross in the same automobile and the same category/class as their sponsoring entrant or co-entrant. CAFP entrants may compete in the rally as a driver or navigator.

G-2.4. Registration Requirements

All eligible entrants must pre-register for the Parade. Every registrant driving in an event must present a valid driver's license and sign the release form at Parade checkin. Each eligible entrant must register using only their membership number, or be a JPP/CAFP participant or guest. Entrants, co-entrants, JPP and CAFP may only have one entry registration for the Parade. The entrant and co-entrant may register up to one automobile each. The entrant and co-entrant may compete in either automobile jointly or separately. JPP, CAFP and guests may not register vehicles.

G-2.4.1. Registration Deadlines. All competitive events have specific registration and automobile class change deadlines. Reference event: Concours (C-1.), autocross (A-1.), Rally (R-1.) and Tech Quiz (Q-1.) for specific event deadlines. Final check-in on site at the Parade is required.

G-2.5. Non-Transferability

Parade registrations are non-transferable.

G-2.6. Eligible Automobiles

Only Porsches may be entered. As specified in the PCA Bylaws, "A Porsche is defined as an automobile body and suspension which is, basically, as manufactured by or designated as a Porsche automobile by Porsche KG, Porsche AG or its successor, which is powered by an engine which is basically one which was installed in such bodies by the manufacturer of such automobiles, although not necessarily in the body concerned", except that anyA Porsche engine may be installed in any Porsche-built regulations will be made available to all entrants prior to automobile. Ruf AG-built automobiles are considered Porsche for Parade event purposes. It is the entrant's responsibility, if necessary, to provide documentation to prove the entered automobile is a Porsche. (See Appendix I, Factory Race, Limited Production or Modified, for additional eligible automobiles.) If an entrant enters a contract car (rental, lease, etc.) entrant must abide by the terms of the contract.

G-2.6.1. Non-Street Legal Automobiles and Rally. Automobiles that are not street-legal for street driving may not be registered for the rally.

G-2.6.2. Rally Automobiles. The automobile used in the rally must be a Porsche (as defined above) and must be registered by a Parade eligible entrant.

G-2.6.3. Autocross Automobiles. A participant may drive only one automobile in the autocross. The autocross automobile must be a Porsche (as defined above) and must be registered by a Parade eligible entrant. Each driver in multiple driver automobiles must run in the same category/class (see A-2.1).

G-2.6.4. Technical Quiz Automobiles. Each eligible entrant may take the quiz of his/her choice.

G-2.6.5 Concours Automobiles. Concours automobiles must be a Porsche (as defined above) and must be registered by either the entrant or co-entrant.

G-2.7. Registration Fees

Registration fees are payable as follows:

- (a) Member/Associate Member An entrant and optional co-entrant may be a PCA member (one person) or a PCA member and his/her designated family/affiliate member (two persons), paying only one fee.
- (b) Unaffiliated Members An entrant and co-entrant may be two PCA members (neither being the family/ affiliate member of the other) registering together.

They will pay one registration fee.

- (c) JPP, CAFP and guest participants shall pay a nominal registration fee as determined by the Parade Committee.
- (d) Beyond the base registration fee, the Parade Committee may also charge additional fees to participate in the four competitive events, for additional automobiles and any other event or activity offered.

G-3. PORSCHE CLUB OF AMERICA COMPETITION RULES (PCR)

copy of the current PCRs and all supplementary

the Parade by the Parade Committee.

G-3.1. Knowledge of Rules

Every entrant shall have knowledge of the current PCRs and agrees without reservation to the consequences resulting from enforcement of the PCRs.

G-3.2. Questions

Questions regarding the PCR's should be directed to a member of the PCR Committee, listed in the front of this book.

G-3.3. Supplementary Regulations

Entrants must also comply with the supplementary regulations published by the Parade Committee. Supplementary regulations, posted on the PCA website for the Parade, will also be contained in registration packets. Supplementary regulations will be in addition to and not in conflict with the PCRs unless approved by the PCR Committee.

G-3.4. Verbal Instructions

Any verbal instructions from Parade personnel that are in violation of the current PCRs and/or current supplementary regulations shall not be official.

G-4. FAIRNESS

Fairness to all competitors is required. Nothing within the control of the Parade officials shall be done during the course of any event that would create an unfair advantage or disadvantage for anyone, and all reasonable steps shall be taken to assure compliance.

G-5. CAUSES FOR DISQUALIFICATION

The PCR Committee (limited to those members present at the Parade) may at any time during the Parade disqualify any entrant for violation of these rules. The Protest Committee has the same authority in conjunction with protests. The chairmen of the competitive events have the authority to enforce sections G-5.2 through G-5.6 during the conduct of their events.

G-5.1. Unsportsmanlike Conduct

If at any time during the Parade, the PCR Committee judges that an eligible entrant is showing unsportsmanlike conduct or is bending or taking unfair advantage of a rule or rules, that entrant may be disqualified from an event, or from the entire Parade.

G-5.2. Misclassification

It shall be each eligible entrant's responsibility to properly classify himself/herself and the registered automobile(s) for each event entered. Misclassification is cause for disqualification.

G-5.3. Alcohol, Narcotics, Illegal Substances

Any participant may be disqualified from the driving event or rally if found consuming or using or if judged to be under the influence of alcohol, narcotics or dangerous or illegal substances during and at the site of the event. Workers, and Parade officials are likewise prohibited from using or being under the influence of the above substances.

G-5.4. Schedules

Failure of an eligible entrant to be in the proper place at the scheduled time may be cause for disqualification from the concours, autocross, rally, or technical quiz. That is, a tardy eligible entrant may not be allowed to compete in the event for which he/she was tardy.

G-5.5. Unsafe Driving

Irregular, dangerous, or reckless driving during the Parade may be cause for disqualification.

G-5.6. Other Causes

Other causes, applicable only to individual events, are listed under "Competitor's Rules" in the sections concerning those events. (See G-9.5.3 "Automatic Disqualifications" under "Autocross Protests.")

G-6. VEHICLE/DRIVING LAWS

G-6.1. Traffic Laws

Eligible entrants must strictly adhere to all applicable (state, local, etc.) traffic laws.

G-7. SAFETY (TECH) INSPECTION

Each automobile competing in the autocross must undergo safety inspection before being driven in the event for which that automobile is registered. (See A-5 for autocross driver safety rules.)

G-8. CLASSIFICATION DISPUTES

If an eligible entrant thinks an automobile is not properly classified, the entrant may bring this to the attention of a member of the Protest Committee, Competition Event Chairman or designated official who will investigate the problem. If the member of the Protest Committee finds that there is an obvious misclassification, the Committee member will assist in the proper classification for the automobile involved, if possible. This procedure is intended to correct misclassifications without payment of protest fees and/or subsequent disqualification of entrants. If the member of the Protest Committee does not find a violation, the complainant may still file a formal protest. Re-classification must take place as follows:

Concours - Prior to the Start of Judging

Rally- Prior to Leaving the Start Line

Autocross - Prior to Start of the Correct Run Group

G-9. PROTESTS

G-9.1. Right To Protest

An eligible entrant may protest any decision, act, or omission of the organizers, an official, entrant, or other person connected with the event considered to be in violation of the PCRs or any supplementary regulation published by the Parade organizers. Any eligible entrant participating in any event, including members of the PCR Committee and the Protest Committee, shall have the right to protest.

Protests will be resolved by the Protest Committee.

Eligible entrants are responsible for notifying Parade organizers in the event of a scoring math or timing error. Protests are not needed to correct scoring math or timing errors.

It is expected that protests be reasonable, based on sound evidence, and submitted in a spirit of fairness (See G-4, G-5.1.) If, in the opinion of the Protest Committee, a protester has acted in a manner inconsistent with the spirit of fairness and good sportsmanship, the protest will be considered to be in bad faith, the protest will be denied and the protest fee forfeited.

G-9.2. Submission Of Protest

Every protest must be legibly written, must describe in detail and cite which PCR (letter #) or supplementary regulation is considered to have been violated and by whom, must be signed by the protester, and must be accompanied by a protest fee.

G-9.2.1. Protest Fee. Each protest must be accompnied by a fee of \$100.00, cash (no Checks). The fee will be returned only in the event the protest is upheld. However, protest by the PCR Committee and/or the Protest Committee are exempt from the fee; except when a member of the PCR/Protest Committee, files a protest and is personally involved, the PCR/Protest Committee member pays the fee. Final safety check inspectors are also exempt from the fee for protests resulting from the performance of duties. All protests of improper action or following of procedures by PCR/Protest Committee Members are protestable at no fee, if the improper action or procedure has been brought to the appropriate PCR/ Protest Committee Member's attention and satisfactory corrective action has not been taken. Situations where there is a conflict of interest which may affect results, or where an entrant is unfairly prejudiced may also be protested at no fee, if the appropriate event PCR/Protest Committee Members have not satisfactorily responded after the situation has been brought to their attention.

G-9.2.2. Time and Place. Protests must be filed within the time limits established for each event in the following subsections. The time limit may be extended in exceptional cases where a protester can demonstrate that information pertinent to the protest was not available within the time limit. Protests must be filed with the designated personnel in the following locations: Concours - in the score posting area at the event site; Autocross - in the vicinity of the impound area; Rally - in the area for the receipt of the score cards; Tech Quiz - in the area for the receipt of the answer sheets.

G-9.2.3. Protest Committee Procedures. The Protest Committee Chair is appointed by the Executive Council. The Parade Protest Committee Chair is responsible for the organization and management of the Parade Protest Committees. Every Protest Committee will consist of five or more qualified members, including two members from the PCR Committee. The Concours Head Judge shall serve, as an advisory member, on the Protest Committee during the concours protest period. The appointees must be approved by the PCR Committee. A member of the PCR Committee serving on the Protest Committee must be involved in every decision of the Protest Committee. The Protest Committee has the right to request the protester to supplement the written protest with an oral explanation of its basis. Discussions involving a protest shall include all parties as appropriate to the protest.

The Executive Office must provide forms for the filing and logging of protests. Blank protest forms should be available at the location for receiving protests. Fivepart forms are recommended: one for posting, one for the Protest Committee, one for Parade scoring officials, and one copy each for the protestor and protestee. (See Appendix VII.)

The Protest Committee Member in Charge receives protests must also collect fees, log the receipt of the fees, post a copy of the protest in the area designated for the receipt of protests. The disposition (upheld/denied) of the protest will be noted on the posted copy.

All posted protest forms are to be moved to the central headquarters area where the event scores are posted after the event.

G-9.2.4. Protest Committee Decisions

Any Protest Committee decision may include disqualification from the Parade or a Parade event or any lessor penalty as deemed appropriate by the Protest Committee.

G-9.3. Final Authority

The decision of the Protest Committee will be final and no appeal will be allowed the protester. The PCR Committee has the prerogative to review and change any decision of the Protest Committee, provided all members of the PCR committee attending the Parade participate in the review.

G-9.4. Concours Protests

Protests must be filed not later than 30 minutes after the initial results are posted and official score sheets are available for the class in which the protested automobile is entered. No entrant can protest against another entrant's score. Protests that involve subjective judging standards will not be accepted. The results are final at the end of the protest period pending resolution of protest(s). No entrant's automobile may be removed from the concours site until the protest period for that class has expired and all protests resolved.

G-9.5. Autocross Protests.

Protests must be filed not later than 30 minutes after the last automobile in the class enters impound and initial results are posted, except those concerning rubbing tires. See "Rubbing Tire Protests" below (G-9.5.4).

G-9.5.1. Non-Conforming Automobile. Any entrant taking part in the competition may protest any automobile as not conforming to the PCRs. The protester may request that the automobile be disassembled, inspected, or any

2017 PORSCHE CLUB OF AMERICA COMPETITION RULES

other test made, provided that the protester posts a cash bond with the Protest Committee sufficient to cover the total expenses of disassembly, inspection and reassembly. (See G-9.5.3.)

G-9.5.2. Responsibility for Inspection Expense. If the protested automobile is found upon inspection to conform to the PCRs, the protester shall forfeit the bond posted with the Protest Committee and the money shall be used to cover the costs incurred. If the automobile is found upon inspection to be in violation of the PCRs, the protester's bond will be returned, and the entrant/driver of the protested automobile shall pay for all expenses and be subject to disciplinary action as the Protest Committee deems proper. (See G-9.5.3.)

G-9.5.3. Automatic Disqualifications. Eligible Entrants will be immediately disqualified from the driving event under these circumstances:

- (a) Refusing Inspection If the eligible entrant of a protested automobile refuses to allow inspection of the automobile under the terms defined in G-9.5.1 and G-9.5.2, he/she will be immediately disqualified. Other penalties, as deemed appropriate by the Protest Committee, may also be imposed.
- (b) Disqualified Automobile If an automobile is disqualified, both eligible entrants will be automatically disqualified.

G-9.5.4. Rubbing Tire Protests. If an eligible entrant or a final safety check inspector believes that an automobile in a Showroom Stock or Production class has a tire(s) that will rub against the fender, body, or suspension, the protest must be filed BEFORE the protested automobile's timed runs. The surface(s) that are suspected as rubbing points will be marked in a manner agreeable to the protestee prior to runs, and the marked points will be examined by the Protest Committee immediately after the automobile's last run for evidence of rubbing. If evidence of rubbing is found, the automobile and its drivers will be disqualified. A front tire whose inside surface or shoulder lightly rubs the inner surface of the fender well while steering is at full lock is exempt from the rubbing tire protest. If the protestee refuses to allow his automobile to be marked, the automobile and its drivers will be automatically disqualified. Competitors may not protest rubbing tires after timed runs, and automobiles will not be marked after timed runs; however, the Driving Event Chairman and/ or the Protest Committee may disqualify an automobile for rubbing tires after its timed runs per A-5.1 (h) under

"Driver Safety."

G-9.6. Rally Protests

Protests concerning a condition existing or occurring on the route of the rally must be filed not later than one hour after the concerned automobile's arrival time at the place where score cards are turned in. No changes other than mathematical corrections will be made in individual scores in the absence of an approved official protest lodged by the complainant. No protests will be allowed on a checkpoint's timing error of 3 seconds or less. Rallyists will be notified on or before rally day of the time and location where official \mathbf{x} or es will \mathbf{b} posted. Following score posting, the Rallymaster or his authorized representative must remain available for one hour to correct mathematical errors. Since final rally scores are not protestable, no Protest Committee will be available. (See R-11.4.)

G-9.7. Technical Quiz Protests

Protests concerning questions and answers must be filed not later than 30 minutes after the last entrant receives the official answer. If a protest is up held, all test with the protested question will be re-scored correctly by substituting the correct answer on the master score sheet and re-scoring tests or by adjusting the scores of affected tests. Either the protests and the disposition (upheld/ denied) of each protest will be posted or a copy of the corrected master score sheet will be posted. Official scores posted later in the day are not protestable although mathematical errors are correctable. The Protest Committee will not be available at that time. See Section Q-5.

G-10. SCORING

The scoring procedures used for all official events will have been approved by the PCR Committee. Event chairs have the option of distributing additional awards.

G-11. AWARDS

G-11.1. Class Awards

Class awards are awarded to participants in competitive event. Am entrant is deemed to have participated if they started the competitive event, Class awards (separate for driver and navigator in the rally) shall be presented in accordance with the following minimum schedule:

Number Of
Awards
1
2
3
4
5
6

<u>17 or more</u> 6 + 10% of excess over 16 (rounded up to nearest whole number)

Comparable awards will generally be given out across all competitive events as covered by the PCRs.

G-11.2. Concours Awards

In addition to the class awards, the following overall awards will be presented:

- (a) Three Concours d'Elegance Group Awards:
 - Restoration Group Award
 - Preservation Group Award
 - Preparation Group Award I
 - Preparation Group Award II

Since these are Perpetual Trophies, it will be each recipient's responsibility to return the trophy as requested. The recipients will also receive a permanent award to keep, provided by the Parade Committee.

(b) Level of Achievement Awards (Restoration Group only) - All automobiles participated in Restoration "Full" will be eligible for PCA Level of Achievement Awards. Awards will be distributed regardless of class finishing position and are based on raw scores.

Gmund (gold): 298 points and above Zuffenhausen (silver): 295 points to less than 298 points Weissach (bronze): 292 points to less than 295 points

- (c) Honorary Judges' Choice Selected from among those Porsches participated in the concours by a panel of honorary judges. A trophy will be given to the automobile so selected.
- (d) People's Choice Selected from among those Porsches participating in the concours by the Parade entrants. A trophy will be given to the entrant whose Porsche is so selected
- (e) Historic Display Award Selected as the most popular Porsche from among those in the Historic Display. A trophy will be given to the owner whose Porsche is so selected. The owner need not be a Parade entrant.

G-11.3. Autocross Awards

In addition to the class awards, the following special awards will be presented. Since these are Perpetual Trophies, it will be each recipient's responsibility to return the trophy as requested. The recipients will also receive a permanent award to keep, provided by the Parade Committee.

- (a) Men's Driving Trophy Awarded to the fastest male driver (official time). This award will be in addition to the first place trophy in the winner's class.
- (b) Women's Driving Trophy Awarded to the fastest female driver (official time). This award will be in addition to the first place trophy in the winner's class.

G-11.4. Rally Awards

In addition to the class awards, the following special awards will be presented. Since these are perpetual trophies, it will be the recipients' responsibilities to return the awards as requested. The recipients will also receive a permanent award to keep, provided by the Parade Committee.

- (a) Hoffman Rally Trophy Awarded to the driver of the automobile with the lowest score in the rally.
- (b) Woolery Navigator Trophy Awarded to the navigator of the automobile with the lowest score in the rally.
- G-11.5. Technical Quiz Awards

In addition to the class awards, the following special awards will be presented. Since these are Perpetual Trophies, it will be each recipient's responsibility to return the trophy as requested. The recipients will also receive a permanent award to keep, provided by the Parade Committee.

- (a) Men's Tech Quiz Trophy Awarded to the highest scoring male entrant in addition to his first place class award.
- (f) Women's Tech Quiz Trophy Awarded to the highest scoring female entrant in addition to her first place class award.

Concours D'Elegance

Concours d'Elegance is a term denoting a gathering together of automobiles in competition for judging their relative merits in terms of coachwork, design, finish, and appointments.

The Concours is divided into three groups with an award for each group:

- The PCA Concours d'Elegance Award for Restoration
- The PCA Concours d'Elegance Award for Preservation
- The PCA Concours d'Elegance Award for Preparation

PCA members may enter their Porsches in either the Restoration Group, Preparation Group or the Preservation Group. The PCR Committee members can assist entrants in classifying their Porsche for the upcoming Parade Concours.

C-1. REFERENCED RULES

The rules referenced below apply to the concours.

- (a) Eligibility (See G-2.1. through G-2.6.)
- (b) Protests (See G-9.)
- (c) Awards (See G-11.1 through G-11.2.)
- (d) Entrants must complete on-site Parade check-in before the event or they will not be allowed to compete. Entrants requesting classification or classification changes must occur no later than 11AM day before the event starts. (See G-2.4.1.)

C-2. CLASSIFICATION

GROUP/CLASS DESIGNATIONS

Refer to Appendix II, the Concours Organization Chart.

- The chart has three columns, referred to as "groups."
- Within each group are "classes," as many as required, based on the quantity of Parade Concours entries.

The Winners of each. Restoration, Preservation and Preparation-full will be rejudged for its Group Awards.

(For information about Factory Race, Limited Production, or Modified, see Appendix I.)

C-2.1. Restoration Group

The grouping "restoration" implies that the entered Porsche has been rebuilt, repainted, reupholstered, recarpeted, trim re-plated, etc. in a comprehensive manner. The paint color need not be the original color but should be period correct* for maximum originality points. The upholstery need not be the original color, fabric, vinyl or leather, but should be period correct* for maximum originality points. The engine and/or transaxle may have been upgraded or replaced entirely, but should be period correct* for maximum originality points. Optional items such as radios, wheels, fog lights, etc. may be added as long as they are period correct* in terms of manufacture, color, finish, style, etc. Porsches that do not fit this description (e.g. not comprehensively restored) do not belong in this group. The Kardex (build data sheet), Certificate of Authenticity or Monroney Label (window sticker) will not be examined by the judges. Exception: if, in the opinion of the judges, there is a question of originality or authenticity of an item, the participant may produce any type of documentation he or she may have at the time of judging to help in the decision process.

*Period correct is defined as the paint color, interior color and fabric, optional equipment and other parts that were available from the factory for that specific year and model range including optional paint and interior colors that could have been ordered.

Reference Judging Standards C-5.1.(a) for further class information.

Classes for Restoration Group

All entrants in this Group are designated "Full" classes. All classes are identified with the suffix "F". For a definition of "Full" see Appendix I. Classes are created from the following classifications, which include Limited Production models where applicable.

RS01F	356
RS02F	914/4 & 914/6
RS03F	911/912 (1965-1973)
RS04F	911/912 (1974-1989; 911/912)

RS05F	911 (1989-1998; 964/993)
RS07F	924, 944, 968, 928 (1977-1995)
RS11F	Factory Race

All automobiles entered will be eligible for the "PCA Restoration" group award and PCA "Level of Achievement" awards. Level of Achievement awards will be distributed regardless of class finishing position and are based on raw scores.

C-2.2. Preservation Group

The grouping "preservation" implies that the entered Porsche has been maintained in its original condition, with evidence that the automobile has been reasonably used (driven) and not simply stored. The Preservation Group criteria includes overall presentation, originality and utilization. It implies that the entered Porsche has most, if not all, of its original parts and surfaces (at least 75% original factory applied top-side exterior paint, at least 75% original upholstery and at least 75% original carpet). Should the automobile show with less than 75%, (more likely less than 60%), the judge may ask the entrant for further explanation and/or more information. The engine and transaxle must be original with no visible upgrades. Non-standard reproduction parts are subject to demerits (if the judge can tell the part is a reproduction, by definition, it is non-standard).

Reference Judging Standards C-5.1.(b/b.1) for further class information.

Classes for Preservation Group

All entrants in this group are designated "Full." All classes are identified with the suffix "F" following each class number. Classes are created from the following classifications, which include Limited Production models where applicable.

PS01F	356
PS02F	914/4 & 914/6
PS03F	911/912 (1965-1973)
PS04F	911/912 (1974-1989; 911/912)
PS05F	911 (1989-1998; 964/993)
PS07F	924, 944, 968, 928 (1977-1995)

Note: classes are for automobiles regardless of mileage; judging will adjust for mileage.

All automobiles entered in the Preservation Group will compete using a complete six-component inspection and will be eligible for the "PCA Preservation" group award. The Kardex (build data sheet), Certificate of Authenticity or original Monroney Label (window sticker) for automobiles in the Preservation Group is required and will be examined by the judges. See Appendix III for instructions for obtaining the build data for your Porsche and samples of acceptable versions of the various documents. Other documents may be used as proof of authenticity if, in the opinion of the judges, such documentation substantiates the automobile's authenticity. Automobiles without such documentation can be shown but will not be judged. It is recommended that any documented history of the automobile that the owner might have, including date of acquisition, should be available in case any questions that may arise during judging.

C-2.3. Preparation Group

The grouping "preparation" implies the entered Porsche has been maintained similar to original. Judging emphasis is on preparation and cleanliness. Originality will not be judged. The Kardex (build data sheet) or other documentation for the automobile will not be examined by the judges.

Reference Judging standards C-5.1.(c) for further class information.

Classes for Preparation Group I and Group II

There will be "Full", "Touring" and "Street" classes. Full classes are identified with the suffix "F", Touring classes are identified with the suffix "T" and Street classes are identified with the suffix "S" following each class number (i.e. PP05F, PP11T or PP06S). For a definition of "Full," "Touring," or "Street," see Appendix I. All automobiles entered in "Full" will be eligible for the "PCA Preparation" group award.

Classes are created from the following classifications, including Limited Production models where applicable.

Preparation Group I

PP01x	356
PP02x	914/4 & 914/6
PP03x	911/912 (1965-1973)
PP04x	911/912 (1974-1989; 911/912)
PP05x	911 (1989-1998; 964/993)
PP06x	911 (1999-2012; 996/997)
PP07x	924, 944, 968, 928 (1977-1995)
PP08x	Cayenne, Panamera (2003-2011)
PP09x	Limited Production
PP10x	Modified
PP11x	Factory Race

Preparation Group II

PP12x	911 (2012-On; 991)
PP13x	Boxster, Cayman (1997-2012)
PP14x	Boxster, Cayman (2013-On)
PP15x	Cayenne, Panamera and Macan (2012-On)

Note #1: All Preparation Group II classes will not have their engines judged. Note #2: Categories will be available for all classes in either "F" - FULL, "T" - TOURING or "S" - STREET. Replace the "x" in the class designation above with the appropriate category that you will be competing in with your automobile (examples: PP01F (356SC in full), PP10T (Modified in touring) or PP05S (993 in street)

C-3. PREPARING YOUR PORSCHE

Advance preparation of concours entries is usually made by entrants prior to arrival at the Parade. Final preparations are usually made after arrival at the Parade. (See C-4. (d) "Cleaning.")

C-4. COMPETITOR'S RULES

- (a) Each automobile must enter the Concours at its designated entry point. Each automobile must proceed to its proper location under its own power, without assistance of any kind. All automobiles must remain in position until the end of the protest period, except that any automobile that is protested during that period must remain until dismissed by the Protest Committee. Each automobile must leave the Concours by its designated exit point.
- (b) Each automobile must be in its assigned display position at the time judging begins.
- (c) Promotional Activities "For Sale" signs, promotional materials, and/or commercial activities will not be permitted in the display area.
- (d) Cleaning Last-minute preparation, as defined in the Parade Supplementary Regulations, will be allowed on the display site until judging begins. However, cleaning equipment and supplies (except for light dusting materials), spare parts and un-displayed items will not be allowed in the display area during judging. Contestants will be notified five minutes prior to the beginning of the official judging. Once judging begins (on any automobile), only light dusting of the automobile will be permitted for the duration of the event. Violation of the "light dusting" or

"site cleanliness" rules will result in disqualification from the event.

- (e) Assemblies- Each automobiles will be displayed as an assembled unit. Parts such as bumper, tops, hubcaps, etc, must be attached to the automobile in their normal positions.
- (f) Entrant/Judge Interface An automobile may be shown only by the Parade entrant(s) who shall be the sole interface between the automobile and the judging team. No other individual may assist during the judging period. Entrant(s) must be present at concours and with the automobile during all judging activities. Entrant(s) who are involved in judging or timing/ scoring may designate another individual to represent them in this capacity.
- (g) Automobile Numbers Assigned automobile numbers (center of windshield only) must be in place before entering the concours site and during the event.

C-5. JUDGING

All entrants will present their car completely closed. After completion of and an initional inspection of the exterior, the Chief Judge (exterior judge) will request that the entrant fully open all areas, including but not limited to doors, engine cover and the storage compartment.

For all groups, no demerits shall be given for properly applied factory recall modifications (the burden of proof of proper application is upon the entrant), or for removal of transportation (e.g. factory to distributor/ dealer) protection. Non-original equipment safety items added to the automobile (e.g. after market seat belts, fire extinguisher) shall not be judged.

C-5.1. Judging Standards

(a) Restoration Group-Judging emphasis is on authenticity of the restoration and on presentation. Restoration implies that the entered Porsche has been repainted, reupholstered, re-carpeted and nonservice items such as seals and trim replaced in a comprehensive manner. Non-original parts are subject to loss of points. 50% of the potential points for each item will be assigned to originality/restoration and 50% to presentation of that item. Any item departing from original shall be

penalizes no more than 50% of the allowed points for that item. If, in the opinion of the judge or judges, there is a part, color, trim, wheel, etc. that is nonoriginal or not period correct, the burden of proof will be on the entrant. The build data sheet or other documentation for the automobile is not required and will not be examined by the judges.

- (b) Preservation Group Emphasis is on preservation of the automobile, it is to be given for maintained in the original condition. Judging of automobiles in this group will take into account the overall "utilization" of the Porsche as intended by the Porsche factory. Overall "utilization" will consider age of the car and total millage within each class. Ownership and preservation of an automobile with reasonable mileage shall be considered superior to an automobile simply "stored" to avoid usual wear encountered from normal use. Proof of authenticity such as Kardex (build data sheet), Certificate of Authenticity or original Monroney Label (window sticker) is required for the automobile to be judged and will be examined by the judges. Other documentation may be used as proof of authenticity if, in the opinion of the judges, such documentation substantiates the automobile's authenticity. In the case of two automobiles being equal in the opinion of the judges, length of ownership will be considered. The judges rating for the chassis (if judging is requested) will not be altered due to the presence of fresh road dirt or signs of recent use.
- (c) Preparation Group Primary judging emphasis is on preparation (presentation, cleanliness). Originality is not judged. The build data sheet or other documentation for the automobile is not required and will not be examined by the judges.

C-5.1.1. Judges. Each automobile will be inspected by a team of judges, approved by the PCR Committee. Judges, including the Head Judge, will have had experience on a national or multi-regional level, or the equivalent, as a judge and/or entrant.

C-5.1.2. Inspection of Automobiles

(a) Restoration/Preparation - The judge may ask that items such as caps, lids, and covers be removed for the purpose of inspection provided no tools are required unless needed to gain specific access to the spare tire or the engine compartment. (The judge may not remove any item from the automobile.) For the Restoration and Preparation Groups, the following components will be judged:

- 1. Exterior (Full, Touring, Street Classes)
- 2. Interior (Full, Touring, Street Classes)
- 3. Engine (Full, Touring Classes)
- 4. Storage (Full, Touring Classes)
- 5. Chassis, Front (Full Classes)
- 6. Chassis, Rear (Full Classes)
- (b) Preservation Group The entrant may volunteer to remove caps, lids, covers for inspection by the judges, provided no tools are required unless needed to gain specific access to the spare tire or engine compartment. (The judge may not request such items be removed, nor remove any item from the automobile.) For Preservation Group, the following six components may be judged:
 - 1. Kardex/ Certificate of Authenticity (COA), utilization and accompanying documentation (data plate, paint plate. ect,).
 - 2. Exterior
 - 3. Interior
 - 4. Engine
 - 5. Storage
 - 6. Chassis

(c) 5.2. Judging Procedures

The judging procedures are to be described on information sheets provided to Concours entrants at on site Parade check-in.

C-5.2.1. Removal of Caps/Covers/Lids

C-5.2.1.1. Restoration/Preparation Groups. The judge may ask that items such as caps, lids, and covers be removed for the purpose of inspection provided no tools are required unless needed to gain specific access to the spare tire or the engine compartment. (The judge may not remove any item from the automobile.)

C-5.2.1.2. Preservation Group. The entrant may volunteer to remove caps, lids, and covers for inspection by the judges, provided no tools are required. (The judge may not request such items be removed, nor remove any item from the automobile.)

C-5.2.2. Judging Sequence

C-5.2.2.1. Restoration/Preparation Groups. The same team will judge all automobiles in a given division except when a division must be split due to the high number of entries in the division. Each class in the division will be judged in its entirety before beginning inspection of other classes in the division. Each judge operates independently, with responsibility for only one component of the automobile (e.g. interior). Judging teams will not take any lengthy breaks, such as for lunch, during the judging of a class. Teams that have completed judging their Full Concours divisions may also judge classes in Touring and/or Street.

C-5.2.2.2. Preservation Group. The P reservation G roup judging process will be primarily a "hands-off" process employing a three or five (based on availability of qualified judges) person team per division, judging each automobile as a focused team, with all judges examining each judging component of each automobile. The same team will judge all automobiles in a given division except where divisions are split or when precluded by time limits.

Example: all judges will, as a team, examine the exterior fit, finish, trim, etc., with discussion as necessary. Then, as a team, they will examine the interior, then the engine, etc., discussing each particular component of the automobile with other judges as necessary during the examination.

The judging time will vary, with a minimum and a maximum time period (based on number of entrants), to judge each automobile. Interaction with the owner (initiated by and terminated by the Team Chief Judge) and examination of the automobile's documentation are integral parts of the Preservation Group judging process. The time taken for interaction with the owner and for examining the documentation is not to be considered part of the judging time.

C-5.2.2.3. Judging Procedure for Split Classes. When more than one team of judges will be required, due to the large number of entries in a given class, the following procedure will be implemented. The class shall be split amongst the different judging teams. The "best" entries from each portion of the split will be re-judged by a new team of judges that may be composed of judges from each of the judges that may be composed of judges from each of the previous teams and/or new judges. (Only the second set of scoring sheets will be given to the re-judged entrants.) The number of "best" entries from each portion of the split class should be equal to half the number of trophies to be distributed (See G-11.1., Class Awards (e.g., if the total number of entries in the class is 14, six trophies will be awarded; therefore, three entries from each portion of

the split class will be re-judged).

C-5.2.3. Last Minute Preparations. The preparations to be allowed on the display site must be determined and rules must be formulated for inclusion in the Parade supplementary regulations. The supplementary regulations shall also include instructions regarding the removal of cleaning paraphernalia and spare parts from the display area, including any related time limitations and the identification of any storage area, if provided, for contestants who do not have a safe place to store such items.

C-6. SCORING

C-6.1. Forms

Entrants are responsible for bringing the concours forms furnished at the on site Parade check-in to the event. The forms will include a display card, a Master Score Sheet, and detailed score sheets. An announcer's card may also be provided. Entrants should complete all applicable portions of the forms before judging begins. Official score sheets, or reasonable copies there of, shall be returned to each entrant. Samples of the score sheets that must be used are in Appendix IV.

C-6.2. Tied Scores (Restoration Group/Preparation Group)

Tied scores will be broken by comparing the tied automobile's scores for each of the following areas:

(1) Highest of raw exterior score
 (2) Highest of raw interior score
 (3) Highest of raw engine score
 (4) Highest of raw storage score
 (5) Highest of raw chassis front score
 (6) Highest of raw chassis rear score
 (full Concours only)
 (6) Highest of raw chassis rear score

Scores for each of the judging areas will be compared in the order listed above. The first automobile having the highest score on the first judging area at which the scores differ will be awarded the higher position. If a tie still remains, duplicate awards will given.

C-6.3. Posting of Scores

Concours scores shall be posted at the event site within one hour after all properly completed score sheets for each class has been received by Scoring. Copies of official score sheets shall be returned only to the entrant at time of posting. The results of the judging shall not be disclosed by the organizers and/or judges to any other competitor.

The Group Award judging will begin after all class competition scores are posted, copies of each entrant's score sheets have been returned and after completion of the protest period. (See G-9.4. "Protests.")

Autocross

The Parade driving event will be an autocross. It will be an all forward motion, skill autocross with a rolling start and finish. A utomobiles will be timed while driving a course laid-out on a paved area. Safety of the entrants, workers and spectators will be of paramount importance in the design and conduct of the event.

A-1. REFERENCED RULES

The rules referenced below apply to the autocross.

- (a) Eligibility. (See G-2.1. through G-2.6.)
- (b) Protests. See G-9.
- (c) Awards. See G-11.1. and G-11.3.
- (d) Entrants must complete on-site Parade check-in before the event or they will not be allowed to compete. Entrants classification or classification changes must occur no later than the day before the event starts. (See G-2.4.1.)

A-2. CLASSIFICATION

Drivers are responsible for properly classifying their automobiles. Refer to G-5.2. "Misclassification", G-3.2. "Questions", and G-9.5.3. (b) "Automatic Disqualifications".

A-2.1. Categories

There are four categories of classes – Showroom Stock, Production, Improved and Modified. Categories are related to automobile configuration.

The Showroom Stock (S) Category contains classes of automobiles as normally delivered and specified for use in the United States and Canada. Factory options as normally available for a specific model year are permitted. Certain factory and/or dealer installed equipment/ options will move an automobile out of S and into Production or higher as specified in the Modifications Allowed List (Appendix V) table so as to maintain the intent and integrity of the Showroom Stock classes.

The Production (P) category contains automobiles (as normally delivered to the United States and Canadian public through authorized sales outlets of the manufacturer) plus others with limited performanceaffecting changes from stock. The Improved (I) category contains automobiles with more substantial performance-affecting changes from standard (stock) specification, whether changed by the factory, dealer or owner. These modifications have defined limits. These automobiles are classed according to their number of cylinders and actual displacement.

The Modified (M) a tegory on tains automobiles **h** at have performance-affecting modifications outside of the limits of the Improved category and for race automobiles (factory-built or otherwise). These automobiles are classed according to their specified number of cylinders and actual displacement.

A-2.2. Classes

Each category is divided into classes, grouping automobiles with similar performance potential. Each class is divided into separate men's and ladies' groups for scoring purposes. Classes prefixed with "S" are for Showroom Stock, those with "P" are Production Classes, those with "I" are Improved Classes and those with "M" are Modified Classes. Men's and Ladies' classes are designated with a suffix "M" or "L" respectively as appropriate for each class as designated in the Class Chart below (example: S01M, P08L or M04M).

Showroom Stock classes are available for a limited number of recently manufactured automobiles. Those automobiles exceeding the Showroom Stock class allowances, not listed in Showroom Stock or not considered factory race cars are considered Production automobile models and are initially assigned to a Production class. Those individual automobiles with significant m odifications are "progressed" into classes with higher performance potential. Modifications are discussed under "Category Progression" below. The numerical assignments of the classes do not necessarily indicate relative performance potential between classes. Factory and non-factory race cars are considered modified and are classed by the number of cylinders and actual displacement.

These classes, plus those reserved exclusively for progressed cars, are presented in the Class Chart. For the purpose of automobile classification, factory options as normally delivered for a specific automobile and/or model year are permitted. Certain factory and/or dealer installed equipment/options will move the automobile

2017 PORSCHE CLUB OF AMERICA COMPETITION RULES

out of the Showroom Stock or Production Categories. This includes R-rated, less than 180 treadwear, tires even if they were on the automobile as delivered. However, those dealer and factory options that are not considered to improve performance are allowed in the Showroom Stock and Production classes (i.e., trim packages, air-Showroom Stock automobiles, conditioning, etc.). delivered from the factory with tread wear of less than 180, may run in their respective Production Category classes. These automobiles must run the N-spec tires specified by Porsche for that year and model and have no additional alterations or modifications. Showroom Stock or Production classes are also the starting point in the determination of final classification of the automobiles that have been changed from stock. Production based "racing" automobiles will be classed according to their initial car type and the modifications they have a s specified in these rules.

If an automobile is not a United States-specification automobile, the entrant must be able to prove that the automobile is equivalent to the respective Production automobile (as delivered to the United States public through authorized sales outlets of the manufacturer) to qualify for Production classification or equivalent to the respective Improved automobile to qualify for Improved classification; otherwise the automobile will be classified in the Modified category. DOT and/or EPA Certification alone do not make an automobile equivalent to a U.S. specification automobile for the purposes of the PCRs.

CLASS CHART

A-2.2.1. Showroom Stock Category

S01: 944 S2 (1989-19910 968 (1992-1995) 911 Carrera 2 (964: 1990-1994) Carrera 4 (964: 1989-1994) RS America (1993-1994) S02: Boxster (986:1997-2004), All except Boxster S S03: Boxster S (986: 2000-2004) S04: Boxster (987: 2005-2012), All except Boxster S/Boxster Spyder Cayman (2006-2012), All except Cayman S/Cayman R Boxster (981: 2013-2016), All except Boxster S (981: 2013-On), All Cayman (981: 2013-2016) S05: Boxster (718: 2017-On) except Boxster S Cayman (718: 2017-On) except Cayman S

Boxster S (987: 2005-2012), All except Boxster Spyder Cayman S (981: 2013-2016) except GTS/GT4 Cayman S (2006-2012), All except Cayman R Boxster S (981 :2013-2016) S06: 911 Carrera (993: 1995-1998), All except Turbo S07: 911 Carrera (996: 1999-2005) except 996 Turbo/GT2/GT3 911 Carrera 2/4 Turbo (964: 1990-1994) S08: 911 Carrera (997: 2005-2012), All except 997 Turbo/GT2/GT3 997S (2005-2009) without X51 911 Carrera (991: 2012-On), All except 991S/GTS 993 Turbo S09: 911 Carrera (997S: 2005-2009) with X51 911 (991S: 2012-On) 993 Turbo, 997S (2009-2012) 997 GTS/Speedster (2010-2012) 996 Turbo. 2001-2005, except 996 GT2 Boxster Spyder (2010-2012) and (2016-On) Boxster S (718: 2017-On) Boxster GTS (2014-2016) Cayman S (718: 2017-On) Cayman R (2011-2012) Cayman GTS (2014-2015) S10: Cayman GT4 (981: 2016-On) 996/997 GT3 ("2004-2013) 911 GTS (997: 2011-2012) S11: 911 Carrera 996/997 GT2 (2002-On) 911 Turbo (997: 2006-2013) 911 GTS (2014-On) 991 GT3 (2014-On) 991 GTS (2017-On) 991 Turbo (2014-On) Carrera GT (980: 2004-2005) 918 (2014-On) 911 R (991: 2017) S12: Cayenne, All Cayenne S (2003-2010), All except GTS/Transsyberia Panamera (2011-On), All Cayenne Hybrid (2011-On) Cayenne Diesel (2013-On) Macan (2014-On), All except Turbo Macan Diesel (2014-On) S13: Cayenne GTS/Transsyberia, All Cayenne S (2011-On) Cayenne Turbo (2003-On) Panamera S (2011-On)

Panamera Turbo (2011-On) Panamera Hybrid (2012-On) Panamera GTS (2013-On) Macan Turbo (2014-On) SV1: Vintage Porsches (1948-1977) SV2: Vintage Porsches (1978-1989) (Note: All except turbo cars,944 S2 and 964 in SV1 and SV2 Classes) A-2.2.2. Production Category P01: 356, All 912/912E, All P02: 914/4, All 924, All P03: 924S 2.5, All 924 Turbo (931), All 944, All 944S, All P04: 944 Turbo (951), All 944S2, All 968, All; 928, All P05: 911 (1965-1971), All 914/6, All P06: 911 (1972-1977), All P07: 911SC (1978-1983) P08: 911 Carrera 3.2 (1984-1989) 911 Speedster (1989) P09: 911 Carrera 2 (964: 1990-1994) 911 Carrera 4 (964: 1989-1994) American Roadster, All RS America (1993-1994) 911 Carrera (993), All 911 Turbo (1976-1989), All P10: 911 Carrera (996), All except Turbo/GT2/GT3 997 (2005-On), All except 997S/Turbo/GT2/GT3 911 Carrera 991 (2012-On), All except 991S 911 Turbo (964 & 993: 1990-1998) P11: Boxster S (718: 2107-On) Cayman S (718: 2017-On) 911 Carrera (997S: 2005-On), All 997 GTS/Speedster (2010-On), All 911 Turbo (996: 2001-2005) except 996 GT2, All 991S(2012-On), All Boxster Spyder (2010-2012) Boxster Spyder (2016-On) Boxster GTS (2014-On) Cayman R (2011-On), Cayman GTS (981: 2014-2016) P12: Cayman GT4 (987: 2016-On), All 996/997 GT3 (2004-2013) 911 GTS (997/991: 2012-On)

P13:911 GT3 RS (997/991: 2007-On) 911 GT2 (996/997/991:2004-On) 991 GTS (2017-On) 911 Turbo (997: 2006-2013) 991 Turbo (2014-On) Carrera GT (980: 2004-2005) 918 (2014-On) 911 R (991: 2917) P14: Boxster (986: 1997-2004), All except Boxster S P15: Boxster S (986:2000-2004) Boxster (987:2005-2012), All except Boxster Spyder Boxster (981: 2013-2016) Cayman (2006-2012), All except Cayman S/Cayman R Cayman (981: 2013-2016) P16: Boxster (718: 2017-On) All except Boxster Cayman (718: 2017^SOn) All except Cayman S Boxster S (987: 2005-2012), *except* Boxster Spyder Cayman S (981: 2013-2016), except GTS/GT4 Cayman S (987: 2006 - 2012), All except Cayman R Boxster S (981: 2013-2016) Cayman S (981: 2013-2016) P17: Cayenne, All Panamera, All Macan, All A-2.2.3. Improved Category I01: Progressed Cars (All 4 Cylinder, up to 1999cc) I02: Progressed Cars (All 4 Cylinder, 2000cc up to 2699cc) I03: Progressed Cars (All 4 Cylinder, 2700cc and above; All 6 Cylinder, up to 2399cc)

- I04: Progressed Cars (All 6 Cylinder and above, 2400cc up to 3199cc; All Turbo/Supercharged 4 Cylinder)
- I05: Progressed Cars (All 6 Cylinder and above, 3200cc and above; All Turbo/Supercharged 6 Cylinder and above)

A-2.2.4. Modified Category

- M01: Progressed Cars (All 4 Cylinder, up to 1999cc)
- M02: Progressed Cars (All 4 Cylinder, 2000cc up to 2699cc)
- M03: Progressed Cars (All 4 Cylinder, 2700cc and above; All 6 Cylinder, up to 2399cc)
- M04: Progressed Cars (All 6 Cylinder and above, 2400cc up to 3199cc; All Turbo/Supercharged 4 Cylinder)
- M05: Progressed Cars (All 6 Cylinder and above, 3200cc and above; All Turbo/Supercharged 6 Cylinder and above)

A-2.3. Class Scoring

All automobiles in a class must run in the same time frame. Small classes may be combined for run-group efficiency, but the classes will remain separate for scoring and trophies.

A-2.4. Category Progression

Showroom Stock automobiles are not permitted any modifications beyond A-2.5.3. and A-2.5.4.

For Production category automobiles, the classification of your automobile depends not only on the model but also on the type of changes (if any) made to or options on the automobile. Improvements and alterations may cause your automobile to progress into a different class.

The Modifications A lowed Ii st provides an overview, but not a definition, of what modifications are allowed for what categories. Each category section will define the limits or allowances for particular items as listed below. If a modification is not specifically listed, it is not allowed in that category except in Modified. See Appendix V for the Modifications Allowed List.

A-2.5. Allowances

IF THE PCRS DO NOT SPECIFICALLY PERMIT A MODIFICATION, IT IS NOT ALLOWED EXCEPT IN MODIFIED.

Allowances are divided up into five categories: Free, Showroom Stock, Production, Improved and Modified.

Some modifications are "free," that is, allowed without effect on classification. Other modifications from Stock are considered to affect performance and therefore may move the automobile into any of the Production, Improved or Modified depending on the performance effect of the modification. If certain modifications specified in the text are performed on your automobile, you will be moved to the Production, Improved or Modified class where that modification is permitted. In Modified, the rules specify the minimum requirements necessary to compete. General automobile technical specifications are listed in Appendix VI.

A-2.5.1. Engine Swaps. Only Porsche automobiles with Porsche-based engines, may enter the autocross.

A-2.5.2. Update/Backdate Modifications (Production/ Improved). Major assemblies, such as engines and transmissions, may be substituted if the parts are from the same series automobile. Some changes affect classification; others do not.

(a) Changes Within Model Range: Automobiles may be updated or backdated without effect on classification provided the specifications remain within the boundaries of the model range for the automobile. Model ranges are defined in the chart below. Major specifications are given in Appendix VI.

MODEL RANGES

Series Models

356:	356 Super 90 & SC	All
	Carrera-1500 & 1600	All
	Carrera-2000 GS	All
	Any Other 356 Model	All
911:	Any 911 Model	
	Any 911 Model	1972-77
	911SC	1978-83
	911 Carrera	
	911 Carrera 2/4 (964)	1989-94
	911 Carrera (993)	1995-98
	911 Carrera (996)	
	911 Carrera (996 GT2)	2002-05
	911 Carrera (996 GT3)	2003-05
	911 Carrera (997)	2005-11
	911 Carrera (997 GT2)	2008-13
	911 Carrera (997 GT3)	2006-13
	911 Carrera (991)2	
	911 Carrera (991 GT3/GTS)	2014-On
912:	912	All
	912E	All
914:	914/4	All
	914/6	All
924:	924	1977-82
	924S	1987-88
	924 Turbo (931)	All
928:	928	1978-86
	928	1987-95
930:	930	1976-80
	911 Turbo	1986-89
	911 Turbo (964)	1990-94
	911 Turbo (993)	1996-98
	911 Turbo (996)	2001-05
	911 Turbo (997)	2006-13
	911 Turbo (991)2	014-On
944:	944	All
	944S	All
	94482	All

944 Turbo (951).....All

- 968: 968.....All
- 986: Boxster 1997-04 Boxster S......2000-04 987: 981: Boxster/S/GTS......2013-2016 Cayman/S/GTS......2013-2016 718: Boxster/Boxster S/GTS...... 2017-On Cayman/Cayman S/GTS...... 2017-On 9PA: Cayenne 2004-On Cayenne S..... 2003-On Cayenne Turbo 2003-On Cayenne Hybrid......2012-On
- 9SB: Macon S......2014-On Macon Turbo2014-On
- (b) Changes Outside the Model Range: The degree of updating or backdating will, in most cases, affect the degree of class/category progression. Selective substitution, as opposed to complete substitution, may result in a category change. For instance, if only one or two major components (such as an engine and/or transmission) are substituted from outside the model range without completely updating or backdating the automobile, then the automobile may change categories. However, if an automobile should be completely updated or backdated, it would then be classed according to its new (substituted) model range. An example would be a 1972 911 engine installed in a 1967 chassis. Then to achieve a complete update, a 1972/1973 transmission and associated ring and pinion gear must also be installed plus the wheel base must be lengthened and the new weight must be in the 1972/1973 range. Items that do not affect performance need not be changed. Car must meet all specifications per Appendix VI.

A-2.5.3. "Free" Modifications. Safety equipment is free in all classes except Showroom Stock, provided limits of any class category are met. Items considered free include harness bars, fire extinguishers, non-factory seat belts, race seats, window nets, head rests, cut-off switches, tow hooks, seat back braces and required mounts for any of the above. In Showroom Stock, attachments points or mounts for any of these items may be left in the automobile, but the actual device will not be allowed to remain or be used if it could be considered to provide the driver or the automobile any performance advantage.

A-2.5.4. Showroom Stock Modifications. Unless otherwise specified in these rules, no alterations or modifications are allowed to these automobiles.

Only original equipment manufacturer (OEM) wheels as originally specified and OEM tire sizes as originally provided and/or specified for each specific model year are permitted. All Showroom Stock class tires must have a tread wear rating of 180 or greater. Wear and tear items, excluding tires, must be comparable in construction and specifications to the originally supplied factory components. Adjustments are permitted provided no modifications and/or alterations are necessary to achieve the desired adjustment. Automobiles must run with their spare tire, jack, lug wrench, owner's manual(s), tools, etc. Owner's manual(s) will be used to help verify questionable equipment options and designated wheel/tire sizes.

No aftermarket equipment that might be reasonably perceived as performance affecting is permitted in these classes. Items included in this restriction include, but may not be limited to, aftermarket air filters, aftermarket exhaust systems, aerodynamic aids, computer chips, five/ six point seatbelts, race seats, harness bars, roll bars, roll cages, etc.

A-2.5.5. Production Modifications. The Production category is for street automobiles altered beyond the Showroom Stock limits and older Porsches. The following adjustments, alterations or modifications are allowed in the Production class automobiles plus what was allowed in Showroom Stock. Automobiles may be updated to another model provided all of the automobile is brought up to that models specifications.

A-2.5.5.1. Engine

- (a) Air Cleaner: The air cleaner may be removed, modified or replaced with another type. Any modification may not conflict with other rules.
- (b) Modified Ignition: Any modification is permitted, provided an original type distributor is used.
- (c) Modified Carburetors: Any automobile originally carbureted may have any carburetor, provided the throttle bore and venturi dimensions are not changed from original specifications. Jet sizes may be changed. 911 models with mechanical fuel injection or Solex carburetors may change to replacement carburetors

that have throttle bores no larger than 40mm. 914/912E models may be converted to carburetors with throttle bores no larger than 40mm.

- (d) Fuel Injection: No substitution of performance affecting components for fuel injected automobiles is permitted. Any DME EPROM chip may be used except for those chips programmed to alter turbo boost. No modifications to the intake manifold are allowed.
- (e) Wet Sump Modifications: If an automobile has a wet sump lubrication system, the sump may be modified to ensure a constant source of engine lubrication at the oil pickup tube. If an automobile has a dry sump lubrication system, no modifications are permitted.
- (f) Modified Oil Cooler/Filter: The addition of any oil cooler and/or filter is permitted.
- (g) Substituted Roller Bearing Cranks: For 356-based or Carrera 4-based engines, any roller bearing crank may be used. Plain bearing cranks may be substituted for roller bearing cranks. Counterbalanced cranks are permitted.
- (h) Balanced Engine: Balancing of internal engine parts is permitted.
- (i) Camshafts: The stock camshaft must be used.
- (j) Exhaust Modifications: Alternate exhaust systems are permitted after the head(s) for automobiles with or without catalytic converters. Headers are permitted. A muffler is required. Air pumps may be removed.
- (k) Air Conditioning: Removal is permitted provided original automobile may have been delivered without it.
- (l) Overbore: Overbore is allowed up to 1.2MM(0.047").
- (m) Gasoline: Any grade of automotive gasoline available to the general public through normal retail service stations is permitted.
- (n) Clutch: Any model clutch is allowed. Rubber center clutch discs may be replaced with spring discs. The flywheel and pressure plate may be lightened.
- (o) Velocity Stack: Velocity stacks may be added or modified.
- (p) Compression Ratio: Engine compression ratio's may be increased up to .5 points from U.S. production specifications.

- (q) Fuel Pump: Fitting of an electric fuel pump is permitted.
- (r) Chain Tensioners/Guards: Any chain tensioner or guards are permitted.
- (s) Battery: Any battery may be used. Those automobiles delivered with two batteries may remove one.

A-2.5.5.2. Suspension

- (a) Limited Suspension Adjustments: Any adjustment of the standard suspension components is permitted, provided no machining is required for the adjustment. Factory components must be used for mounting of struts and shock absorbers to the body.
- (b) Alignment: Any adjustment may be made provided no other change is necessary to make the adjustment.
- (c) Coil Springs/Torsion Bars: Any coil spring may be replaced by any other coil spring. Any torsion bar may be replaced by any other torsion bar as long as they are of the same type and mount in the same manner without modification to the chassis or suspension components.
- (d) Shock Absorbers: Any shock absorber may be used provided it is not remotely adjustable.
- (e) Adjustable spring perches are allowed.
- (f) Sway Bars: Any anti-sway bar may be installed. Sway bar may not be adjustable from the cockpit.
- (g) Rear Camber Compensation (356 Only): Any rear camber compensating device may be used.
- (h) Bushings: Non-standard (non-elastic) suspension bushings may be used.
- (i) Shock Tower Brace: A front and/or rear shock tower brace may be used in any automobile provided that:(1) it can be quickly and easily removed, it must be a bolt-in component. Any number of attachment points may be used; (2) all attachment points are within three inches of a vertical plane passing through the top center of the shock absorber.
- (j) Spring Plates: Adjustable spring plates are permitted on any automobile not so equipped from the factory.
- (k) Tie-Rod Ends: The use of 911 Turbo tie-rod assemblies is permitted.

- (l) Hydro-pneumatic Suspension: Removal of this suspension is not only allowed but is encouraged.
- (m) A-Arms: 924/944/968 series may use aftermarket A-Arms provided suspension geometry is not altered.

A-2.5.5.3. Brake/Wheel/Tire

- (a) Tires: All tires must be Department of Transportation (DOT) approved. Any DOT tire may be used providing they have a visible tread, have DOT wear indicators and have visible tread across the entire tread surface. Tires must have a minimum tread wear of 180 unless it is a Showroom Stock automobile running in the correct Production Category class. Tire aspect ratio and width is free but must fit under the stock fender wells. Tires must be marketed nationally and generally available to all competitors. The cord may not be visible before, during, or after runs. Recapped tires or re-grooved tires are not allowed. Competitors are responsible for policing the "rubbing tire" rule and protests must be made before timed runs.
- (b) Track Width: Modifications to track width by the use of wheel spacers and/or wheel offset are permitted provided no modifications to the automobile, other than increasing the stud/bolt length, are performed. Increase may not be more than 1.0" over stock. Only 356 models with drum and very early disc brakes may use individual spacers for each wheel stud.
- (c) Brakes: Pads, linings, and brake lines of any manufacture may be used. Any type of brake cooling may be used. Rotors may be drilled or slotted. Brake bias valve may be changed but cockpit adjustable valves are not permitted.
- (d) Increased Rim Width: Rim width may be increased up to 1.0" over the widest rim available from the factory (front and rear respectively; see Appendix V) for that model range so long as the width does not extend beyond the stock fender width as measured from the top of the tire and fits the stock fender wells.
- (e) Wheels: All wheels shall be the same diameter as available from the factory for the model range of the automobile or within an increase or decrease of 1.0" from the factory specifications.
- (f) Spare Tire: The supplied spare tire may be removed

A-2.5.5.4.Chassis/Body/Interior

(a) Limited Fender Modifications: Fenders (including wheel openings) may be modified provided the tirewheel-spacer combination and ride-height setting used could be used without the fender modification (i.e., could be used on an unmodified automobile of the same model and year.) In the event of a protest, the entrant must be able to prove compliance with this rule.

- (b) Interior Modifications: Any accessory, gauge, or indicator may be fitted if its purpose is to improve driver or passenger comfort or convenience and provided such items have no effect whatsoever on mechanical performance. Alternate seats may be used and floor mats may be removed. Any steering wheel is allowed.
- (c) Roll Bars: Roll bars are permitted. Full interior roll cages are not permitted.
- (d) Spoilers: Any rear spoiler, unless as delivered as a factory option, is permitted provided the leading edge of the spoiler is attached to the automobile, the spoiler is no wider than the stock body width and the spoiler doesn't exceed 5" in height from the leading edge.
- (e) Air Dams: Any front air dam, unless as delivered as a factory option, is permitted provided it does not extend to less than 3" above the ground and not forward of the front bumper.
- (f) Seam Reinforcement (914 Only): Seam reinforcement kits are permitted "free" on 914s, provided each reinforcement is limited to a single seam and that all reinforcements combined do not substantially increase the rigidity and stiffness of the chassis. It is recommended to 914 model owners to have the chassis inspected for rust on a periodic basis.
- (g) Bumpers: Bumpers may be removed on any 356 series automobile.
- (h) Weight: Automobile must meet minimum weight, as run, without driver. Ballast is not allowed.
- (i) Bolt-on windshields: Bolt-on windshields may be removed.
- (j) Jack/Tools/Manuals: Removal of jack, tools and owners manual(s) is allowed.

A-2.5.5.5. Transmission

(a) Limited Slip: Limited slip is permitted in all automobiles

(b) Gear Shift Linkages: Gear shift linkages may be modified or exchanged. This permits the use of a short shift kit in any automobile or the use of sideshifter transmission in any 914.

A-2.5.6. Improved Modifications. The Improved category is for street vehicles with modifications beyond those allowed in the Production Category. The modifications are limited but much more liberal than those in the Showroom Stock or Production Categories. The following a djustments, a lterations, or modifications are allowed in the Improved class automobiles plus what was allowed in the Showroom Stock and Production classes.

- A-2.5.6.1. Engine
- (a) Mufflers: Mufflers may be removed provided this is permitted by the event organizer and the local authorities/jurisdiction.
- (b) Ignition: Any ignition system is allowed.
- (c) Gasoline: Any gasoline is permitted.
- (d) Engine Substitution: Any Porsche engine is permitted in any Porsche automobile.
- (e) Fuel Management: Automobiles may use any fuel management/induction system including chips or other means that alter turbo boost. Turbochargers or superchargers are permitted.
- (f) Compression Ratio: Engine compression ratio's may be increased up to 1.0 points.
- (g) Battery Location: The battery may be located anywhere within the automobile.
- (h) Intake System: Any intake system may be used.
- (i) Wet/Dry Sumps: Any change or addition is permitted.
- (j) Camshafts: Any camshaft may be used.

A-2.5.6.2. Suspension

- (a) Shocks Absorbers: Multi-adjustable or remotely adjustable shock absorbers are permitted.
- (b) Camber Plates: Camber plates are permitted. Machining of factory mounting points is permitted to allow greater suspension adjustment.
- (c) Raised Spindle: Raised spindles are permitted on strut type suspensions.

- (d) Suspension Mounts: Any suspension mount may be used provided the number of mounting points and mounting locations remain as factory.
- (e) Suspension Arms: Any suspension arm may be used provided use requires no other automobile modifications. For example, this includes the use of any lower control arm, tie-rod assembly and/or bump steer kit.

A-2.5.6.3. Wheel/Brake/Tire

- (a) Brakes: Any brake modifications are permitted. Any brake biasing valve is permitted.
- (b) Tires: Any DOT tire is permitted. The cord may not be visible before, during or after official timed runs.
- (c) Track Width: Modifications to track width are permitted up to 2.0" over stock. Only 356 models with drum and very early disc brakes may use individual spacers for each wheel stud.
- (d) Increased Rim Width: Rim width may be increased up to 2" over widest rim available from the factory (front and rear respectively; see Appendix V) for that model range so long as the width does not extend beyond the fender.
- (e) Wheels: Wheels may be any diameter.

A-2.5.6.4. Chassis/Body/Interior

- (a) Roll Bars/Roll Cages: Roll bars or full interior cages are permitted. See Appendix XII for additional information, specifications and requirements.
- (b) Spoilers: Any spoiler is permitted.
- (c) Air Dams: Any front air dam is permitted. Splitters are permitted provided it does not extend forward more than four (4) inches beyond the bumper.
- (d) Interior: Automobile, at minimum, must have dashboard, windows (glass or plexiglas), visors (if originally equipped), headliner, and door panels. The original number of seats and passenger restraints must be present. Removal of mats and loose carpeting is allowed (i.e., what isn't originally screwed and/or glued down). Headlights, taillights, brake lights and turn signal lights must be operational.
- (e) Bodywork: The use of fiberglass or other material body components is permitted for the following components: hoods (front and rear), rear deck lids, bumpers and rocker panels.

- (f) Fenders: Fenders may be altered to allow fitting of alternative wheels and tires. All four tires shall not extend beyond the fender opening at the highest point of the tire, unless the Porsche model was originally an open-wheeled design.
- (g) Fuel Tanks: Fuel tanks may be changed and/or relocated.

A-2.5.6.5. Transmission

- (a) Transmission: Any Porsche-based transmission is permitted.
- (b) Transaxle gear ratios. Any ratio set may be used outside of the specified gear set. Ring and pinion may be altered.
- (c) Limited Slip: Any limited slip may be used.

A-2.5.7. Modified Modifications. The modified category includes all automobiles modified beyond the allowable limits specified in the Showroom Stock, Production and Improved categories as well as some Limited Production and "tuner" automobiles. These rules provide the minimum that is required for the automobile to compete in this category. Some items are specified that are not allowed in this category. Unless defined as a production vehicle with complete documentation proving so, all racing, rally and special non-production Porsche models shall be included in this category.

A-2.5.7.1. Engine

- (a) Engine: A Porsche-based engine is required.
- (b) Displacement: The displacement may be increased to that of the maximum in the class.
- (c) Fuel Management: Modifications to the fuel injection or carburction system are free. The use of turbochargers or superchargers other than those used in production is permitted by class allowance. Modified boost pressure is permitted.
- (d) Ignition: Any ignition system is permitted.
- (e) Nitrous Oxide Systems: These systems are not permitted.

A-2.5.7.2. Suspension

(a) Machined Suspension: Any adjustment may be made and machining is allowed (such as machining to attain negative front camber on 356-series cars). Suspension points may be relocated. (b) Multi-linked Suspension: This suspension type is permitted and is free.

A-2.5.7.3.Wheels/Brake/Tire

(a) Wheel and Tire: Any wheel and tire combination is permitted. Non-DOT tires are permitted. The cord may not be visible before, during or after official timed runs.

A-2.5.7.4. Chassis/Body/Interior

- (a) Chassis: Original Porsche-based chassis, unibody or tube frame chassis is permitted.
- (b) Roll Bars/Roll Cages: Roll bars or full interior cages are permitted. In some instances, they may be required. See Appendix XII for additional information, specifications and requirements.
- (c) Bodywork: Automobile bodywork must maintain recognizable external features of the Porsche model. Tires may extend beyond the fender opening. Automobile bodywork must include a front and rear trunk or deck lid and doors.

A-2.5.7.5. Transmission

(a) Transmission: Any transmission is required.

A-2.5.8. Other Modifications. Any equipment, component, part, or modification which is deemed performance-affecting and which is not specified will make the automobile entered subject to reclassification to a higher class or category by the Safety Inspection team or the Protest Committee at their discretion or by protest of a competitor in the same class the automobile is competing.

A-3. COURSE

The course will be designed with the safety of the spectators, workers, entrants and their cars in mind. The course used will be reviewed and approved by the PCR Committee Chairman, the PCA Safety Chairman, and the Parade Autocross Chair. Also see I-2. "Liability", I-3. PCR COMMITTEE AND FUNCTIONS and G-2.4. "Registration Requirements".

A-3.1. Boundaries

The autocross boundaries will be defined by either existing terrain, edge of pavement, clearly marked white lines, pylons or a combination of these.

A-3.2. Entrance/Exit

Where the beginning and/or ending of the actual course is not the same as the start and/or finish line (to provide the rolling start and finish), such points will be clearly marked where automobiles are to stop after exiting the course to pick up timing slips and return any borrowed helmets.

A-3.3. Course Map

A map of the course, approximately to scale, will be posted and all entrants will receive a copy of the map at the Parade site final check-in. The map will show the methods used to define the course boundaries and the location(s) of the entrance, exit and the location of Timing Equipment.

A-3.4. Safety and Impound Areas

An area will be designated for final safety check of automobiles before they enter the course. Also, an impound area will be set aside where every automobile must report after its last timed run so that competitors can see and/or examine all the automobiles in the class. See A-7. for procedures.

A-4. FLAGS

A grid official will review all flags to be used during the event with each driver. Drivers must obey flag signals or risk being removed from the event and/or disqualification.

(a) Green – Go. The course is clear.

(b) Red – Emergency. Pull over and stop safely.

A-5. DRIVERS SAFETY

The PCA safety inspection is basic in nature and is not intended to be a substitution for a proper technical inspection. The track worthiness of the automobile is the responsibility of the entrant(s). The safety inspection form must be filled out to compete in the autocross. The inspection form will list all of the items to be inspected.

A-5.1. AUTOMOBILES AND DRIVERS

The following rules apply to all automobiles and drivers entering the autocross. Safety/tech inspection will check for compliance with the following rules.

- (a) Roll Bars/Roll Cages. Roll bars (roll cages optional) may be required in some Modified category running automobiles and recommended in all open automobiles running in the Improved category. The roll bar/cage must be equipped with adequate padding in all areas potentially exposed to the driver. Roll bars/cages, when installed, must meet the minimum specifications as outlined in Appendix XII.
- (b) Shoulder Harnesses. Non-factory shoulder harnesses may be used in an open automobile only if the automobile is equipped with a roll bar or cage and

they are installed according to the manufacturer's directions.

- (c) Sunroofs. Sunroofs may be open.
- (d) Removable Windshields. Bolt-on windshields may be removed.
- (e) Eye Protection. Contestants must use face shields if driving an automobile without a full windshield in any class.
- (f) Removable Roof Panels/Convertible Tops. Any automobile may run with their top down. Removable roof panels must be removed or fully secured. Tilt-up style panels/sunroofs must be removed or fully closed.
- (g) Windows. The driver's/passenger's window must be either fully up or fully down.
- (h) Tires. Must be free of visible sidewall breaks. Surfaces inside the fenders will be checked for evidence of rubbing tires. The clearance between the tires and any potential rubbing point will be checked. Tires on Showroom Stock or Production automobiles must not rub against any surface during the driving event runs. Slightly rubbing tires will be permitted in the Improved and Modified classes. However, disqualification of any automobile and its drivers may result from rubbing tires that appear hazardous in the opinion of inspectors during the final safety check or course officials during the driving event runs. Tires will receive a final safety check for compliance before runs begin (i.e. tread and condition; 30 psi minimum is recommended for street tires). Tires on a given automobile must have a speed rating that meets or exceeds the potential speed for that event. See A-2.5.5.3 and individual category allowances for more information. Recapped tires are not allowed.
- (i) Loose Objects. Loose objects inside the trunk(s) or passenger compartment must be removed.
- (j) Wheel Covers and Trim. Snap-on wheel covers and wheel trim must be removed from steel wheels.
- (k) Clothing. Full-length pants, long sleeved shirts, socks and full shoes are recommended for all drivers. Bare feet, sandals and open-toed shoes are not permitted. Fire-resistant driving suits, gloves and driving shoes are recommended. Recommended fabrics are natural fiber (cotton, wool, silk) and PCA Club Racing approved fire-resistant fabrics. For more information, see the PCA Club Racing rules. For a copy of the PCA

Club Racing rules, write or call the PCA Executive Office, or see www.pca.org.

- (1) Helmet. Each contestant must wear an approved helmet in good condition. The helmet shell must have no structural damage. The p adding m ust b e i ntact. The chin strap must not be frayed, and the strap attachments must be operable and securely attached. Face shields, when required, and/or used, must be made of polycarbonate plastic or the equivalent and must be in good condition. Acceptable approvals are the latest or next two most recent SA, M or K Snell Memorial Foundation, FIA 8860, SFI 31.1 and BS6658-85 Type A-FR approvals. Any helmet acceptable for PCA Club Racing is also permitted. For more information, see PCA Club Racing rules. For a copy of the PCA Club Racing rules, write or call the PCA Executive Office, or see www.pca.org.
- (m) Gas Caps. The gas cap must be securely in place.
- (n) Seat Belts. Must be present and adequate. Factory seat belts must be used in Showroom Stock classes. Use of additional belts or substitute belts/harness is only allowed as per the category allowances. A grid worker will check to assure that such seatbelt is fastened immediately before each driver enters the course. Where installation is other than original factory design, the seat belts must be installed according to the manufacturer's directions. If there is any question, it is the responsibility of the entrant to demonstrate to the tech inspector's satisfaction that the belts are properly installed. For more information, see PCA Club Racing rules. For a copy of the PCA Club Racing rules, write or call the PCA Executive Office, or see www.pca.org.
- (o) Knowledge of Flags and Procedures. No drivers will be allowed to enter the course without knowledge of the flag signals and the correct procedures.
- (p) Brakes. Brakes must be tested for pedal "fade" while the automobile is stationary. Brake pad and/or lining thickness should visually be adequate for an autocross type event.
- (q) Steering and Suspension. Must not have excessive looseness, including but not limited to, steering free play, wheel bearings, etc.
- (r) Camber (356 Automobiles). Should be negative on the rear suspension if the automobile is entered in the autocross.

- (s) Wheels. Must be free of cracks. The correct number of lugs and nuts must be present. All lug nuts/wheel bolts must have a minimum thread engagement equal to one bolt diameter. All lug nuts/wheel bolts must be torqued to the manufacturer's specifications.
- (t) Fluid Leakage. No fluid leaks of any kind will be allowed.
- (u) Passenger Seat Backs. Must be suitably secured if not equipped with locking devices.
- (v) Hoods, Deck Lids and Doors. Must be fastened securely.
- (w) Exhaust System. Must be in a safe condition (i.e., no leaks, securely mounted, etc.)
- (x) Battery. All batteries must be attached securely to the frame or chassis. The positive terminal on all batteries should be covered.
- (y) Throttle Return. Throttle must be safe and positive. Throttle must return to the closed position when released manually or by the pedal.
- (z) Mufflers. All automobiles must have a functional muffler and comply with any local noise ordinances or motor vehicle laws. If the local area and the Parade Committee permits open exhausts during the autocross (for the Improved and Modified classes), the muffler may be removed at the site of the autocross.

A worker on grid or in the safety area will perform a cursory inspection (helmet, clothing, seat belts, loose objects, etc.) of all automobiles for compliance before competition begins.

A-6. AUTOCROSS RUNS

Automobiles will run in class run groups. Men's and Ladies' classes of equivalent automobiles will run concurrently.

A-6.1. Schedules

Classes will run during assigned times only. The run times usually proceed from the lowest numerical Showroom Stock class (first) up through the Production classes, then the Improved classes and finishing up with the Modified classes (last).

A-6.2. Timed Runs

Each competitor will receive at least three separate official timed runs. An automobile must be re-staged between runs and a minimum of five (5) minutes must separate each of the automobiles runs. Final responsibility to comply with this rule is the driver's.

A-6.3. Re-Runs

Re-run(s) will be given to any driver who does not receive three official timed runs. Re-runs for timed runs must be made as soon as practical, but not later than the first part of the run time for the following group. Re-runs must be separated by at least five (5) minutes.

A-6.4. Penalties

Each pylon penalty will be two seconds. All pylon penalties for each run will be recorded. The final pylon penalty assigned to a run will be the pylon penalty recorded during that run. Pylon penalties do not roll over to a re-run if one should be required. If the driver observes a pylon(s) moved or upset by someone else, the driver should stop immediately, indicate the problem to a course worker, who will verify the problem and then proceed at a reduced speed to the grid for a rerun without penalty. The automobile should return to grid as specified in the autocross supplemental instructions and/or as specified in the driver's meeting. If the course worker verifies there is no problem, then the automobile should continue on the course knowing that the time for this run will be counted.

A-7. COMPETITOR'S RULES

Compliance with the following rules is mandatory.

- (a) Conduct/Driving. See the general rules under G-5. "Causes for Disqualification" and G-9.5.3. "Automatic Disqualifications" under "Protests". "Unsafe" driving is as determined by the event chairman.
- (b) Driver's License and Age. Every driver must be at least 16 years of age and hold a valid driver's license (see G-2.2. and G-2.4. "Registration Requirements").
- (c) Auto Safety (Tech) Inspection. All automobiles must successfully pass the safety inspection before running the event as specified in G-7.
- (d) Final Safety Inspection. Drivers and automobiles must meet the requirements of A-5. "Driver Safety" before beginning competition.
- (e) Schedules. Only times during the assigned class run time will be counted (see G-5.4. "Schedules").
- (f) One Automobile Rule. An entrant may drive only one automobile in the autocross and that must be the one registered for the event by that entrant (see G-2.6.3. "Autocross Automobiles" and G-2.6.1. "Non-Street

Legal Automobiles"). Also, see G-2.3. "Entrants Per Automobile".

- (g) Passengers. Only the driver will be allowed in a competing automobile during its officially timed run. However, autocross instructors are allowed and available at the driver's request. Runs with an instructor will count towards the driver's total number of runs, but their time will not count on the event score. Instructor must not be entered in the event or have completed all runs prior to instructing. All instructors will be designated by the event chair. This change is designed to reduce the number of "DNFs"
- (h) Pre-runs. Pre-running the course, either as a driver or passenger, will result in disqualification from the event.
- (i) Walking the course is permitted when approved by the organizers at specified times. Wheeled conveyances are prohibited except to accommodate physically impaired competitors.
- (j) Drivers are allowed to utilize video or data-acquisition equipment during or after their runs at the autocross. Sharing of this information to or with others is allowed.
- (k) Leaving/Deviations From the Course. For a run to count for awards, the driver must stay in the driver's seat and the automobile must remain on the course after passing the "Entrance" and until passing the "Exit". If all four wheels leave the course, the automobile will have left the course and will be a DNF (Did Not Finish) unless the automobile reenters the course at or before the point of exit at the time of exit. Failure to comply, whether voluntarily or for mechanical reasons, will result in a DNF. No points (or awards) will be given for a DNF run. A rerun will not be granted for a DNF.
- (l) Stopping. Failure to make a complete stop in the proper area (where marked), if required, after a timed run will result in a DNF.
- (m) Impound. Immediately after the automobile's last timed run, the automobile must be taken to the impound area and logged in. The contestant must fully open the engine compartment and the trunk compartment (if there is one) after parking the automobile. Protest Committee may designate where a protested car is to be placed until dismissed. The automobile may not be removed from impound until the end of the protest period, except that any

automobile that is protested, during that period must remain until dismissed by the Protest Committee (See A-8.2.5.). Compartment(s) may not be closed until the end of the protest period, except in the event of rain. Nothing attached to the automobile may be removed from the automobile during the impound period, and nothing may be removed from the area except keys, helmets, and personal apparel and paraphernalia. After entering impound, all drivers in a class may "sign-off" indicating that they have no intentions of filing a protest. This may occur before, during or after posting of the official scores. If this happens, then the class may be released from impound prior to the end of the protest period. Contestants should remove automobiles as soon as allowed after the official impound period and ascertain that logging personnel are aware that the automobile is being removed. Failure to execute this impound procedure will result in automatic disqualification of the automobile and (See G-9.5.3.) its drivers.

- (n) Automobile Numbers. Assigned automobile numbers must be in place before running the course.
- (o) Flags. Competitors must know the flag signals prior to entering the course. Failure to obey flag signals could result in dangerous situations and/or disqualification.
 (If you do not know the meaning of the flags, read A-4. or ask a worker.)
- (p) Mufflers. (See A-5.1. (z) "Mufflers")
- (q) Mechanical Changes. All changes to the automobile during competition must be made while on grid. Any mechanical changes should not interfere with the running of the event or your timed runs. Changes other than altering tire air pressure or adjusting components, such as sway bars or shocks, may require a re-tech while on grid. Any changed components must be brought with the automobile to impound.

A-8. TIMING AND SCORING

A-8.1. Timing

A-8.1.1. Equipment. The timing devices will be automatically started and stopped by the competing automobiles. The timing devices will display times with a resolution of at least 0.001 (1/1000) second. A backup timing device shall be in position, tested and available for immediate use in the event of failure of the primary timing device.

A-8.1.2. Timing Problems. In the event a timer problem

occurs, the competing automobile may be flagged off the course at the discretion of the events operational crew. The automobile should proceed at a reduced speed to the grid for a rerun without penalty. The competing automobile should return to grid as specified in the autocross supplemental instructions and/or as specified in the driver's meeting.

A-8.1.3. Timing Slips. Each competitor is to receive a time slip, including time of run, penalties and/or DNF notification as applicable, at the end of each run and prior to any subsequent runs. These timing slips are not considered official. An electronic timing display may be used as a replacement for timing slips. Scores (run times plus penalties) are to be posted along with, when applicable, number and location of pylons hit, and the reporting worker station for off-course DNF, as soon as possible after each timed run (see A-8.2.5. "Posting"). Also, see G-9.5. "Protests".

A-8.2. Scoring

A-8.2.1. Official Time. The official time for a run will be the time measured by the automatic timer plus any penalties incurred. If the official time is audited, due to procedure or protest, then the official time, as originally recorded, may be changed.

A-8.2.2. Event Score. A competitor's score for the event will be the competitor's lowest official time from a minimum of three separate timed runs. Awards will be based on event scores.

A-8.2.3. Pylon Penalties. If a competitor knocks over a pylon or moves it completely outside its outline, a penalty will be incurred. All pylons will have the same penalty. The penalty will be two seconds for each pylon so moved. This includes all pylons designating the start and finish gates and their respective areas. Only "upright" pylons are counted for any penalties. Pylons laid on their sides are for information purposes only and will not count for penalties if moved. (See A-6.4. "Penalties")

A-8.2.4. Tied Scores Ties will not be broken. Equal awards will be given.

A-8.2.5. Posting of Final Scores. Scores for each class will be posted in the impound area after the completion of each class running. Name, number and class will be used to identify competitors. The protest period cannot begin until class scores are posted and will run for 30 minutes from that time. Also see G-9.5. "Protests", A-7. (m) "Impound" and A-8.2.1. "Official Time".

A-9. SUGGESTED NON-PARADE ZONE/REGION CLASSING

For those regions that use these rules but want a limited number of classes to align better with their participation levels, the classing charts below will allow that option. These classifications were designed with approximately less than 40 competitors (small region), 40-80 competitors (medium region) and over 80 competitors (large region). These numbers apply to Porsche drivers entranted in an event and are only suggested guidelines. A region may also develop it's own classing using the above rules but modifing the classing structure to suit participation levels.

A-9.1. Small Sized Regions

- S1: 968 (All), 911 Carrera 2 (964:1990-1994), Carrera 4 (964:1989-1994), RS America (1993-1994), 911 Carrera (993:1995-1998), Boxster (986:1997-2004), Boxster S (986:2000-2004); Boxster (987:2005-2012), Cayman (2006-2012), Cayenne (9PA: 2003-On), Panamera (2010- On), Boxster (981:2013-2016), Cayman (981: 2013-2016), Macan (2014-On)
- S2: Boxster (718: 2017-On), Boxster S (987:2005-2012), Cayman (718: 2017-On), Cayman S (2006-2012), 911 Carrera (996:1999-2005), 911 Carrera (997:2005-2011), 997S except X51 (2005-2009), 911 Carrera (991:2012-On), all except 991S, 911C2 Turbo (964: 1990-1994), Boxster (981:2013-2016), Cayman S (981:2013-2016)
- S3: Cayman GT4 (981: 2916-On), Boxster S (718: 2017-On), Cayman S (718: 2017-On), 993 Turbo (All), 996 Turbo (Non-GT2), 997S X51 (2007-2009), 997S/GTS (2010-On), 991 S/GTS (2012-On), (All), Boxster Spyder, Cayman R, 996 GT2/GT3 (2002-2005), 997 GT2/GT3/GT3RS (2007-On), 997 Turbo/Turbo S (All), Carrera GT (980:2004-On), 918 (2014-2015)
- P1: 356 (All), 912/912E (All), 914/4 (All), 924 (All), Cayenne (9PA:2003- On), Panamera (2010- On), 911 (1965-1969), 911 (1970-1977), 911SC (1978-1983), 914/6 (All), 924S (all), 924 Turbo (931: All), 944, (All), 944S (All), 944 Turbo (951: All), 928 (All), Macan (2014-On)
- P2: 911 Carrera 3.2 (1984-1989), 911 Speedster (1989), 911 Carrera 2 (964:1990-1994), Carrera 4 (964:1989-1994), RS America (1993-1994), 944S2 (All), 968 (All), Boxster (986:1997-2004)
- P3: 911 Turbo (1976-1989), 911 Carrera, Carrera S, C4S (993:All), Boxster S (986:1997-2004), Boxster (987:2005-2012), Cayman (2006-2012), Boxster (981: 2013-2016), Cayman (981: 2013-2016)
- P4: Boxster (718: 2017-On), Cayman (718: 2017-On) , 911 Carrera (996:1999-2004), 997 (2005-On), 997S

except X51 (2005-2009), 911 Carrera (991:2012-On), all except 991S, 911C2 Turbo (964: 1990-1994), Boxster S (987:2005-2012), Cayman S (2006-2012), Boxster S (981: 3013-2016), Cayman S (981:2013-2016)

- P5: 993 Turbo (All), Boxster Spyder, Cayman R, 996 Turbo (Non-GT2), Cayman GT4 (981: 2016-On) 997S X51 (2007-2009), 991 S/GTS (2012-On), (All), 997S/GTS (2010-On), 996 GT2/GT3 (2002- 2005), 997 GT2/GT3/GT3RS (2005-2011), 997 Turbo/ Turbo S (All); Carrera GT (980:2004-On), Cayman GTS (981:2013-2016), Boxster S (718: 2017-On), Cayman S (718: 2017-On), 918 (2014-2015), 911 R (991: 2917)
- I01: Improved Automobiles
- M01: Modified Automobiles

A-9.2. Medium Sized Regions

- S1: 968 (All), 911 Carrera 2 (964:1990-1994), Carrera
 4 (964:1989-1994), RS America (1993-1994), Boxster (986:1997-2004), Cayenne (9PA:2003- On), Panamera (2010- On), Macan (2014-On)
- S2: 911 Carrera (993:1995-1998), Boxster S (986:2000-2004), Boxster (987:2005-2012), Cayman (2006-2012), Boxster (981: 2013-2016), Cayman (981: 2013-2016)
- S3: 911 Carrera (996:1999-2004), 997 (2005-2011), 911
 Carrera (991: 2012-On) all except S/GTS, Boxster
 S (981: 2013-2016), Cayman S (981: 2013-2016),
 911C2 Turbo (965: 1990-1994), Boxster S (987: 2005-2011), Cayman S (2006-2012), Boxster (718: 2017-On) except Boxster S, Cayman (718: 2017-On)
 except Cayman S
- S4: Boxster S (718: 2017-On), Cayman S (718: 2017-On),
 993 Turbo (All), 996 Turbo (Non-GT2), 997S except X51 (2005-2009), 991S (2012-On), (All), Boxster Spyder, Cayman R
- S5: Cayman GT4 (981: 2016-On), 997S X51 (2007-2009), 997S/GTS (2010-On), 996 GT2/GT3 (2002-2005), 997 GT2/GT3/GT3RS (2007-On), 997 Turbo (All), Carrera GT (980:2004-On), 918: (2014-2015), 911 R (991: 2017), 991GTS (All), 911R: (991:2017-On)
- P1: 356 (All), 912/912E (All), 914/4 (All), 924 (All), Cayenne (9PA:2003- On), Panamera (2010- On), Macan (2014-On)
- P2: 911 (1965-1969), 911 (1970-1977), 914/6 (All), 924S (all), 924 Turbo (931: All), 944 (All), 944S (All)
- P3: 911SC (1978-1983), 911 Carrera 3.2 (1984-1989), 911 Speedster (1989); 944 Turbo (951: All), 928 (All)

- P4: 911 Carrera 2 (964:1990-1994), Carrera 4 (964:1989-1994), RS America (1993-1994), 944S2 (All), 968 (All), Boxster (986: 1997-2004)
- P5: 911 Turbo (1976-1989), 911 Carrera, Carrera S, C4S (993: All), Boxster S (986: 1997-2004), Boxster (987: 2005-2012), Cayman (2006-2012), Boxster (981: 2013-2016), Cayman (981: 2013-2016)
- P6: Boxster S (981:2013-2016), Boxster (718: 2017-On) 911 Carrera (996: 1999-2004), 997 (2005-2011), 911 Carrera (991: 2012-On), all except 991S, 911C2 Turbo (964: 1990-1994), Boxster S (987S: 2005-On), Cayman S (2006-On), Cayman (718: 2017-2012), Cayman S (981: 2013-2016)
- P7: Boxster S (718: 2017-On), Cayman S (718: 2017-On)
 997S except X51 (2005-2012), 991 S (2012-On),
 (All), 993 Turbo (All), Boxster Spyder(All), Cayman
 R, Boxster GTS (981: 2013-2016), Cayman GTS (981: 2013-2016)
- P8: Cayman GT4 (981: 2016-On), 996 Turbo (Non-GT2), 997S X51 (2007-2009), 997S/GTS (2010-On), 996 GT2/GT3 (2002- 2005), 997 GT2/GT3/GT3RS (2005-On), 997 Turbo/Turbo S (All), Carrera GT (980:2004-On), 911 R (991: 2917), 991GTS (All)
- I01: Improved Automobiles (All 4 Cylinder, up to 1999cc; All 4 Cylinder, 2000cc up to 2699cc; All 4 Cylinder, 2700cc and above and All 6 Cylinder, up to 2399cc)
- Improved Automobiles (All 6 Cylinder and above, 2400cc up to 3199cc; All 6 Cylinder and above, 3200cc and above; All Turbo/Supercharged 4 Cylinder; All Turbo/Supercharged 6 Cylinder and above)
- M01: Modified Automobiles (All 4 Cylinder, up to 1999cc; All 4 Cylinder, 2000cc up to 2699cc; All 4 Cylinder, 2700cc and above; All 6 Cylinder, up to 2399cc)
- M02: Modified Automobiles (All 6 Cylinder and above, 2400cc up to 3199cc; All Turbo/Supercharged 4 Cylinder; All 6 Cylinder and above, 3200cc and above; All Turbo/Supercharged 6 Cylinder and above)

A-9.3. Large Sized Regions

- S1: 968 (All), 911 Carrera 2 (964: 1990-1994), Carrera 4 (964:1989-1994), RS America (1993-1994), Boxster (986:1997-2004)
- S2: Boxster (981: 2013-2016), except S, GTS or Spyder, Cayman (981: 2013-2016), except S, GTS or GT4, 911 Carrera (993: 1995-1998), Boxster S (986: 2000-2004), Boxster (987: 2005-2012), Cayman (2006-2012), Boxster (981: 2013-2016), Cayman (981: 2013-2016)
- S3: Boxster S (981: 2013-2016), Cayman S (981: 2013-2016), Boxster (718: 2017-On), Cayman (718: 2017-On), 911 Carrera (996: 1999-2004), 997 (2005-On);
 911 Carrera (991: 2012-On), all except 991S, 911C2 Turbo (964: 1990-1994), Boxster S (987: 2005-2012), Cayman S (2006-2012)
- S4: 997S except X51 (2005-2009); 991 S (2012-On),
 (All), 993 Turbo (All), Boxster Spyder (All), Cayman R, Boxster S (718: 2017-On), Cayman S (718: 2017-On), Boxster GTS (981: 2013-2016), Cayman GTS (981: 2013-2016)
- S5: 996 Turbo (Non-GT2), 997S X51 (2007-2009), 997S/ GTS (2010-2011)
- S6: Cayman GT4 (981: 2016-On), 996 GT2/GT3 (2002-2005), 997 GT2/GT3/GT3RS (2007-On), 997 Turbo/ Turbo S (All), Carrera GT (980: 2004-On), 918 (2014-2015), 911 R (991: 2917), 991 GTS (All)
- S7: Cayenne (9PA:2003- On), Panamera (2010- On), Macan (2014-On)
- P1: 356 (All), 912/912E (All), 914/4 (All), 924 (All)
- P2: 911 (1965-1969), 914/6 (All), 924S (all), 924 Turbo (931: All), 944, (All)
- P3: 911 (1970-1977), 944S (All)
- P4: 911SC (1978-1983), 928 & 928S (All)
- P5: 911 Carrera 3.2 (1984-1989), 911 Speedster (1989); 944 Turbo (951: All), 928 S4/GT/GTS (All)
- P6: 911 Carrera 2 (964: 1990-1994), Carrera 4 (964: 1989-1994), RS America (1993-1994); 944S2 (All), 968 (All), Boxster (986: 1997-2004)
- P7: 911 Turbo (1976-1989), 911 Carrera, Carrera S, C4S (993: All), Boxster S (986: 1997-2004), Boxster (987: 2005-2012), Cayman (2006-2012), Boxster (981: 2013-2016), Cayman (981: 2013-2016)
- P8: Boxster S (981: 2013-2016), Cayman S (981: 2013-2016), Boxster (718: 2017-On) and Cayman (718: 2017-On), 911 Carrera (987: 2005-2012), 997 (2005-2011); 911 Carrera (991: 2012-On), all except 991S/GTS, 911C2 Turbo (964: 1990-1994), Boxster S (987S: 2005-On), Cayman S (2006-2012)

- P9: Boxster S (718: 2017-On), Cayman S (718: 2017-On),
 997S except X51 (2005-2009); 991S (2012-On),
 (All), 993 Turbo (All), Boxster Spyder (All),
 Cayman R, Boxster GTS (981: 2013- 2016),
 Cayman GTS (981: 2013-2016)
- P10: 996 Turbo (Non-GT2), 997S X51 (2007-2009), 997S/ GTS (2010-On)
- P11: Cayman GT4 (981: 2016-On), 996 GT2/ GT3 (2002- 2005), 997 GT2/GT3/GT3RS (2005-On), 997 Turbo/Turbo S (All), Carrera GT (980: 2004-On), 911 R (991: 2017), 991 GTS (All)
- P12: Cayenne (9PA: 2003- On), Panamera (2010- On), Macan (2014-On)
- Improved Automobiles (All 4 Cylinder, up to 1999cc,); (All 4 Cylinder, 2000cc up to 2699cc; (All 4 Cylinder, 2700cc and above and All 6 Cylinder, up to 2399cc)
- Improved Automobiles (All 6 Cylinder and above, 2400cc up to 3199cc; All Turbo/Supercharged 4 Cylinder)
- Improved Automobiles (All 6 Cylinder and above, 3200cc and above); (All Turbo/Supercharged 6 Cylinder and above)
- M01: Modified Automobiles (All 4 Cylinder, up to 1999cc; All 4 Cylinder, 2000cc up to 2699cc; All 4 Cylinder, 2700cc and above; All 6 Cylinder, up to 2399cc)
- M02: Modified Automobiles (All 6 Cylinder and above, 2400cc up to 3199cc; All Turbo/Supercharged 4 Cylinder)
- M03: Modified Automobiles (All 6 Cylinder and above, 3200cc and above; All Turbo/Supercharged 6 Cylinder and above)

Time, Speed and Distance (TSD) Rally

The Parade Rally will be a TSD (time-speed-distance) rally as opposed to the gimmick or fun type rally. The Rallymaster will attempt to design the rally so that it will provide challenge for serious rallyists, yet will contain safeguards, such as closed loops and off-course markers, to avoid losing recreational rallyists on long off-course excursions.

R-1. REFERENCED RULES

The rules referenced below apply to the rally:

- (a) Eligibility. (See G-2.1 through G-2.6.)
- (b) Protests. (See G-9)
- (c) Awards. (See G-11.1 and G-11.4)
- (d) Entrants must complete on-site Parade checkin before the event or they will not be allowed to compete. Entrants classification or classification changes must occur no later than the day before the event starts. (See G-2.4.1.)

R-2. CLASSIFICATION

Driver/navigator teams must classify themselves and the automobile correctly (See G-5.2 "Misclassification").

There will be five classes:

- R01 Equipped Unlimited rally equipment
- R02 Navigational The equipment permitted for the Unequipped Navigational class (R03) is allowed plus maps, prepared tables, mechanical slide rules, non-programmable, single memory calculators and navigational/GPS systems.
- R03 Unequipped Navigational The equipment permitted for the Unequipped Plus class (R04) is allowed plus any navigational/GPS system.
- R04 Unequipped Plus The equipment permitted for the Unequipped class (R05) is allowed plus factory built-in computers that can read out average speed.

Navigational/GPS systems are not allowed in this class.

R05 Unequipped - The only rally aids permitted within the rally automobile will be simple time pieces including stop watches, pens/pencils, paper, clipboard or any device for holding the route instructions, and the original equipment speedometer/odometer, trip odometer in its original location in the automobile. (Prepared tables of any kind are not allowed in the unequipped class.) Navigational/GPS systems are not allowed in this class.

Contestants that have a navigational/GPS system of any type in their automobile must be classified in R01, R02 or R03. There are no provisions for automobiles with disabled navigational/GPS systems. Contestants use of two-way radios or cellular telephones during the rally is forbidden except in emergencies. Contestants found in violation of this rule will be disqualified.

R-3. GENERAL DESCRIPTION OF RALLY

The rally will be at least 3.5 hours and not exceed 4.5 hours in duration from the initiation point of the first route instruction (whether numbered or not) to the completion point of the last route instruction (whether numbered or not) that directs entrants to the place where score cards are turned in and protests are received, assuming perfect time. Unless emergency or extremely unusual conditions or situations require, only paved roads will be used for the rally. Rallyists will be notified before the start of the rally if any such condition exists. There will be at least five (5) timing controls (checkpoints) on the rally. Other pertinent information will be given in the rally general instructions.

R-3.1. DURATION OF RALLY

There will be a mandatory rest stop at the approximate mid-point. The computation of the duration of the rally will account for all segments of the rally, starting at the initiation point of the first route instruction (whether numbered or not) and ending at the completion point of the last route instruction (whether numbered or not) that directs contestants to the place where score cards are turned in and protests are received. The computation will include: (a) The tire warm-up and odometer check runs (if not included in official leg time)

- (b) The accumulated official time for all legs.
- (c) The accumulated allowance for all transit zones.
- (d) At least three (3) minutes per open control.

(e) An allowance of two (2) minutes per mile (1.6 kilometers) of on-course travel for all segments not otherwise accounted for, including the distance between each timing line and the initiation point of the next on-course route instruction and the distance from the final timing line to the completion point of the last instruction. If the duration of the rally exceeds 4.5 hours, based on the above criteria, legs may be removed from scoring at the discretion of the Protest Committee.

R-4. GENERAL INSTRUCTIONS

The rally general instructions (the "generals") will be made available to all entrants at least one month before the Parade.

R-4.1. Contents

The "generals" will contain all the rules and regulations governing the rally and all information essential to the contestants' complete understanding of the event.

- (a) Glossary of Local Terms If any terms not given in the official PCR Rally Glossary are to be used, the "generals" will include a glossary that lists and defines any such terms, abbreviation, or symbols. The official PCR Rally Glossary is in Appendix VII.
- (b) Route Instructions All route instruction types to be used will be specified and fully described (written, graphic, symbolic, and photographic). A general example of each different route instruction type will be given in the generals. An example of the format and layout of the route instructions will be given.
 - (1) Usage If any course-following instructions other than numbered instructions are used, complete information will be given regarding the introduction, usage, and cancellation of such instructions.
 - (2) Priorities If more than one general coursefollowing method will be used, the priorities of the methods will be stated so that the proper course can be understood when instructions conflict or direct similar action. i.e., the priorities or "main-

road" or route- following rules will be stated, and the priorities of any other type of unnumbered instructions will be given.

- (3) Overlap The overlap of all types of route instructions will be given.
- (4) Redundancy Any redundancy of instructions will be specified. That is, it will be clear whether or not a numbered route instruction can be executed when it directs the same action as a "main-road" or route- following rule or other unnumbered route instruction.
- (c) Quoted Signs The generals will specify the location of signs relative to the rally route, i.e., anywhere, left, right, etc. Also, how the signs should be read will be specified, i.e., left-to- right, top-to-bottom, no letters skipped, inclusion of symbols, etc.
- (d) Landmarks A landmark is a point, object or feature, other than a sign, along the rally route. Landmarks will be indicated in the instructions by capital letters without quotation marks. Landmarks will be identified by a visible sign or be identified in the rally glossary. Landmarks and their identifying signs may be located anywhere. Signs must be readable from the direction of approach of the rally route. Unless the contestant is directed to turn toward or away from a landmark, the landmark must be visible from the direction of approach of the rally route.
- (e) Control Station Procedures, The procedures that contestants are to follow will be explained for every type of control to be used.
 - Timing and Scoring The procedures in effect for the rally will be explained, including a description of the point where time will be recorded.
 - (2) Penalties A detailed schedule of penalties will be provided (i.e., penalties and for what they will be assessed.) (See R-11.2.4.)
- (f) Maximum Distance The maximum distance between "action points" shall be given.
- (g) Mileage Measurement The equipment used and the conditions existing during the measurement of the official mileages will be specified in the "generals."

- (h) Distribution of Route Instructions The uniform time when route instructions will be given out will be specified if other than the minimum time. (See R-6.1.)
- (i) Special Regulations Any other needed regulations.

R-4.2. Questions and Answers

Questions concerning the general instructions should be written and mailed (either through the regular postal service or by email) to the Rallymaster. The Rallymaster will respond to questions if they are received at least a week prior to the start of the Parade. Questions must be worded so that an answer of "yes", "no" or "does not apply" could be used. Responses will be solely for the purpose of clarification. Written questions and responses will be posted in or near the check-in or hospitality area for all rallyists to see, and nothing will be added or changed to posted responses.

R-4.3. Supplementary Generals

Should a question concerning the general instructions reveal an overlooked point or problem, supplementary general instruction(s) will be issued to all entrants at check-in.

R-5. TIME

R-5.1. Official Time

The official rally time will be provided by a master watch or clock, available to all contestants for reference at the start of the rally.

R-5.2. Start Time

Rally start times will be assigned in random order by check-in personnel within requested 30-minute blocks of time.

R-6. ROUTE INSTRUCTIONS

R-6.1. Equal Time for Study

Route instructions will be available for issue to each team at least 20 minutes before the team's start time. Instructions will be issued in an orderly manner designed to permit each team the same amount of time to study the instructions before beginning the rally. (See R-4.1. (h))

R-6.2. Identical Instructions

Identical instructions will be issued to all participants, including non-competitive participants. "Touring" instructions covering the rally route for those not competing for awards are forbidden.

R-6.3. Content of Instructions

Route instructions will identify rally action points (turns, speed changes, etc.) and provide other information, if needed, for execution of the various phases of the event. (See R-4.1. (b) for information regarding other types of route (course-following) instructions).

R-6.3.1. Sheet Numbering. The sheet number and total number of sheets will appear on each sheet of the route instructions (e.g., "1 of 5", "2 of 5", etc.).

R-6.3.2. Quoted Signs. Where route instructions quote signs in less than their entirety, such quotes will include a prominent portion of the signs.

R-6.3.3. Action Point Identification. Route instructions will not identify action points (turns, speed changes, etc.) by names or numbers on mail boxes, by numbers on utility poles, or by other similar landmarks (frequently recurring, difficult to re ad) unless such in structions ar e confirmed by mileage reference or other substantiating information. Likewise, no turns will be based solely on mileage reference.

R-6.3.4. Distance/Speeds. All distances and speeds will be specifically in both miles/miles per hour and kilometers/kilometers per hour.

R-7. ODOMETER CALIBRATION RUN The first part of the rally will be a n official odometer calibration run to allow each team to compare its odometer reading with the official millage. The r u n will be at least ten (10) miles (16 kilometers) long, and the route instructions will provide adequate, official, intermediate mileage reference points. Adequate time (stipulated in the route instructions) will be allowed at the end of the run for contestants to make all necessary odometer calibration calculations.

R-8. CONTROLS

The two types of timing controls (checkpoints) will be the open control and the Do It Yourself Checkpoint (DIYC). The exact location of these may or may not be known to contestants before they reach it. A timing control marks the end of one leg of the rally and the beginning of the next, if any. There will be at least five (5) timing controls (checkpoints) and no more than one half of them may be of the DIYC type. (See Appendix VII for further information). No more than one DIYC timing control shall occur in succession without an intervening manned control. R-8.1. (Manned Checkpoints) Open Controls R-8.1.1. Location of Open Controls. Open controls will be located on the right side of the road relative to the rally route. Controls will be identified and the timing line will be visible. Open controls will be away from congested or high-traffic areas and not in or immediately after a lengthy no-passing zone nor in an area where the speed limit is less than the current rally average speed.

R-8.1.2. Leg Information. Each open control station will provide to contestants: their arrival time (time slip) plus the official mileage and the official elapsed time for the leg just completed. Also, either at the end of each leg or at the end of the entire rally, each team will be provided a log showing the official distance and time for each speed change. Each team will also receive a critique explaining the correct course and any "traps" used by the Rallymaster. If a log and critique are provided at each control station, the information will be for the leg just completed, plus any DIYC's since the last manned open control. If the log and critique are provided at the end of the entire rally, all legs will be included.

R-8.1.3. Control Departure. Each team's departure time will be assigned by the control station personnel. The departure time will be at least three minutes after the arrival time. Extra time will not be granted for a entrant's convenience. will identify in writing the next route instruction to be instruction or previous CAST if none is given. executed and the departure speed to be used.

R-8.1.4. Closing of Controls. Manned controls will remain open at least 30 minutes after the perfect arrival time of the last rally automobile leaving the previous control (or leaving the start - in the case of the first control) unless all automobiles are known to have cleared the control.

R-8.2. Unmanned Timing Controls (DIYC).

R-8.2.1. Location of DIYC Controls. DIYC controls will be located on the right side of the road relative to the rally route. Controls will be identified either in the Route Instructions by an instruction indicating "DIYC" or by a clearly marked and easily visible sign on the right side of the rally route indicating "PCA Rally DIYC". DIYC's will be away from congested or high-traffic areas and

not in or immediately after a lengthy no-passing zone. There will be sufficient safe stopping area for at least eight (8) automobiles after the DIYC. DIYC instructions contained within the Route Instructions will refer to accurately defined signs or landmarks as a reference point for the DIYC.

R-8.2.2. Procedures for DIYC Controls. At a DIYC, write the time you figure you should arrive (in hours, minutes and seconds), (HH:MM:SS) on the DIYC slip provided in the appropriate TIME IN location. Add exactly 3:00 minutes to this arrival time and write that time in on the TIME OUT location on your DIYC slip. This is your departure time from this DIYC, beginning the next leg. Continue the rally with the following instruction. Rallyists should pull ahead several automobile lengths beyond the DIYC point, to allow room for other rallyists while completing their paper work. Rallyists must write their arrival on the control card before entering the next manned control, or it will be scored as having missed the DIYC. DIYC times may not be changed after entering the next manned control. All times must be entered in hours, minutes and seconds.

R-8.2.3. DIYC Control Departure. Each team should leave the DIYC at the time they entered on their control card (exactly 3:00 minutes after their arrival time). Control station personnel Departure speed is the indicated CAST for the DIYC

> R-8.2.4. DIYC Leg Information. The next (after the DIYC) timing control station must be a manned open control. This control will provide to rallyists a log showing the official distance and time for each speed change on the DIYC leg.

> R-8.2.5. DIYC Example. Route Instruction reads 'DIYC at "Stop Ahead". Were you to arrive at this sign at 8:46:45 (8:46AM and 45 seconds), you would write your time in (8:46:45) in the first available TIME IN space on your control cards and then write your time out (8:49:45 =8:46:45 + 3:00 minutes) in your first available TIME OUT space on your control card. Pull up a bit and then leave the DIYC point at exactly that out time.

Example Control Card:

	LEG 1	LEG 2	LEG 3
TIME IN	8:35:54	8:46:45	
TIME OUT	8:04:00	8:40:00	8:49:45
ELAPSED	0:31:54	0:06:45	

R-8.3. Manned Route Controls

A manned route control may be either on-course or offcourse. Automobiles arriving at such a control may receive special instructions designed to bring on-course and offcourse automobiles together again. If such controls will be used, the "generals" will include a detailed description of the procedure to be used.

R-9. DELAY ALLOWANCES

R-9.1. Delay Requests

Any reasonable request for a time delay will be granted. Contestants should use a time delay any time they fall behind schedule. The purpose of the time delays is to avoid speeding or dangerous driving on public roads.

R-9.2. Delay Amounts

Time Delay Amounts should be requested in increments of whole minutes (1:00, 2:00, 3:00, 4:00, etc.). Please use the Time Delay Request form(s) provided with your rally instructions.

R-9.3. Submitting Delay Requests

A delay request must be written before reaching the next open control. The delay request must be presented at the first open control reached after the delay. The delay request must be presented before receiving a timing slip from that control.

R-10. COMPETITOR'S RULES

Compliance with the following rules is mandatory.

- (a) Conduct/Driving. See the General Rules under G-5.
 "Causes for Disqualification", G-9.5.3. "Automatic Disqualifications" under "Protests" and G-6.1.
 "Traffic Laws". "Unsafe" driving is as determined by the evet chairman.
- (b) Driver's License and Age Every driver must be at least 18 years of age and hold a valid driver's license (See G-2. through G-2.4.)
- (c) Number of People in Automobiles Each automobile must have a driver and a navigator, both of whom are PCA members (or JPP or CAFP Parade entrants) and Parade registrants. No other passengers are allowed.
- (d) Traffic Violations Entrants may be disqualified or otherwise penalized for in-motion traffic violations.
- (e) Accident Entrants may be disqualified or otherwise penalized for being at fault in an automobile accident.

- (f) Passing Passing within sight of a control station is permissible provided the passing is neither dangerous nor illegal.
- (g) Creeping Unless permitted or required by the route instructions, stopping, within site of a checkpoint is not permitted. Also, if an automobile is approaching so slowly that the checkpoint workers judge that the automobile is creating a traffic hazard, the crew will wave in the automobile. If the automobile does not immediately accelerate, the penalty for stopping will be imposed. No penalty will be imposed if the stop was needed for safety or legally required.
- (h) Control Station Procedures Contestants must pass the timing line (for their time to be taken and stop where so instructed to receive the timing slip and other instructions (See R-8.1.2. "Leg Info" and R-8.1.3. "Departure") The procedures to be followed at control stations will be explained in the "generals."
- (i) Delay Requests Requests are allowed to maximize the safety of the event.
- (j) Automobile Numbers Assigned automobile numbers must be in place before starting the rally.
- (k) Following Entrants may be disqualified if found following another rally automobile rather than using the general and route instructions to determine the route.
- (l) Equipment Any team found in possession of equipment not allowed in its class will be disqualified. (See R-2. for equipment allowed)
- (m) Seat Belts All vehicle occupants must wear seat belts during the rally.
- (n) Pre-runs Entrants who chair, design or preview the rally course, as a driver or passenger, are ineligible to compete.

R-11. TIMING AND SCORING

R-11.1 Timing

R-11.1.1. Measure of Arrival Time. Times of arrival at all timing controls will be taken to the nearest second and expressed in hours, minutes and seconds (HH:MM:SS).

R-11.1.2. Missed Controls. A team physically missing one or more consecutive controls will be timed at the next

control station reached. (See R-11.2.3.)

R-11.2. Scoring

R-11.2.1 Leg Score. The basic penalty (score) for arrival either early or late at a control will be one point per second, up to a maximum of 300 points (5 minutes), excluding any other penalties. Being early at one timing control cannot be offset by being late at another timing control. Each leg of the rally is started with a zero error.

R-11.2.2. Maximum Duration for Intended Traps. The maximum duration for traps on closed loops shall be less than 5 minutes.

R-11.2.3. Missed Control Score and Penalty. A penalty of 1 point for each second early or late at each control shall be imposed up to a 300 point maximum (5 minutes) leg penalty or 300 points (5 minutes) for each leg involved in missing a control.

R-11.2.4. Other Penalties. Penalties for other reasons may be imposed at the discretion of the Rallymaster, subject to the approval of the PCR Committee Chairman or his designated representative. A detailed schedule of all penalties will be included in the general instructions. Possible penalties, for example, include points for entering an off-course route control, creeping in sight of a control, or entering a control from the wrong direction.

R-11.2.5. Total Score. Each leg will be scored separately. Total score equals the sum of the leg scores plus any penalties. Errors, early and late, are cumulative. Error on one leg may not be compensated during succeeding leg(s).

R-11.3. Tied Scores

Ties will be broken by comparing the tied contestants' scores at each control. The team with the lower score at a given control will "win" that leg, and the team winning the most legs will be awarded the better finishing position. In the event a tie still exists, scores of tied teams will be compared by control in inverse order, and the team having the lowest score at the first control at which the scores differ will be awarded the higher finishing position in the rally. Ties will only be broken when a trophy is involved.

R-11.4. Posting of Scores

Rallyists will be notified on or before rally day of the time and location where official scores will be posted. Individual scoring irregularities must be reported to the rallymaster or authorized representative no later than one hour after the official scores are posted in order to resolve mathematical errors. Individual scoring errors are not protestable.

Technical and Historical Quiz

The technical and historical quiz is a written test given to determine entrants' knowledge of their Porsche automobiles and other general information not necessarily related to any particular Porsche model. This may include many aspects such as history, racing, model differences, technical area, the Porsche company and family information and PCA history. All entrants will begin the test at the same time. The test will consist of 75 questions (not including tie-breakers) and will be allowed ninety minutes to complete. The date, time and place will be included in the Parade schedule.

Q-1.REFERENCED RULES

The rules referenced below apply to the tech quiz:

- (a) Eligibility (See G-2.1. through G-2.6.)
- (b) Protests (See G-9. through G-9.3.2. and G-9.7.)
- (c) Awards (See G-11.1. and G-11.5.)
- (d) Entrants must complete on-site Parade checkin before the event or they will not be allowed to compete. Entrants classification or classification changes must occur no later than one day before the event starts. (See G-2.4.1.)

Q-2. CLASSIFICATION

Each competitive entrant (and non-competitive entrant eligible to take the quiz) may take the quiz of his/her choice. Men and women will compete for separate awards for equivalent classes; i.e., there will be a first place, etc. for men and a first place, etc. for women in each class. Men's and Ladies' classes are designated with a suffix "M" or "L" respectively as appropriate for each class as designated below (example: Q01L or Q01M).

The classes are:

- Q01 356 and Limited Production Through 1965
- Q02 Early 911, 930, 912 (& 912E) and Limited Production based on these series from 1965 through 1977.
- Q03 Mid-911 (& Turbo), 930 and Limited Production -From 1978 through 1989 based on these series.

- Q04 911 C-2/C-4 and later 911 (993) Carrera, 964 and 993 Turbo and Limited Production - From 1990 through 1998 based on these series.
- Q05 911 Carrera (996/997/991 incl. Turbo) and Limited Production based on these series.
- Q06 914/4, 914/6 and Limited Production based on these series.
- Q07 924, 928, 944, 968 and Limited Production based on these series.
- Q08 Cayenne, Panamera, Macan and Limited Production based on these series.
- Q09 Boxster (986/987/981) and Cayman and Limited Production based on these series.

Q-3. CONTENT

Q-3.1. Format

The test format will be true/false, multiple-choice or a combination of these. There will be no essay type questions. The test will have 75 questions, exclusive of the tie-breaker questions. All quizzes will have the same number of questions. The tie-breaker questions will be general in nature and the same for all quizzes.

Q-3.1.1. There will be 50 general questions and 25 model specific questions for all quizzes.

Q-3.1.2. There shall be an equal number of true/false versus multiple-choice questions for each model specific section of the quiz.

Q-3.2. Sources

The questions will be based on information compiled from approved factual references. Copies of the reference materials will be available for entrants' examination after the quiz. The National Tech Committee and National Historian will have reviewed the tests.

References may include the following as well as other readily obtainable materials: Excellence Was Expected (all editions), Panorama, Up-Fixin and the Porsche Club of America Competition Rules for the general quiz questions. Model specific questions may be based on information from the above sources as well as Porsche owner's manuals, Porsche sales brochures, Porsche technical specification books and Porsche factory workshop manuals. A list of all sources used to create the quiz will made available to all entrants at least two months before the Parade.

Q-4. COMPETITOR'S RULES

- (a) Conduct (See G-5.1.)
- (b) Schedules (See G-5.4.)
- (c) Entrants who write or review sections of the tech quiz shall be ineligible from taking those sections of the tech quiz.

Q-5. SCORING

(a) Each entrant will be given two scores based on their correct number of answers for general history and model specific questions. For the overall Technical and Historic Quiz Award, the scores will be weighted heavily toward the general history questions; for the model specific class awards, the scores will be heavily weighted toward the model specific questions. For the overall award score, three points will be given for each correct general history question, and one point for each correct model specific question. For the model specific class awards, one point will be given for each correct answer for general history question and three points for each correct model specific question. The tie-breaker questions will be scored separately from the main test and such scores will not be added to the test scores. The tie-breaker scores will be used only to determine finishing positions where test scores are identical. In the event that the tiebreaker scores are also identical, the tied contestant who answers more model specific questions correctly will receive the better finishing position for model specific awards and the tied contestant who answers more general history questions correctly will receive the better finishing position for overall awards.

- (b) Score sheets shall be collected and/or turned in upon leaving the test room. Score sheets shall be scored within a reasonable amount of time after the quiz. Scores shall be given to the contestants at that time and are not considered official. The posting time and place of the Official Scores location will be announced before the quiz commences. Official Scores shall be posted no less than two hours prior to the opening of the award festivities event and are not protestable. The Tech Quiz chair or his designated representative shall be present for one hour after score posting to correct any mathematical errors. (See G-9.7.)
- (c) An on-site Scantron or similar scoring machine is required.
- (d) Any question/answer found to be in error will cause that question number to be removed from all quizzes.

Q-6. OFFICIAL ANSWER SHEETS

An official answer sheet and bibliography of the source materials will be furnished to each contestant following the quiz.

APPENDIX I Definition of Concours Automobiles

FACTORY RACE AUTOMOBILES

Factory Race is for anything the factory built or had/ has a hand in with a Porsche engine. Examples would include the Elva, Glockler, Abarth Carrera, 908, 917, 911RSR, 934, 935, 936, GT1, 996 Cup, etc.

LIMITED PRODUCTION AUTOMOBILES

Limited Production is Porsche production chassis based with Porsche engine. Examples would be GT-bodied 356, 904, 959, Carrera GT, 918, etc. If it is street-legal limited production modified for racing (not Factory Race) it goes in Modified. Special editions of normal production automobiles are not considered Limited Production.

MODIFIED AUTOMOBILES

Modified is for automobiles that are based on a production chassis (like Limited Production) with a Porsche engine and heavily modified such as chopped top or altered chassis for wheel base or engine purposes. Examples would be 914/6 in full PCA or SCCA race trim, Ruf manufactured Boxster or 911 Carrera Cup automobile in full race trim.

FULL, TOURING AND STREET AUTOMOBILES

Entrants in the Preparation Groups are judged in three designations: Full concours are judged exterior, interior, engine, storage compartments and undercarriage; Touring are judged exterior, interior, engine and storage compartments; undercarriage (chassis front/rear is not judged) and Street are judged exterior and interior only (chassis front/rear, engine and storage compartments are not judged). The Restoration Group is full only - all components are judged including the undercarriage. The Preservation Group is full only - all components are judged including the undercarriage. Entrants in Touring and Street are encouraged to drive their Porsches to Parade.

	RESTORATION Group	PRESERVATION GROUP		PREPARATION Group		
AUTOMOBILE	(FULL)	(FULL)	(FULL)	(TOURING)	(STREET)	
356	RS01F	PS01F	PP01F	PP01T	PP01S	
914 & 914-6	RS02F	PS02F	PP02F	PP02T	PP02S	
911/912 (1965-1973)	RS03F	PS03F	PP03F	PP03T	PP03S	
911/912 (1974-1989)	RS04F	PS04F	PP04F	PP04T	PP04S	
911 (1989-1998; 964/993)	RS05F	PF05F	PP05F	PP05T	PP05S	
911 (1999-2012; 996/997)			PP06F	PP06T	PP06S	
924, 944, 968 & 928 (1977- 19	RS07F	PS07F	PP07F	PP07T	PP07S	
Cayenne & Panamera (2003-2011)			PP08F	PP08T	PP08S	
Limited Production			PP09F	PP09T	PP09S	
Modified			PP10F	PP10T	PP10S	
Factory Race	RS11F		PP11F	PP11F	PP11S	
911 (2012-On; 991)			PP12F	PP12T	PP12S	
Boxster & Cayman (1997-2012)			PP13F	PP13T	PP13S	
Boxster & Cayman (2013-On)			PP14F	PP14T	PP14S	
Cayenne, Panamera & Macan (2012-On)			PP15F	PP15T	PP15S	
Four (4) Groups: Re	estoration, Preservat	Four (4) Groups: Restoration, Preservation, Preparation I and Preparation II; Classes as required	Preparation II; Cla	asses as required		
Restoration and Preservation Groups are "full" category only, Preparation Group has "full", "touring" and "street" categories	ups are "full" catego	ry only, Preparation (broup has "full", "t	ouring" and "street" o	categories	

APPENDIX II Concours Organization Chart


"Full" category class winners will compete for the Group Award in their respective Group

APPENDIX III Kardex/Authenticity Samples

The following are examples of acceptable versions of Kardex Authenticity documents.

KARDEX SAMPLE 1

121098	p. Morge Zuid, Nr.	Bunlop 8 7	rgr. 62011/
re-quantinuud, zaudennuik A 6 L C V	"Lochscheibenräder,	Garn.Kokosmatten rot	
Manates: Mahar, M	Eachen	100 500 km am:	q
Nr. D. J. Frick	10-10-12-14-15 "SEC 7-0-20" 16	Dringin ; # PCRSCHE ANTIENDESELLSDMAFT Pronand (24.0) Programma (21.0) Stationed (20.0) Station (21.0) Stationed	
	on Systems	fer gemer soner fer in an	
c/o IBN Informati Group 111 Erford Road Camp Hill, Pennsy		See 17-47: Source and Annual Sector (Sector) (2-17-17) Sector (Sector) (Sector) Sector (Sector) (Se	
c/o IBN Informati Group 111 Erford Road		Control 17:47: and any mass former for the the former than the second state of the sec	
c/o IBN Informati Group 111 Erford Road Camp Hill, Pennsy		<pre>init () init is a large data for any () init () i</pre>	
c/o IBM Informati Group 111 Erford Road Camp Hill, Pennsy U S A	Ivania 17011	<pre>Control of the second desire formation (second in the second second desire for the second in the second desire of the second desire of the second desire of the second desire of the second in the second desire of the second desire of the second desire of the second desire of the second intervention of the second desire of the second desire of the second desire of the second desire of the second intervention of the second desire of the second desire intervention of the second desire of the second desi</pre>	
c/o IBM Information Group 111 Erford Road Camp Hill, Pennsy U S X Medice Antenenie Dear Mr. Frick, Please excuse Out	Ivania 17011	<pre>children control to the 1311 for the for for a control of the</pre>	
c/o IBM Informativ Group 111 Erford Road Camp Hill, Pennsy U S X Dear Mr. Frick, Please excuse Out inquiry about 356	Ivania 17011 VR Spr-m 8275 640	<pre>children ware been to set the set of th</pre>	
<pre>c/o IBM Informativ Group 111 Erford Road Camp Hill, Pennsy U S X metere teremeter Dear Mr. Frick, Please excuse Out inquiry about 356</pre>	Ivania 17011 VR Spr-m 8275 540 c delayed response co c chassis numbers.	<pre>children ware been to set the set of th</pre>	





PCNA2721

<u>~- el Ol Aldez.</u> E viche Curstavith America Inc. 4/16/96 Date



Certificate of Authenticity

Please send completed form to: Fax: 1-800-322-2436

Porsche Cars North America, Inc. Certificate of Authenticity One Porsche Drive Atlanta, GA 30354

For any questions please contact **Phone 1-800-PORSCHE Email coa@porsche.us** We are pleased to offer you a Certificate of Authenticity for your Porsche. This unique document includes your vehicle's original factory-installed options, exterior and interior color, engine type and transmission type, production completion date (Birth Date) and manufacturer's suggested retail price (MSRP), dependent upon availability of information. Only vehicles produced for sale in the US or Canada are eligible for North American certification. This Certificate can prove to be invaluable for restoration, resale and for displaying your Porsche at official Porsche concourse events, such as the annual Porsche Club Parade. Certificates do not include production number, selling dealer, previous owners, warranty history, standard equipment or technical information.

Based on the fee chart below, you can order a Certificate suitable for framing. **Porsche Club members will receive an additional \$10.00 discount. Please allow 4 – 6 weeks for delivery.**

	Cer	tificate of Authenticity (Order Form	
<u>Name</u> :	First	Middle	Last	
Address:				
	Street			
	City	State	ZIP	
Phone Numbers:	Home ()	Ce	HI: ()	
Email:				
Vehicle Identificatio	n Number:			
M	odel Year:	Date I purchased v	ehicle:	
Fee Chart:		1948 to Present r Porsche Club Members	\$110.00 -\$10.00	\$ \$
		Member # andling (we ship to U.S. and Ca		\$
			Total Amount	\$
How did you hear at	out the Certificate of Au	thenticity:		
□ Porsche website	e □ Magazine Adve	rtising (please specify)	Other (please specify)	
Is this your first Cer	tificate of Authenticity o	r der: □ Yes, my first	□ Second or more	
Authorized Signatur	e:			
Form of Payment:	Mastercard	🗆 Visa 🛛 Amex		
Credit Card Number	:		_ Exp. Date: /	CVC:
Name as it appears	on Card (please print):			

MONRONEY LABEL

(example)

Exclusive Options														
Price				41,430	805	N/C	N/C	N/C	2,110	1,215	170	N/C	N/C	N/C
Options	Manufacturer's Suggested Retail Price:			Porsche Base Model	Ocean Blue Metallic	Graphite Grey Top	Graphite Grey Prtl Lthr Seats	U.S. Standard/Emissions	Sport Package	17" Wheels 'Boxster-Design'	Wheel Caps with Colored Crest	Cruise Control	HI-FI Sound Pkg w/Speakers	Remote Control Alarm System
Standard Equipment	Technical/Mechanical	2.7 Liter, Six-Cylinder Engine 217HP	Water Cooled, 4-Valves/Cylinder	Mid Engine							Power Steering		10 Cast Alloy Wheels	ZUD/DD ZH / ZZD/DU ZH ID WINEEIS/IIres
	Options Price	Options Price Manufacturer's Suggested Retail Price:	Options Price Merufecture'S Suggested Resal Pres:	Options Price Manufacture's Suggested Read Price:	Price Price Base Model 41,430	Options Price Manufacture's Suppreted feasi Price: 41,430 Porsche Base Model 41,430 Ocean Blue Metallic 805	Options Price Manufacturer's Suggested Real Price: 41,432 Porsche Base Model 41,432 Ocean Blue Mundellic 805 Graphte Givy Top N/C	Options Price Menutcrure's Suggested Recal Prect: 41,430 Porsche Base Model 41,430 Carean Blue Metalic 805 Graphite Grey Troit N/C Graphite Grey Pri Lith' Seats N/C	ent Options Price 217HP Manufacturer's Suppered Real Price: 217H2 eff Manufacturer's Suppered Real Price: 41,430 off Porsiche Base #iddel 805 Crasm Blue Metallic 805 805 Graphite Grey Top NUC 805 U.S. StandardEmissions NUC NUC	rd Equipment Options Price lechanical Manufacture's Suggered Real Price. Price Price inder Engine 217HP Manufacture's Suggered Real Price. 41,430 Valves/Cylinder Porsche Base Model 41,430 ant Control Orean Blue Metallic 80.6 ant Control Orean Blue Metallic N/C wheel U.S. Standard/Enissions N/C Transmission Stort Podeage 2,110	ard Equipment Options Price Mechanical Menufacturer's Suggered Recal Price. Price Index Engine 217HP Menufacturer's Suggered Recal Price. 41,420 -Valves/Cylinder Porsche Base Model 41,420 Anatt Control Coen Blue Metallic 805 Anatt Control Coen Blue Metallic 805 Anatt Control Craphite Gray Pril Lthr Seats N/C Workeel U.S. StandardEmissions 2,110 Transmission Sport Packasin 1,7 Wheels 1,215	ent Options Price 21 HP Manufacturer's Suppleted Real Price. Price 21 HP Porsche Base #iddel 41,430 Porsche Base #iddel 805 005 Camphile Grey Top NUC 805 Graphile Grey Top NUC NUC US StandardErnisions 2,110 172 Tor Wheel Spassen-Besign* 1,72 NUC Vineel Caps with Colored Crest 1,70 170	ard Equipment Options Price Mechanical Meavlacurer's Suggened Real Price. Price Vinder Engine 217HP Meavlacurer's Suggened Real Price. Valves/Cylinder Porsche Base Model 41,430 Porsche Base Model Cean Blue Metallic 805 Antt Control Graphite Grey Prot Lithr Seats N/C Wweel U.S. Standard/Enissions 2,110 Transmission Sport Package 2,110 Transmission 1/7 Wheels Boxstor-Design 1,215 Meel Case with Colored Crest N/C N/C	and Equipment Options Price Mochanical Mawutacuur's Suggened Real Price. Price Price Index Engine 217HP Mawutacuur's Suggened Real Price. 41,430 806 Valves/Cylinder Pousche Base Model 41,430 806 806 Anatt Control Ocean Blue Metallic 806 8

Material Relation Contain Frage Exclusion Contain Frage Contain Conta	Picture of the second of a second properties of the second of a second s
Menature S Supported Real 41,430 Proteche Base Model 41,430 Coean Blue Metalic 805 Graphite Grey Top 805 Graphite Grey Top 805 Standard/Emissions N/C U.S. Standard/Emissions 2110 To Wheel Cape with Colored Crest 1,215 Wree Cape with Colored Crest 1,215 Wifel Raudo Metsion Diversions 2,110 Morel Cape with Colored Crest 1,215 Wifel Raudo Metsion Diversions 2,110 Morel Cape with Colored Crest N/C Mifel Raudo with CD Player N/C AMifel Raudo with CD Player N/C Dot Lubectori N/C Auffel Raudo with CD Player N/C Dot Lubectori N/C Dot Lubectori N/C Dot L Player 10,10,40 Dot L Player 46,495 TOTAL PRICE* 46,495	And a stachard a whole a station is the station of
Presche Base model Coom Blue Meralic Caraphite Gray Tro Graphite Gray Tro Graphite Gray Tro Graphite Gray Tro Sport Package Tro Sport Package Tro Sport Package Tro Sport Package Tro Sport Package Tro Mirkit Radio with CD Payer Nrc Prosente Control Nrc Mirkit Radio with CD Payer Nrc Package Nrc Mirkit Radio with CD Payer Nrc Package Tro Mirkit Radio with CD Payer Nrc Package Nrc Package Nrc Mirkit Radio with CD Payer Nrc Package Package Nrc Package Package Nrc Package Nrc Package Nrc Package Nrc Package Nrc Package Package Package Nrc Package	The speed of 5 finites grant of the speed of 5 finites are also while a finite of the speed of 5 finites are also while a constant materia are may speed of 5 finites are also while a constant materia are may are also while a constant materia are may are also while a constant materia are also while a constant materia are also while a constant materia are also while a constant are also while a finite are also while are also while a finite are also while a finite are also while are als
Porsche Base Model 41,430 Coean Blue Grey Pril Liffn Seats WC Graphite Grey Pril Liffn Seats WC Graphite Grey Pril Liffn Seats WC U.S. Standdffinissions 2,110 Soort Package 1,215 Wheel Carest 1,215 T/T Wheels Boxster-Designt 1,215 T/T Wheels Boxster-Designt 1,215 MrfM Radio with CD Packat NC Branne Control Alam System NC AM/M Radio with CD Packat NC AM/M Radio with CD Packat NC Bosterio Control Alam System NC Cube Control Alam System NC Branne Control Alam System NC Destination Charge 46,435 TOTAL PRICE 46,435	 And a value of common some some space and space and space of common some some space and space
Constant Operation Constant Constant Caraphile Gray Trans NC Caraphile Gray Trans NC Caraphile Gray Trans NC Sport Package 2.110 Sport Package 2.110 Sport Package 2.110 Sport Package NC Med Cape with Colored Creekt NC NC NC Cuise Control NC Cuise Control Aumot Control Aumot Control Aumot Control Aumot NC Aumot Control Aumot Control Aumot Control Aumot NC Packete Windstop (Defloctor) NC Possehe Windstop	with the use of common repeir metrodes and without splends parts. The stronger the Junnaer, the stronger the Junnaer, the stronger the Junnaer, the strong parts. The stronger the Junnaer, and the stress of stronger the Junnaer, Jack Science of Foreign Parts Content: Germany. 73% for shorter of the parts Content of Content of Contents: Germany. 73% for shorter of the parts Content of the parts of
Graphite Gray Tron Graphite Gray Tron Sport Package Sport Package Sport Package T-7 Wheel Sposter-Design Wheel Capes with Colored Crest Mirk Radio with CD Packet Remote Control Alm System NC Protect Mirk Radio with CD Packet NC Protect Mirk Radio Wirk Packet NC Protect Mirk Radio Wirk Packet NC Protect Mirk Radio Wirk Packet NC Protect Mirk Radio Wirk Packet NC Protect Mirk Packet NC Prote	The study The study Rest of the current foored burder The study Strandard of 2.5 miles per hou. U.S./Canada parts Content For Vehicles in this car line: U.S./Canada parts Content For Vehicles in this car line: U.S./Canada parts Content For Vehicles in this car line: U.S./Canada parts Content For Vehicles in this car line: U.S./Canada parts Content For Vehicles in this car line: U.S./Canada parts Content For Vehicles in this car line: U.S./Canada parts Content Country of for Source of Foreign Parts Commany 73% Country of for this vehicle of the polytoms Prevent the Si. the lower the Si.
Graphite Gery Prif Lift Seats N/C U.S. StandardEmissions N/C U.S. StandardEmissions N/C Towned Cases 1.10 Towned Cases 1.21 Wheel Cases with Colored Cases 1.215 Wheel Cases with Colored Cases 1.215 Model Capes with Colored Cases N/C Cudies Counce N/C Ref Capes with Colored Cases N/C Ref Cases With CD Player N/C AM/FM Radio with CD Player N/C AM/FM Radio with CD Player N/C Colored Cases Colored Cases Colored Cases 1.25 Colored Cases 1.26 Colored Cases 1.26 C	The Smool of <i>I</i> . Similar part for the second of <i>I</i> . The second of the second of <i>I</i> and second <i>I</i> . The second of the second sec
U.S. Standardfirmissions Sport Package Sport Package Sport Package Sport Package Sport Package Cuise Control Cruise Control Amon H.H.Fl Sound Creat Nuc H.H.Sound Crea	Farts Content Information: The Smog Information: For Vehicles in this car flue: U.S./Canada parts Content: For elign Parts Content: Major Source of Foreign Parts Content: Foreign Parts Content: Major Source of Foreign Parts Content: Foreign Parts Content: Major Source of Foreign Parts Content: Germany: Nation Source of Foreign Parts Content: Germany: Country of Origin: The Smog Index (SI) Index
Sport Package 17 Where Boxster-Design 17 Where Boxster-Design 17 Where Boxster-Design 17 Where Boxster-Design 17 Min Radio with CD Player NC Porsche Windstop Inflactor) NC AMMR Radio with CD Player NC AMMR Radio with CD Player NC AMMR Padio with CD Player NC AMMR PAGIO Player NC AMMR PAGIO Player NC AMMR PAGIO Player NC AMMR PAGIO Player NC AMMR PAGIO PLACE NC AMMR PLACE AMMR PLACE A	Parts Content Information: The smog in the service of foreign parts Content: Germany: 73% For Vehicles in this vehicle : Final Assembly Point: D.S.Canada parts Content: Germany: 73% For this vehicle : Final Assembly Point: D.S.Canada parts Content: Germany: 73% Country of for Gigme Parts: Commany The smog index (SI) in the smog mark (SI) in the service dees not include final assembly, distribution, the spectre codes not include final assembly, distribution, the spectre codes not include final assembly distribution, the service dees not include final assembly distribution, the spectre codes not include final assembly distribution, the spectre codes not include final assembly distribution, the spectre codes not include final assembly distribution, the service dees not include final assembly distribution, the spectre codes not include final assembler, distribution, the service dees not include final assembler, distribution, the service dees not include final assembler, distribution, the service dees not include final assembler distribution, the service dees not include final assembler, distribution, the service dees not include final distribution, the service dees not include final distribution, the service dees not when a developed and wellows. Addition Relates and wellows 2000 Boxster final distribution Addition Relates the modules 2.7 Boxster final distribution
17. Wheek Boxster-Design 1.215 17. Wheek Boxster-Design 1.215 Week Cape with Colored Creat 1.215 Cruids Control Alarm System NC Remote Control Alarm System NC Parater Boxster/ Alarm System NC Remote Control Alarm System NC Poster Microtion NC Auffrin Radio (Deflection) NC Auffrin Radio (Deflection) NC EXCLUSIVE OPTIONS 765 TOTAL PRICE* 46,495	The Smooth of the second series of the U.S./Canada parts Content: For Vehicles in this can line: U.S./Canada parts Content: Germany: 73% For Vehicles in this can line: U.S./Canada parts Content: Germany: 73% For this value of the intervention of
When Cape with Control Carety Tron Tron Tron Tron Tron Tron Tron Tron Tron Mrc Remote Carety Mrc Remote Carety M	Major Scurtas at the foreign Parts Contracting that scurds where a transmission: Germany: 73% this where a fraction fract scheme that scarmaly relation build and scheme that are contracted at the parts Germany of Origin: Final Assembly Point: Germany derivation fraction and the parts Germany derivation of the parts of the par
ToTAL PRICE TOTAL PRICE TOTAL PRICE PRIMA PRIMA Price Control Minima Price Control Price Contro	For this vehicle : Final Assembly Point: Equative points vehicle : Final Assembly Point: Engine Parts: Germany worther prise and include final assembly, disribution. Engine Parts: Germany worther prise and include final assembly, disribution. The two points of the polytomary and the first engineer (S) in the lower the S). The lower the Si, the Si the lower the Si, the lower the Si the Si the lower the Si the Si the lower the Si the Si the lower the Si the Si the lower the Si the Si the Si the lower the Si the S
H-Hi Sound Pig w/Speakers NC H-Hi Sound Pig w/Speakers NC Remote Control Alim System NC Prostehe Windstop (Deflocation) NC AWRIA Radio with CD Player NC AWRIA Radio with CD Player NC EXCLUSIVE OPTIONS 765 TOTAL PRICE 46.495 TOTAL PRICE 46.495	Uusikaupunki, Finland Country of Origin Forentry of Origin Notfie Parts contron does not include final assembly, distribution. Notfie Parts contron does not include final assembly, distribution. Notfie Parts contron does not include final assembly, distribution. The Strog index (SII in Notfie Parts contron does not include final assembly, distribution. The Notfie Parts contron does not include final assembly, distribution. The Notfie Parts contron does not include final assembly, distribution. The Notfie Parts contron does not include final assembly, distribution. The Notfie Parts contron does not include final assembly, distribution. Compare this vehicle to others in the FREE GAS MILEAGE GUIDE as CITY MPC CITY MP
Hent source Manual Pag was parates NC Reno Control Administration (Deflocator) NC Porsche Windstop (Deflocator) NC Administration with CD Payer NC Activities NC Activitie	Country of Origin: Engine Parts: Germany Properts costs. Properts costs. Properts costs. Properts costs. The lower the statement of the policients of the policients of the policients of the root costs. The lower the statement policient of the policient of the statement of the PRE GAS MILEAGE GUIDE at CITY MPG CITY MP
Permea control Alaman System NIC Persense Windstop (Alfmany III) Possiention Charlow III CD Player NIC AWRA Radio with CD Player NIC EXCLUSIVE OPTIONS TOTAL PRICE 10TAL PRICE 46,495 10TAL PRICE	Erigine Parts: Germany Transmission: Germany worther press contractude final assemuly, distribution. The two presses on include final assemuly, distribution. The two include final assemuly distribution. The two includes final assemuly distribution.
AMIR Radio with CD Player NUC AMIR Radio with CD Player NUC EXCLUSIVE OPTIONS 765 TOTAL PRICE 46.495 TOTAL PRICE 46.495	Morfie, perferencinges not include final assembly, distribution. The non-parts content of the over the Su, that assembly, distribution. The non-parts content of the Su, that assembly, distribution. The non-parts content of the Su, that assembly, distribution. The non-parts content of the Su, that assembly of the first content of the Su, that as a summary of the non-parts of
AMIRI Radio with CD Payer NG EXCLUSIVE OPTIONS 765 TOTAL PRICE 45.495 10TAL PRICE 46.495 10TAL PRICE 10.10 10 10 10 10 10 10 10 10 10 10 10 10 1	or other non-parts costs. The Last Last Last a Arran present arrange constant arrange for the Last and Last Last Last Last Last Last Last Last
EXCLUSIVE OPTIONS 765 Destination Charge 46,495 TOTAL PRICE 46,495	And a strate network of the strate and a strate network of the strate a str
TOTAL PRICE - 46.495 TOTAL PRICE - 46.495	Compare this vehicle to others in the FREE GAS MILEAGE GUIDE a CITY MPG CITY MPG Anna Minage will vary with contained with any with providen factor fund to the formation COO Boxste C For Minage and the model of Cylinder Fund Injection
Destination Charge 765 TOTAL PRICE 46.495 46.495	CITY MPG CITY MPG CAS Mileage Annage wil vary with contraction driving habits reported to principality reported EPA indicate fruit means C Cylinder Fuel Injection
10TAL PRICE* 46.495	Gas Mileage Information Cood Boxster 2.7 Boxster 5 Cylinder Fuel Injection
CT MG CT	Gas Mileage Information 2000 Boxster 2.7 Boxster 6 Cylinder Fuel Injection
CIT MICA CIT MICA CIT MICA MICA MICA MICA MICA MICA MICA MICA	Gas Mileage Information
Actual Mitege will vary with divingo habits and vehicles ordifion shafts and vehicles of the shaft reprint and the shaft reprint and of the shaft reprint and the shaft and the shaft reprint and the shaft and the shaft reprint and the shaft of the shaft reprint and the shaft reprint and the shaft of the shaft reprint and the shaft reprint and the shaft of the shaft reprint and the	2000 Boxster 5 Cylinder Fuel Injection
Cruat Mitege with vary with options damage with vary with vary with options damage with vary with vary with vary with options damage with vary wi	2000 Boxster 2.7 Boxster 6 Cylinder Fuel Injection
Actual Miteger will vary with options, driving conditions, driving prints and vehicles of the prints and the tensor and the tensor hydrow.	2000 Boxster 2.7 Boxster 5 Cylinder Fuel Injection
Actual Mileage will vary with divingo habits and vehicles confiniton. Results and vehicles of the main expended to Explicitles with these estimations of another between and in between 2.374 3.3709 on the highway.	2000 Boxster 2.7 Boxster 6 Cylinder Fuel Injection
Actual Mileage will vary with ching actual manory of variables with these actual vary actual between active between and in between and in between highway.	2000 Boxster 2.7 Boxster 6 Cylinder Fuel Injection
Actual Miteage will vary with driving phastis and vary with condition. The seatile septended to the phastis and variables with these estimates will active between 12md 12mg in the city and in between 23md 33mg on the highway.	2000 Boxster 2.7 Boxster 5 Cylinder Fuel Injection
Actual Mileage will vary with horings. Actual Mileage will vary with horings. Actual Mileage will vary with horings. Actual Mileage will vary with actual horings. Actual the provides with the second of the explored the the majority of vehicles with these second will active between and in between highway.	2000 Boxster 2.7 Boxster 6 Cylinder Fuel Injection
Actual Mileage will vary with options, divining conditions, driving habits and vehicles condition. Treature spectrad to E.P. Andicate that the majority of vehicles with these estimates will achieve between and in between 2.3md 3.3mg on the city highway.	2000 Boxster 2.7 Boxster 6 Cylinder Fuel Injection
Actual Miteage will vary with Actual Miteage will vary with options, chronic sociations, adving habits and varies condition, such these advinds habits and varies and indicate that the majority of vehicles with these estimates will active between 2.3 md 3.3 mg on the highway.	2000 Boxster 2.7 Boxster 6 Cylinder Fuel Injection
Actual Mileage will vary with confloors, driving conditions, driving statist and vertical condition. Results propried to the propried to the propried to the propried to the propried to the propried to the propried to the propried to the propried to the proprese to the propried to the p	2000 Boxster 2.7 Boxster 6 Cylinder Fuel Injection
Actual Mileage with any with options, driving conditions, driving conding conditions, driving conditing conditions, driving condi	2000 Boxster 2.7 Boxste r 6 Cylinder Fuel Injection
Control	2000 Boxster 2.7 Boxster 6 Cylinder Fuel Injection
chring haths and vehicles condition. Results eponded to E PAIndicate that the majority of vehicles with these estimates will achieve between and in between 23md 33mpg on the city highway.	2000 Boxster 2.7 Boxste r 6 Cylinder Fuel Injection
Condition: A secular sponted to C Condition: A strait secular maintener majority C E Principate that the majority 5 of vehicles with these estimates 5 mill active between 2 23mg 33mg on the 2 highway. 1	
5 of vehicles with these estimates 5 of vehicles with these estimates 5 will achieve between activity and in the city and in the city 23 nd 33 ⁿⁿ ty on the highway.	
5 vehicles with these estimates 5 will achieve between and in between and in between and in between highway.	
will achieve between 1 Zand 23 mpg in the city and in between 2 3 md 3 3 mpg on the high way.	of vehicles with these estimates b Speed Manual
1 Jand 23 mpg in the chy and in between 23 mpg on the highway.	will achieve between
23md 33mpg on the highway.	
23nd 33mgonhe highway.	Ň
2340	
D OND KM Warranty. Canada I	highway.
Porsche Roadside Assistance	
Sold-to Dealer 135 Sold-to Dealer	135 Sold-to Dealer 135
1730 Embarcadero Rd. 1730 Embarcadero Rd. 1730 Embarcadero Rd.	1730 Embarcadero Rd. 1730 Embarcadero Rd.
Conserved licence and filter frank, store and detailer	
installed options and accessories are not included.	

MONRONEY LABEL

(example)

HILD REAL STATE	Based on the results of tests conducted or certified by the U.S. ENVIRONMENTAL PROTECTION AGENCY, the typical fuel economy of this car is estimated to be: PORSCHE 911S COUPE	6 CYLINDER, 164 CUBIC INCH DISPLACEMENT ENGINE, FUEL INJECTION, MANUAL TRANSMISSION. 15 MILES PER GALLON FOR CITY DRIVING 24 MILES PER GALLON FOR HIGHWAY DRIVING	LES PER GALI IIGHWAY DRIVI MPARE, THE C	CLES RANGES FROM 0 27 MILES PER GALLON 2/10/77	VEHICLE IS \$542	These estimates are based on the tests of vehicles equipped with frequently purchased optional equipment. Reminder: The actual fuel economy of this car will vary depending on the type of	driving you do, your driving habits, how well you maintain your car, optional equipment installed and used, and road and weather conditions. To compare the fuel economy of this car with other cars, and to learn how the tests were conducted, askyour dealer for a free copy of the current EPA/FEA <u>Gas Mileage</u> Guide for New Car Buyers.
911344 YEAR 1977 911344 YEAR 1977 9115 COUPE DEALERNAME & AUDI NORTH	. DAD 0 Destinatio 1		C BR	U GLASS ALL AKUUNU WITH ELECTRIC & PRESSURE GAUGE, DEFOGGER,	TACHOMETER,QUARTZ CLOCK TACHOMETER,QUARTZ CLOCK IN DODRS, UNDERCOATING CONTROLLED SPEEDOMETER TEERING, TRIP ODOMETER T SEATS,CUT PILE CARPET NDSHIELD WIPER CYCLE PENDENT SUSPENSION	NIES AT DEALER'S LOCATION: 19 # 829 450 PORSCHE + AUDI	A DIVISION OF VOLKSWAGEN OF AMERICA, INC. BY JO COMPANY RANGEN OF AMERICA, INC. 1 348 SYLVAN AVE., ENGLEWOOD CLIFFS, N.J. 07632
A05 MAKE P.DR.SCHE MODEL 911 SERIAL NO. 9117202906 BODY TYPE DISTRIBUTOR NAME & ADDRESS UDLK SWAGEN OF AMERICA, INC	3737 LAKE COOK RD 5002 PDST R DEERFIELD IL 60015 DUBLIN, OHI PORTOFENTRY METHODOF TRANSP. COLUMBUS ** TRUCKED ** IMPORTER'SUGGESTED RETAIL PRICE WITHOUT ACCESSORIES AT PORT OF ENTRY. POLAR BLUE PAINT LEATHER WITH CLOTH	OPTION GROUP V40 RADIO BAMBERG AIRCONDITIONER BLACK ROOF LINER BILSTEIN SHOCK ABSORBERS BLACK TRIM INSTEAD OF CHR	FUEL INJECTION, CAPACITIVE D FUEL INJECTION, CAPACITIVE D IGNITION, 4-WHEEL VENTED DISI BRAKE BOOSTER, PRESSURE CAST WHEELS, FRONT SPOILER, FRONT CTAPUTOR DATES OF ACT	STADILIZEK BAKJINTEU GLASS OUTSIDE POWER MIRROR WITH E DEFROSTER, DIL LEVEL & PRES ELECTRIC REAR WINDOW DEFOGG	TRANSISTORIZED TACHOMETER,0 TRANSISTORIZED TACHOMETER,0 STERED SPEAKERS IN DJORS, U ELECTRONICALLY CONTROLLED S RACK & PINION STEERING, TRI RECLINING BUCKET SEATS,CUT INTERMITTENT WINDSHIELD WIP FOUR WHEEL INDEPENDENT SUSP	 'S SUGGESTED RETAIL PRICE* WITH ACCESSORIES AT DEALER'S LOCATION: 'Ga loense and title fees, state and local taxis iler installed options and accessories 	are 1ed. Labe 9d by the sole authorized importer for POR: JDI in the UNITED STATES pursuant to PU W 85-506 bear this signature. PRINT J.S.A. W 22-99 V

Appendix III

APPENDIX IV

Concours Score Sheets

	Concours ERVATION enticity docu	GROUI			DN
Entrant				Entry N	Jo
Co-Entrant				Entry N	lo
Chassis No	Engin	ne No	Transax	le No	Paint No
Model Year	Model		Body Style	Pai	nt Color
Kardex / Certifie	cate of Authenticit	y:Chassis Me	etal Stamping	Chassis Da	ta Plate(s)
Engine No	•	Transaxle	e No	Paint No.	
Ratings: • In • A Check approp	bove Average (Con riate box for overall re Fault	mpliment) ating for compo Demerit	• Inconsistent (Der • Excellent (Comm nent. Enter comments J Endorsement	nerit) • Avera lendation) for sub-components t	bat support overall rating
Ratings: • In • A Check approp 1-a. Kardex or C 1-b. Utilization Odometer H Number of	ncorrect (Fault) above Average (Con <i>riate box for overall re</i> Fault COA	mpliment) ating for compo Demerit Demerit Ev	Inconsistent (Der Excellent (Comm nent. Enter comments j Endorsement	nerit) • Aver- lendation) for sub-components to Compliment □ available for review:	bat support overall rating Commendation □ log books, repair bills, oil/tin
Ratings: • In • A Check approp 1-a. Kardex or C 1-b. Utilization Odometer I Number of receipts, auto	Acorrect (Fault) Above Average (Con <i>riate box for overall re</i> Fault COA Reading Years Owned porross results, prior P	mpliment) ating for compo Demerit	Inconsistent (Der Excellent (Comm nent. Enter comments j Endorsement	nerit) • Averation And tion) for sub-components to Compliment available for reviews the sheets with mileage for sub-components to	bat support overall rating Commendation Image: Description of the support overall rating
Ratings: • In • A Check approp 1-a. Kardex or C 1-b. Utilization Odometer I Number of receipts, auto	Acorrect (Fault) Above Average (Con- riate box for overall ra- Fault COA Reading Years Owned perross results, prior P- riate box for overall ra Fault	mpliment) ating for compo Demerit Q Q Parade, Zone or ating for compo Demerit	Inconsistent (Der Excellent (Comm nent. Enter comments j Endorsement	nerit) • Averation And the components to Compliment available for review: the sheets with mileag for sub-components to Compliment	bat support overall rating Commendation log books, repair bills, oil/tinges noted, etc.) bat support overall rating Commendation
Ratings: • In • A Check approp 1-a. Kardex or C 1-b. Utilization Odometer I Number of receipts, auto Check appropriation	Accorrect (Fault) Above Average (Con- riate box for overall ra- Fault COA Reading Years Owned peross results, prior P- riate box for overall ra- Fault 	mpliment) ating for compo Demerit Q Q Parade, Zone or ating for compo Demerit	Inconsistent (Der Excellent (Comm nent. Enter comments j Endorsement Comments j Comments of Use (have Region concours score nent. Enter comments j Endorsement	nerit) • Averation And the components to Compliment available for review: the sheets with mileag for sub-components to Compliment	bat support overall rating Commendation log books, repair bills, oil/tinges noted, etc.) bat support overall rating Commendation
Ratings: • In • A Check approp 1-a. Kardex or C 1-b. Utilization Odometer I Number of receipts, aut Check approp 2. Exterior Coachwork	Accorrect (Fault) Above Average (Con- riate box for overall ra- Fault COA Reading Years Owned peross results, prior P- riate box for overall ra- Fault 	mpliment) ating for compor Demerit Q Ev Parade, Zone or ating for compor Demerit Q	Inconsistent (Der Excellent (Comm ment. Enter comments j Endorsement	nerit) • Averation for sub-components to Compliment available for review: the sheets with mileage for sub-components to Compliment	bat support overall rating Commendation log books, repair bills, oil/tinges noted, etc.) bat support overall rating Commendation
Ratings: • In • A Check approp 1-a. Kardex or C 1-b. Utilization Odometer I Number of receipts, auto Check approp 2. Exterior Coachwork Exterior Su	Accorrect (Fault) Above Average (Con- riate box for overall ra- Fault COA Reading Years Owned peross results, prior P- riate box for overall ra- Fault 	mpliment) ating for compose Demerit Demerit Event Parade, Zone or ating for compose Demerit Demerit	Inconsistent (Der Excellent (Comm ment. Enter comments j ridence of Use (have Region concours scor ment. Enter comments j Endorsement COM	nerit) • Averation Averation •	bat support overall rating Commendation log books, repair bills, oil/tinges noted, etc.) bat support overall rating Commendation
Ratings: • If • A Check approp 1-a. Kardex or C 1-b. Utilization Odometer H Number of receipts, auto Check approp 2. Exterior Coachwork Exterior Su Glass, Ligh	Accorrect (Fault) Above Average (Con- riate box for overall ra- Fault COA Reading Years Owned peross results, prior P- riate box for overall ra- Fault Fault faces (except below	mpliment) ating for compose Demerit Q Event Parade, Zone or ating for compose Demerit Q v)	Inconsistent (Der Excellent (Comments) Endorsement Endorsement Conservation	nerit) • Averation for sub-components to Compliment available for review: the sheets with mileage for sub-components to Compliment MENTS MENTS	bat support overall rating Commendation log books, repair bills, oil/tinges noted, etc.) bat support overall rating Commendation
Ratings: • In • A Check approp 1-a. Kardex or C 1-b. Utilization Odometer I Number of receipts, aut Check approp 2. Exterior Coachwork Exterior Su Glass, Ligh Metal & Ru	Accorrect (Fault) Above Average (Con- riate box for overall ra- Fault COA Reading Years Owned Years Owned periode box for overall ra- Fault Fault faces (except below ts	mpliment) ating for compor- Demerit Ev Parade, Zone or ating for compor- Demerit V	Inconsistent (Der Excellent (Comm ment. Enter comments j Endorsement Define of Use (have Region concours score ment. Enter comments j Endorsement COM COM COM COM COM	nerit) • Averation Averation •	bat support overall rating Commendation log books, repair bills, oil/tinges noted, etc.) bat support overall rating Commendation

Concours d'Elegance Preservation Group - INTERIOR & ENGINE	Concours d'Elegance Preservation Group - STORAGE & CHASSIS
Entry No	Entrant Entry No.
Co-Entrant Entry No.	Co-Entrant Entry No.
Ratings: • Incorrect (Fault) • Inconsistent (Demerit) • Average (Endorsement) • Above Average (Compliment) • Excellent (Commendation)	Ratings: • Incorrect (Fault) • Inconsistent (Demerit) • Average (Endorsement) • Above Average (Compliment) • Excellent (Commendation)
Clocck appropriate box for overall rating for component. Enter comments for sub-components that support overall rating Fault Demerit Endorsement Compliment Commendation 3. Interior	Check appropriate box for all overall rating for component. Enter comments for sub-components that support overall rating. Fault Demerit Endorsement Compliment Commendation 5. Storage □ □ □ □ □ □
Seats, Seat Mechanisms & Belts COMMENTS	Compartment(s), Walls & Coverings
Upholstery - Doors & Side Panels COMMENTS	Lid(s) - Underside, Hinges & Seals COMMENTS
Headliner (Incl. Convertibles) COMMENTS	Thole Shore Tire Lock
Carpeting, Floor & Covering COMMENTS	
Dash, Steering, Instruments. COMMENTS	Other Included Components COMMBNTS
Hinge & Lockpost Areas COMMENTS	Check appropriate box for overall rating for component. Exter comments for sub-components that support overall rating Fault Demerit 6. Chassis
Check appropriate box for overall rating for component. Enter comments for sub-components that sup Fault Demerit Endorsement Compliment Comm	Drivetrain
4. Engine D D D D D D D D D D D D D D D D D D D	Suspension COMMENTS
Coverings (wretting: frastic)	Steering .
isulation	Brakes
Lid - Underside, Hinges & Scals COMMENTS	Underbody Panels & Fender Wells COMMENTS
	Other Included Components COMMENTS

	Concours d'Elegance - Mass RESTORATION G (Air Cooled) Full Category	ROUP		N
	Full Category			
	rant's Name			
	Entrant's Name			·
-	ion(s)Model			
	nsportation of car to Parade (Check one): Shipped/trailered (any manner) Driven from (List City & State if driven)			
		OT WRITE BELOW D		
		. 		
	OGING RESULTS	Ν	1AX POINTS	POINTS SCOREE
	OGING RESULTS Exterior	Μ	1AX POINTS 70	POINTS SCOREI
JUE 1.		Ν		
JUE 1. 2.	Exterior	Ν	70	
JUE 1. 2. 3.	Exterior Interior	Ν	70 70	
JUE 1. 2. 3. 4.	Exterior Interior Engine Compartment	Ν	70 70 55	
JUE	Exterior Interior Engine Compartment Storage Compartment(s)	Ν	70 70 55 40	
JUE 1. 2. 3. 4. 5.	Exterior Interior Engine Compartment Storage Compartment(s) Chassis (Front) if Touring Category	Ν	70 70 55 40 30 (0)	
JUE 1. 2. 3. 4. 5.	Exterior Interior Engine Compartment Storage Compartment(s) Chassis (Front) if Touring Category		70 70 55 40 30 (0)	

Entrants: DO NOT WRITE BELOW DOTTED LINE Maximum Points Points Scored Restoration and Presentation (Air-cooled) 35.0 7.0 3.0 7.5 3.0 5.0 5.0 2.0 2.5 Entry No. Entry No. Scored Points Originality TOTAL POINTS SCORED Maximum Points 35.0 7.0 3.0 5.0 5.0 3.0 2.0 7.5 2.5 Concours d'Elegance - INTERIOR RESTORATION GROUP Points Total 1010 14 15 9 4 ŝ 20 9 • Dashboard, Steering Wheels, Instruments, Underside of Dash down to Floor (Also Fuse Box on 356, 356B-T-5, & 914) Carpeting and Floor Covering, Pedals (Includes Surface under Floor Mats) Inside of Fender Well Housings, Door Hinges, Rubber, Antenna, and Other Included Components • Headliner (Includes Underside of Convertible Tops) Door (Compartments/Pockets/Glove Box) TOTAL Seats, Mechanism of Seats and Belts • Upholstery of Door and Side Panels Inner Surfaces of All Glass Co-Entrant's Name Entrant's Name Judge Entrants: DO NOT WRITE BELOW DOTTED LINE Scored Maximum Points Restoration and Presentation (Air-cooled) Points 15.035.0 5.0 5.0 3.5 3.5 3.0 Entry No. Entry No. Points Scored Originality TOTAL POINTS SCORED щ Points 15.035.0 5.0 5.0 3.5 3.5 3.0 Maxin Concours d'Elegance - EXTERIOR RESTORATION GROUP Total Points 10 2 30 10 ~ ~ 9 . Wheels, Tires, Wheel Caps (Outer Services) • Exterior Surfaces (Including Paint & Conv. Tops -Excluding Items Listed Below) TOTAL Outer Surfaces of Glass, Lights • Coachwork (Shape and Fit) Rubber Trim, Bumpers Co-Entrant's Name Entrant's Name Metal Trim Judge

Concours d'Elegance - ENGINE COMPARTMENT RESTORATION GROUP	COMPARTMENT (Air-cooled) 30UP	Concours d'Elegance - STORAGE COMPARTMENT(S) RESTORATION GROUP	MENT(S) (Air-cooled) UP
Entrant's Name	Entry No.	Entrant's Name	Entry No.
Co-Entrant's Name	Entry No.	Co-Entrant's Name	Entry No.
Entrants: DO NOT WRITE BELOW DOT TED LINE	DOTTED LINE	Entrants: DO NOT WRITE BELOW DOT TED LINE	OTTED LINE
Judge		Judge	
	Originality Restoration and Presentation Total Maximum Points Points Points Points Points		Criginality Restoration and Presentation Total Maximum Points Points Points Scored
Engine COMMENTS	25 12.5 12.5	 Storage Compartments (Includes Paint and Side Covering) COMMENTS 	7 3.5 3.5 3.5
Sheet Metal COMMENTS	10 5.0 5.0	 Underside of Storage Lid(s) (Including Latches, Hinges, and Rubber Molding) COMMENTS 	7 3.5 3.5
Engine Compartment (Paint and Side Covering)	5 2.5 2.5	 Floor Covering(s) and Fuel Tank in Older Models and Fuel Filler in Later Models COMMENTS 	7 3.5 3.5
COMMENTS		Windshield Washer Container, Battery or Batteries, and Fuse Box (Except 356, 356B-T5, and 914) COMMENTS	7 3.5 3.5
• Underside of Engine Compartment Lid COMMENTS	5 2.5 2.5	- Tools COMMENTS COMMENTS	5 2.5 2.5
Generator/Alternator, Pulleys/ Belts COMMENTS	5 2.5 2.5	• Jack and Tire Strap COMMENTS	3 1.5 1.5
• Wiring and Other Electrical Components (& Battery in 914) COMMENTS	5 2.5 2.5	Spare Tite COMMENTS	4 2.0 2.0
		TOTAL	40 20.0 20.0
TOTAL	55 27.5 27.5		
TOTA	TOTAL POINTS SCORED	TOTAL	TOTAL POINTS SCORED

Presentation Maximum Points Points Scored Restoration and (Air-cooled) 4.0 17.5 5.0 5.0 2.0 1.5Entry No. Entry No. Scored Maximum Points Originality 17.5 TOTAL POINTS SCORED 4.0 5.0 5.0 1.52.0 Points Entrants: DO NOT WRITE BELOW DOT TED LINE Concours d'Elegance - CHASSIS REAR RESTORATION GROUP Total Points 1010 \mathfrak{c} 4 35 ∞ • Hand Brake, Tachometer, and Other Cables and Their Retaining Straps Underside of Transmission, Engine, Heater Boxes, and Other Engine Sheet Metal Suspension Members, Backing Plates, Brake Lines, Calipers, Shocks, Etc. TOTAL Underbody Panels and Fender Wells Inner Surfaces of Wheels and Tires Co-Entrant's Name Entrant's Name Judge Entrants: DO NOT WRITE BELOW DOTTED LINE Scored Maximum Points Restoration and Presentation (Air-cooled) Points 15.0 4.0 5.0 2.0 4.0 Entry No. Entry No. Scored Maximum Points Originality TOTAL POINTS SCORED Points 15.04.0 5.0 4.0 2.0 Concours d'Elegance - CHASSIS FRONT RESTORATION GROUP Total Points 8 10 4 30 8 Steering System, Torsion Bar Assemblies, Fuel Tank (Later Models), Master Cylinder (Earlier Models) Suspension Members, Backing Plates, Brake Lines, TOTAL • Underbody Panels and Fender Wells Inner Surfaces of Wheels and Tires Calipers, Shocks, Etc. Co-Entrant's Name Entrant's Name Judge


	Concours d'Elegance - Master Scor RESTORATION GROUP (Liquid Cooled) Full Category	CLASS	N
Ent	rant	Entry No	0
Co-	Entrant	Entry No	0
-	ion(s)		
	ModelBody Sty	le Paint Color	·
Trar			
	asportation of car to Parade <i>(Check one)</i> :		
	Shipped/trailered (any manner) Driven from (List City & State if driven)	E BELOW DOTTED LINE	
	Shipped/trailered <i>(any manner)</i> Driven from <i>(List City & State if driven)</i> Entrants: DO NOT WRIT	E BELOW DOTTED LINE	
	Shipped/trailered <i>(any manner)</i> Driven from <i>(List City & State if driven)</i> Entrants: DO NOT WRIT	E BELOW DOTTED LINE	
□ s □ I JUD 1.	Shipped/trailered <i>(any manner)</i> Driven from <i>(List City & State if driven)</i> Entrants: DO NOT WRIT	E BELOW DOTTED LINE MAX POINTS	POINTS SCOREI
□ s □ I JUD 1.	Shipped/trailered (any manner) Driven from (List City & State if driven) Entrants: DO NOT WRIT OGING RESULTS Exterior	e Below dotted line MAX points 70	POINTS SCOREE
□ \$ □ I JUD 1. 2.	Shipped/trailered (any manner) Driven from (List City & State if driven) Entrants: DO NOT WRIT OGING RESULTS Exterior Interior	E BELOW DOTTED LINE MAX POINTS 70 70	POINTS SCOREE
 S I JUD 1. 2. 3. 	Shipped/trailered (any manner) Driven from (List City & State if driven) Entrants: DO NOT WRIT OGING RESULTS Exterior Interior Engine Compartment	E BELOW DOTTED LINE MAX POINTS 70 70 62	POINTS SCOREE
 S I JUD 1. 2. 3. 4. 	Shipped/trailered (any manner) Driven from (List City & State if driven) Entrants: DO NOT WRIT OGING RESULTS Exterior Interior Engine Compartment Storage Compartment(s)	E BELOW DOTTED LINE MAX POINTS 70 70 62 33	POINTS SCOREI

Entrants: DO NOT WRITE BELOW DOTTED LINE Maximum Points Points Scored Restoration and (Liquid-Cooled) Presentation 35.0 7.0 2.0 7.5 3.0 5.0 5.0 3.0 2.5 Entry No. Entry No. Scored Points Originality TOTAL POINTS SCORED Maximum Points 35.0 7.0 3.0 5.0 5.0 3.0 2.0 7.5 2.5 Concours d'Elegance - INTERIOR RESTORATION GROUP Total Points 10 4 15109 ŝ 20 9 4 Dashboard, Steering Wheels, Instruments, Underside of Dash down • Carpeting and Floor Covering (Includes Surface under Floor Mats) · Seats, Mechanism of Seats and Belts (Including Back of Rear Seat) • Inside of Fender Well Housings, Door Hinges, Rubber, Antenna Headliner (Includes Underside of Convertible Tops) to Floor, Pedal Cluster, Fuse Box and Console • Door (Compartments/Pockets/Glove Box) TOTAL • Upholstery of Door and Side Panels Inner Surfaces of All Glass Co-Entrant's Name Entrant's Name Judge Entrants: DO NOT WRITE BELOW DOT TED LINE Maximum Points Scored Restoration and (Liquid-Cooled) Presentation Points 15.035.0 5.0 5.0 3.5 3.5 3.0 Scored 1 Points Originality Entry No. TOTAL POINTS SCORED Entry No. Maximum Points 15.035.0 5.0 5.0 3.5 3.5 3.0 Concours d'Elegance - EXTERIOR RESTORATION GROUP Points Total 10 2 30 10 ~ 5 9 · Wheels, Tires, Wheel Caps (flat outer services) Exterior Surfaces (Includes Paint and Convertible Top-Excludes Items Listed Below) TOTAL Outer Surfaces of Glass, Lights Coachwork (Shape and Fit) Rubber Trim, Bumpers Metal Trim Co-Entrant Entrant Judge


Concours d'Elegance - ENGINE COMPARI RESTORATION GROUP	IPARTMENT P (Liquid-Cooled)	Concours d'Elegance - STORAGE COMPARTMENT(S) RESTORATION GROUP	tTMENT(S) (Liquid-Cooled) OUP
Entrant's Name	Entry No.	Entrant's Name	Entry No.
Co-Entrant's Name	Entry No.	Co-Entrant's Name	Entry No.
Entrants: DO NOT WRITE BELOW DOT TED LINE	LED LINE	Entrants: DO NOT WRITE BELOW DOTTED LINE	DOTTED LINE
Judge		Judge	
T R	Originality Restoration and Presentation Total Maximum Points Points Points Scored		Originality Restoration and Presentation Total Maximum Points Points Points Points Points
• Engine Comments	25 12.5 12.5	 Storage Compartment(s), (Luggage Cover and Side Covering) COMMENTS 	7 3.5 3.5
Sheet Metal (Includes Plastic Components) COMMENTS	10 5.0 5.0	 Underside of Storage Lid(s), (Including Latches, Hinges, and Rubber Molding) COMMENTS 	7 3.5 3.5
 Engine Compartment (Condition of Paint and Rubber Insulation) COMMENTS 	5 2.5 2.5	• Floor Covering(s) and Fuel Filler, (& Battery 928) COMMENTS	7 3.5 3.5
• Underside of Engine Compartment Lid COMMENTS	5 2.5 2.5 2.5	• Tools and Jack COMMENTS	7 3.5 3.5
• Generator/Alternator, Pulleys/ Belts COMMENTS	5 2.5 2.5	• Spare Tire COMMENTS	5 2.5 2.5
Wiring and Other Electrical Components (& Battery in 924 & 944) COMMENTS TOTAL TOTAL	12 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0	TOTAL	33 16.5 16.5
TOTAL PC	SCORED	TOTA	TOTAL POINTS SCORED

Concours d'Flegance - CHASSIS FROM	SSIS FRONT	Concours d'Elecance - CHASSIS REAR	ASSIS REAR	
RESTORATION GROUP		CONCOURS & LINESTORATION GROUP		(Liquid-Cooled)
Entrant's Name	Entry No.	Entrant's Name	Entry No.	0.
Co-Entrant's Name	Entry No.	Co-Entrant's Name	Entry No.	0.
Entrants: DO NOT WRITE BELOW DOTTED LINE	DOTTED LINE	Entrants: DO NOT WRITE BELOW DOT TED LINE	:	• • • • • • • • • • • • • • • • • • • •
Judge		Judge		
	Originality Restoration and Presentation Total Maximum Points Points Points Scored		Total Maximum Points Points Points Scored	Restoration and Presentation Maximum Points Points Scored
• Underbody Panels and Fender Wells COMMENTS	8 4.0 4.0	Underbody Panels and Fender Wells COMMENTS	10 5.0	5.0
Suspension Members, Backing Plates, Brake Lines, Calipers, Shocks, Etc. COMMENTS	10 5.0 5.0	 Transmission, Drive Line, and Exhaust System COMMENTS 	6 3.0	3.0
 Steering System, and Spring Assemblies COMMENTS 	6 3.0 3.0	 Suspension Members, Backing Plates, Brake Lines, Calipers, Shocks, Hand Brake, Etc. COMMENTS 	10 5.0	5.0
- Inner Surfaces of Wheels and Tires ${\sf COMMENTS}$	4 2.0 2.0			
• Underside of Engine and Drive Line COMMENTS	7 3.5 3.5	Inner Surfaces of Wheels and Tires COMMENTS	4 2.0	2.0
TOTAL	35 17.5 17.5	TOTAL	30 15.0	15.0
TOTA	TOTAL POINTS SCORED	10	TOTAL POINTS SCORED	

	PREPARATION GRO Full Category or Touri		CLASS CLASS POSITION _	
Ent	rant's Name		En	ntry No
Co-	Entrant's Name		En	ntry No
Reg	ion(s)			
Year	Model	Body Style	Paint Color	
Trar	asportation of car to Parade (Check one):			
	Shipped/trailered <i>(any manner)</i> Driven from <i>(List City & State if driven)</i>			
JUD	GING RESULIS		MAX POINTS	POINTS SCOREI
JUD 1.	GING RESULTS Exterior		MAX POINTS 70	POINTS SCORED
1.	Exterior		70	
1. 2.		oup II		
1. 2.	Exterior Interior	oup II	70 70	
1. 2. 3.	Exterior Interior Engine Compartment N/A in Gr	-	70 70 55 (0)	
1. 2. 3. 4.	Exterior Interior Engine Compartment N/A in Gr Storage Compartment(s)	tegory	70 70 55 (0) 40	



MENT II PREPARATION GROUP 1 & II	Entry No Entrant's Name	Entry No Co-Entrant's Name	VE Entrants: DO NOT WRITE BELOW DOTTED LINE	Judge	Total Points Points Scored	Storage Compartment(s) (Includes Paint and Side Covering) COMMENTS	10 • Underside of Trunk Lid(s) (Including Latches, Hinges, and Rubber Molding) COMMENTS	Floor Covering, Following As Applicable: Fuel Tank, Fuel Filler, Windshield Washer Reservoir, Battery, Fuse/Relay Panel, Other included components COMMENTS	Tools (If Not Applicable, Add Points to Storage Compartment) COMMENTS	 Jack, Spare, and Restraints (If Not Applicable, Add Points to Storage Compartment) COMMENTS 	5 Notat	
Concours d'Elegance - ENGINE COMPART PREPARATION GROUP 1 &			Entrants: DO NOT WRITE BELOW DOTTED LINE	Engine not judged in	Preparation Group II			 Engine Compartment (Paint and Side Covering) COMMENTS 	• Underside of Engine Compartment Lid COMMENTS	• Alternator (Generator), Pulleys/Belts COMMENTS	• Wrining and Other Electrical Components (and Battery, As Applicable) COMMENTS	



	Concours d'Elegance - N PREPARATION Street Cate	CLASS CLASS POSITION				
Enti	rant's Name			Entry No		
Co-	Entrant's Name			Entry No		
U	ion(s) Model					
	nsportation of car to Parade (Check one): Shipped/trailered (any manner) Driven from (List City & State if driven)					
		DO NOT WRITE BELOW I				
• • • •	•••••••••••••••	• • • • • • • • • • • • • • • • • • • •	Street C			
JUD	GING RESULTS	r	MAX POINTS	POINTS SCORED		
1.	Exterior		70			
2.	Interior		70			

Entrants: DO NOT WRITE BELOW DOT TED LINE POINTS SCORED Entry No. Entry No. 70 TOTAL POINTS SCORED 10 1014 159 9 4 ŝ TOTAL MAX POINTS Carpeting and Floor Covering (Includes Surface under Floor Mats, Pedal Cluster) Concours d'Elegance - INTERIOR PREPARATION GROUP Street Category Inside of Fender Well Housings, and Surrounding Area, Handles, Seals, Vents and Other Included Components, Hinges (and Battery, As Applicable) · Dashboard, Steering Wheel, Instruments, Underside of Dash down to Floor, · Door and Dashboard Compartments/ Pockets, Parcel Shelf, As Applicable • Underside of Roof, e.g. Headliner, Underside of Convertible Top (If Not Applicable, Add Points to Carpeting and Floor Covering) Console & Luggage Covers, As Applicable Upholstery of Doors and Side Panels · Seats, Mechanism of Seats and Belts Inner Surfaces of All Glass JUDGING RESULTS Co-Entrant's Name Entrant's Name Judge Eatrants: DO NOT WRITE BELOW DOT TED LINE POINTS SCORED Entry No. Entry No. TOTAL 70 TOTAL POINTS SCORED MAX POINTS Concours d'Elegance - EXTERIOR PREPARATION GROUP Street Category 10 10 25 0 9 ŝ Rubber Trim (If Not Applicable, Add points to Exterior Surfaces) 4. Metal Trim (If Not Applicable, Add points to Exterior Surfaces) Bumpers (If Not Applicable, Add points to Exterior Surfaces) . Exterior Surfaces (Including Paint & Conv. Tops – Excluding Items Listed Below) 7. Hubcaps/Outer Surfaces of Wheels and Tires Outer Surfaces of Glass, Lights 1. Coachwork (Shape and Fit) JUDGING RESULTS Co-Entrant's Name Entrant's Name Judge 3. 5. ci 6.

APPENDIX V Autocross Modification Allowed List (Summary)

	A-2.5.3.	A-2.5.3.	A-2.5.3.	A-2.5.3
ENGINE				
Air Cleaner	NCA	A-2.5.5.1.(a)	F	F
Ignition	NCA	A-2.5.5.1.(b)	A-2.5.6.1.(b)	F
Carburetors	NCA	A-2.5.5.1.(c)	A-2.5.6.1.(e)	F
Fuel Injection/Management	NCA	A-2.5.5.1.(d)	A-2.5.6.1.(e)	F
Wet/Dry Sumps	NCA	A-2.5.5.1.(e)	A-2.5.6.1.(j)	F
Oil Cooler/Filter	NCA	A-2.5.5.1.(f)	F	F
Roller Bearing Cranks	NCA	A-2.5.5.1.(g)	F	F
Balancing	NCA	A-2.5.5.1.(h)	F	F
Camshafts	NCA	A-2.5.5.1.(i)	F	F
Exhaust System/Headers	NCA	A-2.5.5.1.(j)	F	F
Air Conditioning	NCA	A-2.5.5.1.(k)	F	F
Overbore	NCA	A-2.5.5.1.(l)	F	F
Gasoline	A-2.5.5.1(m)	A-2.5.5.1.(m)	A-2.5.6.1.(c)	F
Clutch	NCA	A-2.5.5.1.(n)	F	F
Velocity Stacks	NCA	A-2.5.5.1.(o)	F	F
Compression Ratio	NCA	A-2.5.5.1.(p)	A-2.5.6.1.(f)	F
Fuel Pump	NCA	A-2.5.5.1.(q)	F	F
Chain Tensioners	NCA	A-2.5.5.1.(r)	F	F
Battery	NCA	A-2.5.5.1.(s)	F	F
Engine Substitution	NCA	NCA	A-2.5.6.1.(d)	F
Internal Engine Components	NCA	A-2.5.5.1.(h)	F	F
Intake System	NCA	NCA	A-2.5.6.1.(i)	F
Mufflers	NCA	A-2.5.5.1.(j)	A-2.5.6.1.(a)	F
Battery Location	NCA	A-2.5.5.1.(s)	A-2.5.6.1.(h)	F
Displacement	NCA	A-2.5.5.1.(l)	F	F
Factory Option X50 (Engine Power)	F	F	F	F
Factory Option X51 (Engine Power)	F	F	F	F
Factory Option GT2/GT3	F	F	F	F
Factory Option X53 (Cayenne Power)	F	F	F	F
Factory Option 640 (Sport Chrono +)	F	F	F	F
Nitrous Oxide Systems	NCA	NCA	NCA	NCA

SUSPENSION				
Suspension Adjustments	A-2.5.4.	A-2.5.5.2.(a)	F	F
Alignment	A-2.5.4.	A-2.5.5.2.(b)	F	F

Coil Springs	NCA	A-2.5.5.2.(c)	F	F
Forsion Bars	NCA	A-2.5.5.2.(c)	F	F
Shock Absorbers	NCA	A-2.5.5.2.(d)	A-2.5.6.2.(a)	F
Adjustable Spring Perches	NCA	A-2.5.5.2.(e)	F	F
Sway Bars	NCA	A-2.5.5.2.(f)	F	F
Rear Camber Compensation (356 Only)	NCA	A-2.5.5.2.(g)	F	F
Bushings	NCA	A-2.5.5.2.(h)	F	F
Shock Tower Brace	NCA	A-2.5.5.2.(i)	F	F
Spring Plates	NCA	A-2.5.5.2.(j)	F	F
Tie Rod Ends	NCA	A-2.5.5.2.(k)	F	F
Hydro-pneumatic Suspension	NCA	A-2.5.5.2.(l)	F	F
A-arms (924/944/968)	NCA	A-2.5.5.2.(m)	F	F
Raised Spindles	NCA	NCA	A-2.5.6.2.(c)	F
Suspension Mounts	NCA	NCA	A-2.5.6.2.(d)	F
Camber Plates	NCA	NCA	A-2.5.6.2.(b)	F
BRAKE/WHEEL/TIRE				
Tires	A-2.5.4.	A-2.5.5.3.(a)	A-2.5.6.3.(b)	F
Track Width	NCA	A-2.5.5.3.(b)	A-2.5.6.3.(c)	F
Brakes	NCA	A-2.5.5.3.(c)	A-2.5.6.3.(a)	F
Increased Rim Width	NCA	A-2.5.5.3.(d)	A-2.5.6.3.(d)	F
Wheel Diameter	NCA	A-2.5.5.3.(e)	A-2.5.6.3.(e)	F
Spare Tire	A-2.5.4.	A-2.5.5.3.(f)	F	F
CHASSIS/BODY/INTERIOR				
Fenders	NCA	A-2.5.5.4.(a)	A-2.5.6.4.(f)	
chucho a	110/1	A-2.3.3.4.(a)	Λ^{-2}	
	IVC/I	A-2.5.5.4.(a)	A-2.3.0.4.(I)	
A-2.5.7.4.(c)	A-2.5.4.			F
A-2.5.7.4.(c) Interior	A-2.5.4.	A-2.5.5.4.(b)	A-2.5.6.4.(d) F	
A-2.5.7.4.(c) Interior Steering Wheel	A-2.5.4. NCA	A-2.5.5.4.(b) A-2.5.5.4.(b)	A-2.5.6.4.(d) F	F F
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages	A-2.5.4.	A-2.5.5.4.(b)	A-2.5.6.4.(d)	
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages A-2.5.7.4.(b)	A-2.5.4. NCA NCA	A-2.5.5.4.(b) A-2.5.5.4.(b) A-2.5.5.4.(c)	A-2.5.6.4.(d) F A-2.5.6.4.(a)	F
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages A-2.5.7.4.(b) Spoilers	A-2.5.4. NCA NCA NCA	A-2.5.5.4.(b) A-2.5.5.4.(b) A-2.5.5.4.(c) A-2.5.5.4.(d)	A-2.5.6.4.(d) F A-2.5.6.4.(a) A-2.5.6.4.(b)	F
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages A-2.5.7.4.(b) Spoilers Air Dams	A-2.5.4. NCA NCA NCA NCA	A-2.5.5.4.(b) A-2.5.5.4.(b) A-2.5.5.4.(c) A-2.5.5.4.(d) A-2.5.5.4.(e)	A-2.5.6.4.(d) F A-2.5.6.4.(a) A-2.5.6.4.(b) A-2.5.6.4.(c)	F F F
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages A-2.5.7.4.(b) Spoilers Air Dams Seam Reinforcement (914)	A-2.5.4. NCA NCA NCA NCA NCA	A-2.5.5.4.(b) A-2.5.5.4.(b) A-2.5.5.4.(c) A-2.5.5.4.(d) A-2.5.5.4.(e) A-2.5.5.4.(f)	A-2.5.6.4.(d) F A-2.5.6.4.(a) A-2.5.6.4.(b) A-2.5.6.4.(c) F	F F F F
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages A-2.5.7.4.(b) Spoilers Air Dams Seam Reinforcement (914) Bumpers	A-2.5.4. NCA NCA NCA NCA NCA NCA	A-2.5.5.4.(b) A-2.5.5.4.(b) A-2.5.5.4.(c) A-2.5.5.4.(d) A-2.5.5.4.(e) A-2.5.5.4.(f) A-2.5.5.4.(g)	A-2.5.6.4.(d) F A-2.5.6.4.(a) A-2.5.6.4.(b) A-2.5.6.4.(c) F A-2.5.6.4.(e)	F F F F F
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages A-2.5.7.4.(b) Spoilers Air Dams Seam Reinforcement (914) Bumpers Weight	A-2.5.4. NCA NCA NCA NCA NCA NCA NCA	A-2.5.5.4.(b) A-2.5.5.4.(b) A-2.5.5.4.(c) A-2.5.5.4.(c) A-2.5.5.4.(e) A-2.5.5.4.(e) A-2.5.5.4.(g) A-2.5.5.4.(g) A-2.5.5.4.(h)	A-2.5.6.4.(d) F A-2.5.6.4.(a) A-2.5.6.4.(b) A-2.5.6.4.(c) F A-2.5.6.4.(e) A-2.5.6.4.(h)	F F F F F
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages A-2.5.7.4.(b) Spoilers Air Dams Seam Reinforcement (914) Bumpers Weight Bolt-on Windshields	A-2.5.4. NCA NCA NCA NCA NCA NCA NCA NCA NCA	A-2.5.5.4.(b) A-2.5.5.4.(b) A-2.5.5.4.(c) A-2.5.5.4.(c) A-2.5.5.4.(e) A-2.5.5.4.(e) A-2.5.5.4.(f) A-2.5.5.4.(g) A-2.5.5.4.(h) A-2.5.5.4.(i)	A-2.5.6.4.(d) F A-2.5.6.4.(a) A-2.5.6.4.(b) A-2.5.6.4.(c) F A-2.5.6.4.(e) A-2.5.6.4.(h) F	F F F F F
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages A-2.5.7.4.(b) Spoilers Air Dams Seam Reinforcement (914) Bumpers Weight Bolt-on Windshields Bodywork	A-2.5.4. NCA NCA NCA NCA NCA NCA NCA	A-2.5.5.4.(b) A-2.5.5.4.(b) A-2.5.5.4.(c) A-2.5.5.4.(c) A-2.5.5.4.(e) A-2.5.5.4.(e) A-2.5.5.4.(g) A-2.5.5.4.(g) A-2.5.5.4.(h)	A-2.5.6.4.(d) F A-2.5.6.4.(a) A-2.5.6.4.(b) A-2.5.6.4.(c) F A-2.5.6.4.(e) A-2.5.6.4.(h)	F F F F F
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages A-2.5.7.4.(b) Spoilers Air Dams Seam Reinforcement (914) Bumpers Weight Bolt-on Windshields Bodywork A-2.5.7.4.(c)	A-2.5.4. NCA NCA NCA NCA NCA NCA NCA NCA NCA	A-2.5.5.4.(b) A-2.5.5.4.(b) A-2.5.5.4.(c) A-2.5.5.4.(c) A-2.5.5.4.(e) A-2.5.5.4.(e) A-2.5.5.4.(g) A-2.5.5.4.(g) A-2.5.5.4.(h) A-2.5.5.4.(i) NCA	A-2.5.6.4.(d) F A-2.5.6.4.(a) A-2.5.6.4.(b) A-2.5.6.4.(c) F A-2.5.6.4.(e) A-2.5.6.4.(e) F A-2.5.6.4.(e)	F F F F F F
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages A-2.5.7.4.(b) Spoilers Air Dams Seam Reinforcement (914) Bumpers Weight Bolt-on Windshields Bodywork A-2.5.7.4.(c) Fuel Tanks	A-2.5.4. NCA NCA NCA NCA NCA NCA NCA NCA NCA	A-2.5.5.4.(b) A-2.5.5.4.(b) A-2.5.5.4.(c) A-2.5.5.4.(c) A-2.5.5.4.(e) A-2.5.5.4.(e) A-2.5.5.4.(g) A-2.5.5.4.(g) A-2.5.5.4.(h) A-2.5.5.4.(i) NCA	A-2.5.6.4.(d) F A-2.5.6.4.(a) A-2.5.6.4.(b) A-2.5.6.4.(c) F A-2.5.6.4.(e) A-2.5.6.4.(e) F A-2.5.6.4.(e) A-2.5.6.4.(e)	F F F F F F
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages A-2.5.7.4.(b) Spoilers Air Dams Seam Reinforcement (914) Bumpers Weight Bolt-on Windshields Bodywork A-2.5.7.4.(c) Fuel Tanks	A-2.5.4. NCA NCA NCA NCA NCA NCA NCA NCA NCA	A-2.5.5.4.(b) A-2.5.5.4.(b) A-2.5.5.4.(c) A-2.5.5.4.(c) A-2.5.5.4.(e) A-2.5.5.4.(e) A-2.5.5.4.(g) A-2.5.5.4.(g) A-2.5.5.4.(h) A-2.5.5.4.(i) NCA	A-2.5.6.4.(d) F A-2.5.6.4.(a) A-2.5.6.4.(b) A-2.5.6.4.(c) F A-2.5.6.4.(e) A-2.5.6.4.(e) F A-2.5.6.4.(e)	F F F F F F
A-2.5.7.4.(c) Interior Steering Wheel Roll Bars/Cages A-2.5.7.4.(b) Spoilers Air Dams Seam Reinforcement (914) Bumpers Weight Bolt-on Windshields Bodywork A-2.5.7.4.(c) Fuel Tanks Jack/Tools/Owners Manuals	A-2.5.4. NCA NCA NCA NCA NCA NCA NCA NCA NCA	A-2.5.5.4.(b) A-2.5.5.4.(b) A-2.5.5.4.(c) A-2.5.5.4.(c) A-2.5.5.4.(e) A-2.5.5.4.(e) A-2.5.5.4.(g) A-2.5.5.4.(g) A-2.5.5.4.(h) A-2.5.5.4.(i) NCA	A-2.5.6.4.(d) F A-2.5.6.4.(a) A-2.5.6.4.(b) A-2.5.6.4.(c) F A-2.5.6.4.(e) A-2.5.6.4.(e) F A-2.5.6.4.(e) A-2.5.6.4.(e)	F F F F F F

Limited Slip	NCA	A-2.5.5.5.(a)	A-2.5.6.5.(c)	F
Gear Shift Linkages	NCA	A-2.5.5.(b)	F	F
Gear Ratios	NCA	NCA	A-2.5.6.5.(b)	F

APPENDIX VI Specifications

There is a constantly increasing number of options available from the factory as original equipment. If competing automobile has an option as original equipment that is not included in APPENDIX VI; SPECIFICATIONS, the competitor must be able to provide supporting documentation in the case of a protest.

The following tables provide major specifications by series. Also see Section A-2.5.2. "Update/Backdate Modifications".

TRACK SPECIFICATIONS

	(Millin			(Millin	
Vehicle Type	Front		Vehicle Type	Front	
356,	1290	1250	2012-On 911 Carrera, Carrera CAB (991)	1532	1518
<u>356A, 356B, 356C,</u>	1306	1272	2012-On 911 Carrera S,		
1966 911 and 912,	1337	1317	Carrera S CAB (991)	1538	1516
1967 911, 911S and 912	1353	1325	2013-On 911 Carrera 4,		
1968 911, 911L, 911S, and 912	1367	1339	Carrera 4 CAB (991)	1532	1518
<u>1969-71 911T, 911E, and 911S, 1969 912</u>	1374	1355	<u>2013-On 911 Carrera 4S,</u>		
<u>1972-74 911T, 911E, 911S, 911 Carrera</u>	1372	1380	Carrera 4S CAB (991)	1538	1516
1975 911, 911s, 911 Carrera	1398	1380	<u>2014-On 911 Turbo (991)</u>	1542	1539
1976 912E	1360	1330	<u>2014-On 911 TurboS, (991)</u>	1539	1590
1976-77 911	1369	1354	2014-On 911 GT3 (991)	1549	1575
<u>1978-82 911SC</u>	1361	1367	2016-On 911 GT3RS 4.0 (991)		
2016-On 911 GT3RS 4.0 (991)	_		<u>2014-On 911 Targa (991)</u>	1532	1552
<u>1983 911SC</u>	1369	1380	2014-On 911 TargaS (991)	1539	1560
1984-88 911 Carrera	1372	1380	2015-On 911 Carrera GTS (991)	1539	1560
1989 911 Carrera	1372	1405	2015-On 911 Carrera GTS 4 (991)	1549	1575
<u>1989-94 911 Carrera 2, 1990-1994 C4</u>	1379	1374	2014 911 50th Anniv. Edition (991)	1537	1560
1995-98 911 Carrera (993)	1405	1444	<u>1986-87 911 Turbo</u>	1432	1501
<u>1995-98 911 Carrera 4, 1998 C2S (993)</u>	1405	1474	<u>1988-89 & 91-92 911 Turbo</u>	1432	1492
1999-01 911 Carrera (996)	1455	1500	1994 911 turbo	1442	1488
2002-04 911 Carrera (996)	1465	1500	1996 911 Twin Turbo	1411	1504
2004-05 911 Carrera (996-GT3)	1488	1500	<u>2001-06 911 Turbo</u>	1466	1523
2005-07 911 Carrera, Carrera S (997)	1486	1516	2002-05 911 Turbo (GT2)	1488	1524
2008-10 911 Carrera, Carrera S (997)	1486	1534	2007 on 911 Turbo, Turbo S	1490	1548
or	1486	1516	2008 911 Turbo (GT2)	1515	1550
or	1490	1516	914/4	1343	1383
2006-2012 911 C4/C4S/T4/T4S (997)	1488	1548	914/6	1356	1381
2007-2011 (997GT3)	1497	1524	1977-79 924	1418	1372
2008 911 Carrera (GT3RS)	1497	1558	1980 924 and 924 Turbo	1420	1372
2010-12 911 Carrera			1980 924 and 924 Turbo With Sport Kit	1420	1392
(GT3RS)(GT3RS4.0)(997)	1509	1554	1981-82 924	1418	1372
2011-12 911 Carrera (997)	1486	1530	1981 924Turbo	1420	1375
2011-12 911 Carrera S (997)	1486	1516	1981 9243 Turbo With Optional M Pkg	1420	1394
2011-12 911 Turbo (GT2RS)	1509	1554	1982 924 Turbo	1418	1394
2011-12 911 GTS, GTS CAB, SPEEDSTER		1548	1987-88 924S	1418	1393

		(Millin	neters)
Vehicle Type		Front	Rear
1978-82 928 (Includes Optional,		1552	1530
1983 928		1549	1521
	or	1549	1563
<u>1987-91 928S4</u>		1551	1546
<u>1990 928GT</u>		1562	1564
<u>1991 928GT</u>		1551	1546
<u>1992-93 928GTS</u>		1551	1615
<u>1976-77 930</u>		1438	1511
<u>1978-80 930</u>		1432	1501
<u>1981-83 944</u>		1477	1451
1984-89 944		1477	1451
	or	1477	1476
<u>1987-88 944S, 1989-91 944S2</u>		1477	1451
<u>1986-88</u> 944 Turbo		1477	1451
	or	1477	1442
1989 944 Turbo		1457	1451
1992-95 968		1473	1451
1997-99 Boxster (986)		1465	1524
	or	1455	1508
2000-04 Boxster, Boxster S (986)	1460	1523
2005-07 Boxster (987)		1486	1534
2005-07 Boxster S (987)		1486	1528
2008-11 Boxter (987)		1490	1534
	or	1486	1528
	or	1486	1522
2008-11 Boxter S (987)		1486	1528
	or	1486	1522
2012-On Boxster (981)		1524	1524
2012-On Boxster S (981)		1549	1498
2016-On Boxster Spyder (981)		1525	1498
2007 Cayman		1490	1534
2008-12 Cayman		1490	1534
	or	1486	1528
	or	1486	1522
2006-07 Cayman S		1486	1528
2008-12 Cayman S		1486	1528
Cayman R & Boxster Spyder (987)	1430	1530
2014 Cayman		1527	1537
2014 Cayman S		1527	1539
2016-On Cayman GT4 (981)		1527	1539
2015 Boxster GTS & Cayman GTS	S	1527	1539
2004-2007 Cayenne		1655	1670
2003-2007 Cayenne S, Cayene Tu	ırbo	1647	1662
· · · ·	or	1641	1656
2008-10 Cayenne		1655	1670
·	or	1647	1662
	or	1641	1656
	or	1641	1666

		(Milli	meters)
Vehicle Type		Front	Rear
	or	1661	1676
	or	1661	1686
2008-10 Cayenne S, Turbo, Turbo	S	1647	1662
	or	1641	1656
	or	1641	1666
	or	1661	1676
	or	1661	1686
2008-10 Cayenne GTS, Transsiberi	ia	1659	1682
	or	1641	1662
	or	1641	1672
	or	1645	1669
	or	1659	1692
2011 on Cayenne, S, Turbo		1655	1669
	or	1643	1657
2012 on Cayenne S Hybrid, Turbo	S	1643	1657
2012 Cayenne Diesel		1655	1669
2013 on Cayenne Diesel, GTS, Tur	bo	1655	1669
2010 PanameraS, 4S, Turbo		1668	1662
	or	1665	1646
	or	1646	1632
2011-2013 Panamera, 4, S, 4S, S Hy	vbrid	1658	1661.6
2011-2013 Panamera Turbo, Turbo	o S, GTS	1656	1645.8
2014-On Panamera, 4, 4S,S E Hyb	orid	1658	1662
2014-On Panamera GTS, Turbo		1655	1669
2014-On Panamera 4S Executive		1655	1646
2014-On Panamera Turbo,			
TurboS, Executive		1646	1646
2015 MacanS, Turbo		1655	1651
<u>Carrera GT</u>		1612	1587
2015 918 Spyder		1664	1613

WHEELBASE SPECIFICATIONS

WEIGHT SPECIFICATIONS

WEIGHTS ARE LISTED ONLY FOR THE LIGHTEST MODEL IN A SERIES

	(Millimeters)
Vehicle Type	Wheelbase
356, All	2100
911, 912 through 1968	
911, 1969-71	2268
911, 1972-1998	2272
911 Turbo 1986-89,1991-1992,1994,1996	
912, 1969	2268
912E, 1976	2272
914/4, 914/6, All	
924, 944, 968, All	
928, All	2500
930/911 Turbo, All	
996 Turbo (GT2)	
996, 1999-2005	2350
996, 2004-05 (GT3)	2355
997, 2005-On (including Turbo)	2350
997 GT3, RS 2007-2013	2355
991 GT3 2014-On Turbo, TurboS	2451
991 Carrera 2014-On, All	2450
	2450
986, 987 Boxster, Boxster S, Spyder, All	2415
981 Boxster, Boxster S, GTS	2474
981 Boxster Spyder 2016-On	
<u>987 Cayman, Cayman S, Cayman R</u>	2415
981 Cayman, Cayman S, GTS	2474
<u>981 Cayman GT4 2016-On</u>	
9PA Cayenne, All thru 2010	2855
2011-On Cayenne, All	2895
2010 Panamera, All	2950
2011-On Panamera-all except Exec.	2920
2014 Panamera Exec, All	3070
2015 Macan, All	2807
Carrera GT	2730
918 Spyder	2731

MODEL IN A SERIES	We	ight
Vehicle type	Pd.	Kg.
<u>356 Coupe and Cabriolet</u>	830	
356/356A Speedster	760	1688
<u>356A Coupe, Cabriolet and Hardtop</u>	850	1887
<u>356A Carrera Deluxe Coupe, Cabriolet,</u>	000	1007
hardtop	930	2065
<u>356A GT Carrera Coupe</u>	870	1932
356B Coupe, Cabriolet and Hardtop	900	1998
356B Roadster	870	1932
356B9T6) Coupe, Cabriolet, Hardtop	935	2076
356B/356C GT Carrera Coupe	845	1876
356C	925	2054
<u>911, Through 1968</u>	1080	2398
911, 1969-1971	1020	2265
911T, 1972-1973	1050	2331
<u>911E/S/Carrera, 1972-1974</u>	1075	2387
<u>911S/Carrera, 1975</u>	1100	2443
911, 1976-1977	1120	2487
<u>911SC, 1978-1979</u>	1160	2576
<u>911SC, 1980-1983</u>	1250	2776
<u>911 Carrera, 1984-89</u>	1250	2776
<u>911 Carrera 2, 1990-94</u>	1375	3053
<u>911 Carrera 4, 1989-94</u>	1475	3275
<u>911 Carrera, 1995-98</u>	1390	3086
<u>911 Carrera 4, 1995-98</u>	1440	3197
<u>911 Carrera (996), 1999-2001</u>	1320	2931
<u>911 Carrera (996), 2002-On</u>	1345	2987
<u>911 Carrera (996-GT3), 2004-05</u>	1380	3064
<u>911 Carrera (997-GT3) 2007-2011</u>	1395	3098
<u>911 Carrera (997-GT3RS) 2007-2010</u>		
<u>911 Carrera (997-GT3RS) 2011</u>	1370	
911 Carrera (997), 2005-08	1395	3098
911 Carrera (997), 2009-2012	1415	3142
911 Turbo, 1986-89	1350	2998
<u>911 Turbo, 1991-92</u>	1485	3297
<u>911 Turbo, 1994</u>	1470	3264
<u>911 Twin Turbo, 1996</u>		3331
<u>911 Turbo, 2001-06</u>		3420
911 Turbo, 2007-08		3519
911 Turbo, 2009		3495
	1420	3153
911 Turbo, 2008 (GT2)		3364
911 Turbo 2011 (GT2RS)		3075
911 Turbo, 2010-2013	1560	3464
911 Turbo S, 2011	1645	3653
<u>911 GT3 RS 2011</u> 911 GT3 RS 4.0 2012	<u>1370</u> 1360	<u>3042</u> 3020
711 G I J KJ 4.0 2012	1300	3020

	Wei	ght		Wei	ight
Vehicle type	Pd.	<u>Kg.</u>	Vehicle type	Pd.	<u> </u>
911 GT3 3.8 2014-	1420	3153	<u>987 Cayman 2009</u>	1320	2931
<u>911 Turbo, TurboS 2014-</u>	1583	3515	<u>987 Cayman S 2009</u>	1340	2975
<u>911 GT3RS 4.0 2016-On</u>	1420	3131	<u>987 Cayman 2010-12</u>	1330	2953
<u>911 GTS 2011-12</u>	1410	3131	<u>987 Cayman S 2010-12</u>	1350	2998
911 SPEEDSTER 2011	1529	3395	987 Cayman R	1295	2875
<u>911 Carrera 2012-On (991)</u>	1380	3064	<u>981 Cayman 2014-On</u>	1385	3075
912, 1965-1968	970	2154	<u>981 Cayman S 2014-On</u>	1395	3098
912, 1969	948	2105	981 Cayman GTS & Boxster GTS 2015	1345	2965
912e, 1976	1086	2411	<u>981 Cayman GT4 2016-On</u>	1340	2955
914/4, 1970-72	900	1998	Cayenne 2004-10	2160	4796
914/4, 1973-74	970	2154	Cayenne GTS, S, Transyberia 2004-10	2225	4941
914/4, 1975-76	1000	2220	Cayenne Turbo, Turbo S 2004-10	2355	5229
914/6, All	940	2087	Cayenne 2011-On	1995	4430
924, 1977-1982	1190	2642	Cayenne S 2011-On	2065	4585
924 Turbo (931), 1980-1982	1280	2842	Cayenne S Hybrid 2011-On	2240	4974
924S, 1987-1988	1240	2753	Cayenne Turbo, TyrboS 2011-On	2170	4818
928, 1978	1490	3308	Cayenne Diesel 2013 - On	2085	4630
928, 1979-86	1520	3375	Cayenne GTS 2013-On	2070	4596
928, 1987-91	1580	3508	Panamera- 2010 -2013	1760	3908
928, 1992-On	1618	3593	Panamera 4 - 2010 -2013	1820	4041
930 Turbo, 1976-77	1195	2653	Panamera S - 2010 -2013	1800	3997
930 Turbo, 1978-80	1295	2875	Panamera S Hybrid- 2010 -2013	1787	3968
944, 1982-87	1260	2798	Panamera 4S- 2010 -2013	1847	4101
944, 1988	1290	2864	Panamera Turbo, Turbo S- 2010 -2013	1970	4374
944, 1989	1300	2887	Panamera GTS- 2010 -2013	1920	4263
944S, 1987-88	1300	2887	Panamera, 4, S, 4S 2014	1770	3930
944\$2, 1989	1310	2909	Panamera 4S Exec, GTS, Turbo,		
944\$2, 1990-91	1360	3020	TurboS Exec. 2014	1925	4274
944 Turbo, 1986	1315	2920	Panamera S E-Hybrid 2014	2080	4619
944 Turbo, 1987-89	1360	3020	Macan S	1852	4112
968 1992-95	1400	3109	Macan Turbo	1911	4243
986 Boxster 1997-04	1260	2798	Carrera GT	1379	3062
986 Boxster S 2000-04	1295	2875	918 Spyder	1673	3715
987 Boxster 2005-07	1295	2875	Jio opyaci	10/0	0710
987 Boxster S 2005-07	1345	2987			
987 Boxster 2008	1305	2898			
987 Boxster S 2008	1355	3009			
987 Boxster 2009	1335	2964			
987 Boxster S 2009	1345	2987			
987 Boxster 2010-12	1335	2964			
987 Boxster S 2010-12	1355	3009			
987 Boxster Spyder 2010-12	1335	2831			
<u>981 Boxster 2013-On</u>	1273	2888			
981 Boxster S 2013-On	1310	2000			
<u>981 Boxster Spyder 2016-On</u>	2016	2899			
987 Cayman 2007	1300	2899			
<u>987 Cayman S 2006-07</u>	1300	2007			
987 Cayman 2008	1340	2975			
		3009			
987 Cayman S 2008	1355	5009			

TIRE AND RIM SPECIFICATIONS

DUE A CONSTANTLY INCREASING NUMBER OF OPTIONAL WHEEL & TIRE COMBINATIONS AVAILABLE FROM THE FACTORY AS ORIGINAL EQUIPMENT, AND YOUR CAR HAS A WHEEL/TIRE OPTION AS ORIGINAL EQUIPMENT THAT IS NOT ON THIS LIST, PLEASE BE ABLE TO PROVIDE DOCUMENTATION IN CASE OF A PROTEST.

	Standard Tire/Rim	Optional Tire/Rim		Standard Tire/Rim	Optional Tire/Rim
Vehicle Type	Code	Code	Vehicle Type	Code	Code
356, All	25		911 Carrera (997/997S) 2008	61	62,69
<u>356A, All</u>	4	6	<u>911 Carrera (997C4/C4S/T4/T4S) 20</u>	008 70	71,69
<u>356B, All</u>	8		<u>911 Carrera (997/997S) 2009-10</u>	76	62,77
<u>356C, All</u>	5		<u>911 Carrera (997C4/C4S/T4/T4S)</u>		
<u>356SC, All</u>	10		<u>2009-10 On</u>	70	71, 77
<u>911, through 1967</u>	10		<u>911 Carrera (997) 2011-12</u>	76	62,86
<u>911S, through 1967</u>	11		<u>911 Carrera S (997) 2011-12</u>	62	77
<u>911, 911L, 1968</u>	13		<u>911 Carrera 4, T4, C4S, T4S</u>		
<u>911S, 1968</u>	14		<u>(997) 2011-12</u>	70	71,77,62
<u>911T, 1969-1971</u>	13	16, 2	<u>911 Carrera (997 GT3) 2011-12</u>	87	89
<u>911E, 1969-1971</u>	16	14, 2	<u>911 Carrera (997 GT3 RS) 2011-12</u>	88	88, 89
<u>911S, 1969-1973</u>	16		<u>911 Carrera (997)-GT3RS 4.0) 201</u>	2 88	
<u>911T, 1972-1974</u>	13	16, 2	<u>911 GT2 RS 2011</u>	88	89
<u>911E, 1972-01973</u>	16	14	<u>911 GT3RS 4.0 (991)</u>	88	107
<u>911 Carrera, 1973</u>	20		911 GTS, GTS Cabriolet 2011-13	77	
<u>911, 1974</u>	13	16	<u>911 Speedster 2011</u>	77	
<u>911 Carrera, 1974</u>	20	18, 21, 22	<u>911 Turbo, 1986-1989</u>	34	
<u>911, 1975</u>	15	16	<u>911 Turbo, 1991-1992</u>	42	
<u>911S, 1975-76</u>	16		<u>911 Turbo, 1994</u>	45	
<u>911 Carrera, 1975</u>	20	20	<u>911 Twin Turbo, 1996</u>	47	
<u>911S, 1977</u>	16	17, 18,	<u>911 Turbo, 2001-06</u>	57	
		20,22,26	<u>911 Turbo, 2007-08</u>	66	
<u>911SC, 1978-1983</u>	20	22, 26	<u>911 Turbo, 2009-10</u>	69	
<u>911 Carrera, 1984-86</u>	20	26, 22, 27	<u>911 Turbo, Turbo S 2011-13</u>	66	70, 89
<u>911 Carrera, 1987</u>	22	26	<u>911 Turbo, (GT2) , 2002-05</u>	65	
<u>911 Carrera, 1988</u>	38	26	<u>911 Turbo, (GT2) , 2008</u>	73	
<u>911 Carrera, 1989</u>	39		<u>911 Carrera, Carrera S (991) 2012</u>	97	98, 101
<u>911 Carrera 2, 1990-1991</u>	39		<u>911 Carrera 4, 4S (991) 2013</u>	105	102,106
911 Carrera 2 Carrera 4, 1992-1994	4 39	44	<u>911 Carrera Turbo (991) 2014-On</u>	106	
<u>911 Carrera 4, 1989-91</u>	39		<u>911 Carrera TurboS, Carrera GTS</u>		
<u>911 Carrera (993), 1995-97</u>	46	42	<u>(991) 2014-On</u>	102	
911 Carrera (993C4), 1996-1997	45		<u>911 Carrera 50th Anniv. (991) 2014</u>	4 103	102
911 Carrera (993C4S), 1996-98	47		<u>911 GT3 (991) 2014-On</u>	103	
911 Carrera (993C2S), 1998	42	45	<u>911 Carrera Targa 4 (991) 2014-Or</u>	n 105	
<u>911 Carrera (993C4), 1995-98</u>	42		<u>911 Carrera Targa 4S (991) 2014-C</u>	n 106	
911 Carrera (996), 1999-2001	42	51	<u>911 Carrera GTS, GTS 4 2015</u>	106	
911 Carrera (996), 2002-On	42	47	<u>912, through 1967</u>	10	
911 Carrera (996C4S), 2002-05	57		<u>912, 1968</u>	13	
911 Carrera (996-GT3), 2004-05	64		<u>912, 1969</u>	13	16, 2
911 Carrera (997-GT3) 2007-10	67		<u>912e, 1976</u>	15	13, 2
911 Carrera (997-GT3RS) 2007-200	09 67		914/4, 1970-73	10	13
911 Carrera (997-GT3RS) 2010	85		914/4, 1974-76	13	
911 Carrera (997, 997S) 2005-07	61	62	<u>914/6, All</u>	13	2
911 Carrera (997C4, 997C4S), 2006	5-0761	62	924, 1977-1982	1	3, 16

	Standard Tire/Rim	Optional Tire/Rim		Standar Tire/Rin	1
Vehicle Type	Code	Code	Vehicle Type	Code	Code
<u>924 Turbo (931), 1980-1982</u>	16	32	Cayman 2014-On	99	100,101,104
<u>924S, 1987-1988</u>	37	29, 32	Cayman S 2014-On	99	100,101,104
928, 1978-1982	28	29	Cayman GTS 2015	104	100, 101
928, 1982-1986	28		<u>981 Cayman GT4 2016-On</u>	98	78, 84, 90, 9
928, 1987-1989	35	36	<u>Cayenne, 2004-07</u>	56	53, 54, 55
928, 1990	35, 41		<u>Cayenne S, 2003-07</u>	53	54, 55
928, 1991	41		Cayenne, Cayenne S, 2008	56	53,54,55,68
928, 1992-95	43		<u>Cayenne, 2009-10</u>	56	53,54,55,74,7
<u>930 Turbo, 1976</u>	24	22	Cayenne S, 2009-10, 2010 Transs	yberia 53	54,55,74,7
<u>930 Turbo, 1977</u>	27	22	<u>Cayenne GTS, 2009-10</u>	53	54,55,74,7
<u>930 Turbo, 1978-1980</u>	27		<u>Cayenne Turbo, 2003-2004</u>	53	54, 55
944, 1982-1983	29	30, 31	Cayenne Turbo, 2005-06	54	55
944, 1984-1986	29	30, 33	Cayenne Turbo, 2007	53	54, 55
944, 1987-1989	29	27	Cayenne Turbo, 2008	53	54, 55, 68
<u>944S, 1987-1988</u>	29	27	Cayenne Turbo, Turbo S, 2009	54	55, 68, 74
944S2, 1989 and 1991	27		Cayenne, S, GTS, S Hybrid,		
944S2, 1990	27	41	Diesel 2011-2013	53	75,92,94
944 Turbo, 1986-1988	27	36	<u>Cayenne Turbo, Turbo S 2011 Or</u>	n 92	75,93,94
944 Turbo, 1989	40		PanameraS, Panamera 4S, 2010-2		80,81
944 Turbo S 1988	40		Panamera Turbo, 2010-2013	80	81
968 1992-1995 and On	27	43	Panamera, 4, S, S Hybrid, 4 S,		
986 Boxster 1997-1999	26	49	2011-2013	79	81, 95, 96
986 Boxster 2000-2004	26	49,52	Panamera Turbo, Turbo S,		
986 BoxsterS, 2000-2004	49	52	GTS 2011-2013	95	81, 96
987 Boxster, 2005-08	58	59, 60	Panamera, 4, S, 4 S, 2014	79	80,81
987 BoxsterS, 2005-08	59	60	Panamera 4S Exec,GTS,Turbo,		
987 Boxster, 2009	78	59,72	TurboS Exec 2014	80	81
987 BoxsterS, 2009	59	72	Panamera S E-Hybrid	108	
987 Boxster, 2010	58	72,82,83	Macan S, Turbo, Diesel	109	
987 BoxsterS, 2010	59	72,83	Carrera GT	63	
987 Boxster Spyder	90		918 Spyder	107	
987 Boxster 2011-12	78	59,62,84	17		
987 Boxster S 2011-12	59	82,84			
981 Boxster 2013-On	99	100,101			
981 Boxster S 2013-On	100	101			
981 Boxster GTS 2015	104				
981 Boxster Spyder 2016-On	110				
Cayman, 2007-08	58	59,60,61,62			
Cayman, 2009	78	59,72			
Cayman S, 2006-08	59	60, 61			
CaymanS, 2009	59	72			
<u>Cayman, 2010</u>	82	59,83,84			
CaymanS,2010	59	83,84			
Cayman 2011-12		<u>59,84,90,58,91</u>			
Cayman S 2011-12	59	78,84,90,91			
Cayman R	<u> </u>	/0,01,20,71			

TIRE AND RIM DEFINITIONS

THE TIRE & RIM SIZES LISTED BELOW ARE NUMBERED FOR USE WITH THE TIRE AND RIM SPECIFICATION LIST.

Code	Tire Size	Rim Size	Code	Tire Size	Rim Size
1	165HR14	5.5J X14	36	225/50VR16	(Front) 8 J X 16
2	185HR14	5.5J X14		245/45VR16	(Rear) 9 J X 16
3	185HR14	6 J /x 14	37	195/65VR15	6 J X 15
4	5.60-15	4.5 J X 15	38	195/65VR15	(Front)7 J X 15
5	5.60-15	4.5 J X 15		215/60VR15	(Rear) 8 J X 15
6	5.90-15	4.5 J X 15	39	205/55ZR16	(Front) 6 J X 16
7	155SR15	4.5 J X 15		225/50ZR16	(Rear) 8 J X 16
8	165-15SS	4.5 J X 15	40	225/50ZR16	(Front) 7 J X 16
9	165SR15	4.5 J X 15		245/45ZR16	(Rear) 9 J X 16
10	165HR15	4.5 J X 15	41	225/50ZR16	(Front) 7.5 J X 16
11	165VR15	4.5 J X 15		245/45ZR16	(Rear) 9 J X 16
12	165SR15	5.5J X 15	42	205/50ZR17	(Front) 7 J X 17
13	165HR15	5.5 J X 15		255/40ZR17	(Rear) 9 J X 17
14	165VR15	5.5 J X 15	43	225/45ZR17	(Front) 7.5 J X 17
15	185/70HR15	6 J X 15		255/40ZR17	(Rear) 9 J X 17
16	185/70VR15	6 J X 15	44	205/50ZR17	(Front) 7 J X 17
17	185/70VR15	(Front) 6 J X 15		255/40ZR17	(Rear) 8 J X 17
	185/70VR15	(Rear) 7 J X 15	45	225/40ZR18	(Front) 8 J X 18
18	185/70VR15	7 J X 15		265/35ZR18	(Rear) 10 J X 18
19	185/70VR15	(Front) & J X 15	46	205/55ZR16	(Front) 7 J X 16
	185/70VR15	(Rear) 8 J X 15	10	245/45ZR16	(Rear) 9 J X 16
20	185/70VR15	(Front) 6 J X 15	47	225/40ZR18	(Front) 8 J X 18
	215/60VR15	(Rear) 7 J X 15		285/30ZR18	(Rear) 10 J X 18
21	185/70VR15	(Front) 7 J X 15	49	205/50ZR17	(Front) 7 J X 17
	215/60VR15	(Rear) 7 J X 15		255/40ZR17	(Rear) 8.5 J X 17
22	185/70VR15	(Front) 7 J X 15	51	225/40ZR18	(Front) 7.5 X 18
	215/60VR15	(Rear) 8 J X 15		265/35ZR18	(Rear) 10 J X 18
23	205/50VR15	(Front) 6 J X 15	52	225/40ZR18	(Front) 7.5 J X 18
	205/50VR15	(Rear) 7 J X 15	<u> </u>	265/35ZR18	(Rear) 9 J X 18
24	205/50VR15	(Front) 7J X 15	53	255/55R18	8 J X 18
	225/50VR15	(Rear) 8 J X 15	54	275/45R19	9 J X 19
25	5.00-16	3.25D X 16	55	275/40R20	9 J X 20
26	205/55VR16	(Front) 6 J X 16	56	235/65R17	7.5 J X 17
	225/50VR16	(Rear) 7 J X 16	57	225/40R18	(Front) 8 J X 18
27	205/55VR16	(Front) 7 J X 16	<u></u>	295/30R18	(Rear) 11 J X 18
_/	225/50VR16	(Rear) 8 J X 16	58	205/55ZR17	(Front) 6.5 J X 17
28	225/50VR16	7 J X 16	<u></u>	235/50ZR17	(Rear) 8 J X 17
29	215/60VR15	7 J X 15	59	235/40ZR18	(Front) 8 J X 18
30	205/55VR16	7 J X 16	<u></u>	265/40ZR18	(Rear) 9 J X 18
31	215/55VR15	7 J X 15	60	235/35ZR19	(Front) 8 J X 19
32	205/55VR16	6 J X 16	00	295/35ZR19	(Rear) 9.5 J X 19
33	215/60VR15	(Front) 7 J X 15	61	235/40ZR18	(Front) 8 J X 18
	215/60VR15	(Rear) 8 J X 15	<u></u>	265/40ZR18	(Rear) 10 J X 18
34	205/55VR15	(Rear) 9 J X 15	62	235/35ZR19	(Front) 8 J X 19
<u></u>	245/45VR16	(Rear) 9 J X 16	02	295/30ZR19	(Rear) 11 J X 19
35	225/50VR16	(Front) 7 J X 16	63	265/35ZR19	(Front) 9.5 J X 19
55	225/50 V IX10	(11011() /) / 10	00	203/JJLI(1)	(110m) 7.5 J A 19

Code	Tire Size	Rim Size	Code	Tire Size	Rim Size
64	235/40ZR18	(Front) 8.5 J X 18	<u>90</u>	235/35/R19	(Front) 8.5 J X 19
	295/30ZR18	(Rear) 11 J X 18		265/35R19	(Rear) 10.0 J X 19
65	235/40R18	(Front) 8.5 J X 18	91	235/40R18	(Front) 8.0 J X 18
	315/30ZR18	(Rear) 12J X 18		255/40/R18	(Rear) 9.0 J X 18
66	235/35ZR19	(Front) 8.5 J X 19	92	265/50/R19	8.5 J X 19
	305/30ZR19	(Rear) 11J X 19	<u>93</u>	275/45R19	8.5 J X 19
67	235/35ZR19	(Front) 8.5 J X 19	94	275/45R20	9.0 J X 20
	305/30ZR19	(Rear) 12J X 19	<u>95</u>	255/45ZR19	(Front) 9.0 J X 19
68	295/30ZR21	10 J X 21		285/40ZR19	(Rear) 10.0 J X 19
69	235/35ZR19	(Front) 8.5 J X 19	96	255/40ZR20	(Front) 9.5 J X 20
	305/30ZR19	(Rear) 11J X 19		295/35/ZR20	(Rear) 11.5 J X 20
70	235/40ZR18	(Front) 8 J X 18	97	235/40ZR19	(Front) 8.5J X 19
	295/35ZR18	(Rear) 11J X 18		285/35ZR19	(Rear) 11 J X 19
71	235/35ZR19	(Front) 8 J X 19	<u>98</u>	245/35ZR20	(Front) 8.5 J X 20
	305/30ZR19	(Rear) 11J X 19		295/30/ZR20	(Rear) 11 J X 20
72	235/35ZR19	(Front) 8 J X 19	99	235/45/ZR18	(front) 8 J X 18
	265/35ZR19	(Rear) 9.5 J X 19		265/45/ZR18	(rear) 9 J X 18
73	235/35ZR19	(Front) 8.5 J X 19	100	235/40ZR19	(front) 8 J X 19
	325/30ZR19	(Rear) 12 J X 19		265/40/ZR19	(Rear) 9.5 J X 19
74	275/40R20	(Front) 9 J X 20	101	235/35/ZR20	8.5 J X 20
	275/40R20	(Rear) 10 J X 20		265/35/ZR20	10 J X 20
75	295/35R21	10 J X 21	102	245/35ZR20	(Front)9 J X 20
76	235/40ZR18	(Front) 8 J X 18		305/30ZR20	(Rear)11.5 J X 20
	265/40ZR18	(Rear) 10.5J X 18	103	245/35ZR20	(Front) 9 J X 20
77	235/35ZR19	(Front) 8.5 J X 19		305/30ZR20	(Rear)12 J X 20
78	205/55ZR17	(Front) 7.0 J X 17	104	235/35ZR20	(Front)8.0 J X 20
	235/50ZR17	(Rear) 8.5 J X 17		265/35ZR20	(Rear)9.5 J X 20
79	245/50ZR18	(Front) 8.0 J X 18	105	235/40ZR19	(Front) 8.5J X 19
	275/45ZR18	(Rear) 9.0 J X 18		295/35ZR19	(Rear) 11 J X 19
80	255/45ZR19	(Front) 9.0 J X 19	106	245/35ZR20	(Front) 8.5 J X 20
	285/40ZR19	(Rear) 10.0 X 19		305/30ZR20	(Rear) 11 J X 20
81	255/40ZR20	(Front) 9.5 J X 20	107	265/35ZR20	(Front) 9.5 J X 20
	295/35XR20	(Rear)11 J X 20		325/30ZR21	(Rear) 12.5J X 21
82	205/55ZR17	(Front)7.0 J X 17	108	245/50R18	(Front) 8.0 X 18
	235/50ZR17	(Rear) 8.5 J X 17		275/45R18	(Rear) 9.0 X 18
83	235/35ZR19	(Front) 8.5 J X 19	109	235/55R19	(Front) 8.0 X 19
	265/35ZR19	(Rear) 10.5 J X 19		255/50R19	(Rear) 9.0 X 19
84	235/35ZR19	(Front) 8.0 J X 19	110	235/35/30	(Front) 8.5x20
	265/35ZR19	(Rear) 9.5 J X 19		255/50/19	(Rear) 9.0x19
85	245/35ZR19	(Front) 8.5 J 19			
	325/30ZR19	(Rear) 12 J X 19			
86	235/40R18	(Front) 8.0 J X 18			
	295/30R18	(Rear) 10.5 J X 18			
87	235/35R19	(Front) 8.0 J X 19			
	305/30R19	(rear) 12.0 J X 19			
88	245/35R19	(Front) 9.0 J X 19			
	325/30R19	(Rear) 12.0 J X 19			
89	235/35R19	(Front) 8.5 J X 19			

(Rear) 11 J X 19

295/30/R19

APPENDIX VII Rally Glossary

This glossary defines commonly used rally terms. These definitions are official for the Parade rally, and the terms may not be redefined in the "generals" or any supplementary regulations. Any terms, symbols, or abbreviations not included in this glossary but used in the Parade rally will be defined in the rally general instructions. Suggestions for the inclusion of additional terms will be welcomed by the PCR Committee.

Acute - A turn of substantially more than 90 degrees at an intersection.

After - Unless the instruction specifies otherwise, the indicated action is to be taken at the first opportunity following the designated landmark or sign.

At - "even with" for speed changes, mileages and pauses; "in the vicinity of" for turns and other instructions

Bear - A turn of substantially less than 90 degrees at an intersection.

Before - Any navigational aid identified by the use of the word "before" will be visible from the point of the instruction execution, used to indicate this last opportunity before the referenced sign or landmark.

Blinker - A warning signal at an intersection, consisting of a light or lights, usually red or yellow, operating in an alternating sequence of off and on.

CAST - An acronym for Change Average Speed To, indicating that the preceding average speed is to be discontinued and replaced by the value given after "CAST."

Cross - To go straight across. To cross a divided highway is to cross both halves of it.

Crossroad - An intersection at which two public roads cross each other at approximately right angles.

DIYC – An acronym for Do-It-Yourself-Checkpoint. An unmanned timing control (See section R-8.2.)

Free Zone - A part of the timed rally route in which there are no timing controls.

Gain - To make up a specified time during passage of a specified distance. The gain time is subtracted from the time required at the given average speed to traverse the specific distance. The specified distance in which a gain is operative is a free zone.

Intersection - The point of any meeting or crossing of two or more rally roads where the rallyist will have a choice of direction in which to proceed without making a U-turn.

ITIS - An acronym for If There Is Such, usually given after the identification of a landmark or sign. In a numbered route instruction, "ITIS" indicates that the instruction is to be executed only if the identified marker is encountered on the route before it is possible to execute the next numbered route instruction.

Left - A turn to the left of from 1 to 179 degrees.

Leg - The part of the rally route extending from one timing control to the next, or from the start to the first timing control.

Mileage, Approximate - The distance from the start of a section to a point along the rally route given to within 0.1 mile.

Mileage, Official - The distance from the start of a section to a point along the rally route given to within 0.01 miles.

Opp - An abbreviation for "Opportunity." An opportunity is a place where it is possible to execute a specified action. If "OPP" or "Opportunity" is not given in an instruction, the first opportunity to execute the instruction is assumed.

Or - Execute either the instruction before the word "or" (whether or not capitalized) or the instruction after the word "or" but not both. The first opportunity encountered should be used to execute the numbered instruction.

Pause - To delay a specified time at a named point or during passage of a specified distance. The pause time is added to the time required at a given average speed to traverse the specified distance. The specified distance in which a pause is operative is a free zone.

Paved - A road having a continuous hard surface, such as concrete, brick, macadam, etc., obviously suited to moderate or heavy-duty traffic.

Pick Up - To go essentially straight onto a new road or route.

Right - A turn to the right of from 1 to 179 degrees.

RIP - An acronym for Reads In Part, indicating that material quoted does not include all words and symbols given on a referenced sign. However, nothing is omitted within the quotes.

Section - Any part of a rally route at the beginning of which the official mileage is zero and at the end of which the official mileage ends or reverts to zero.

Stop - "Stop" or "STOP" (in quotations) or STOP (without quotations) refers to a red octagonal sign with white letters instructing you to stop if the sign faces and is applicable to the rally route. Count only one stop per intersection.

Straight - To go straight ahead. This term shall be used to indicate the proper course through an intersection.

T - An intersection having the general shape of the letter "T" requiring a turn to the left or right, both turns being essentially equal. It is not possible to go straight at a "T".

Traffic Li ght - A si gnal ω nsisting d \mathbf{r} d, ye llow and green lights designed to control traffic at an intersection on the rally route. It need not be operational or it may be operating as a blinker. Count only one traffic light per intersection.

Transit Zone - A part of a rally route in which there are no timing controls and in which no specific speed need be maintained. Either an exact time for passage or a restart time from the end of the transit zone must be given. An approximate distance for the length of the transit zone is desirable and may be given.

Turn - To make a change of direction at an intersection

Unpaved - A road having a discontinuous, non-hard surface, such as broken stone, gravel, dirt, etc.

Y - An intersection having the general shape of the letter "Y" requiring a turn to the left or right, both turns being substantially less than 90 degrees. It is not possible to go straight at a Y.

Yield - "Yield" or "YIELD" (in quotations) or YIELD (without quotations) refers to a wedge-shaped sign instructing you to yield the right of way to traffic on a different route if the sign faces and is applicable to the rally route. Count only one yield per intersection.

() - Parentheses indicate redundant information. Words in parentheses are given for explanation only.

" " - Quotation marks indicate a sign displaying the quoted material. Word(s) not given in quotes refer to an actual person place or thing.

CHECKPOINT / DIYC LIMITS

Do-It-Yourself-Checkpoint (DIYC) Allowances

# of Checkpoints	5	6	7	8	9	10	11	
Maximum # of DIYC	2	3	3	4	4	5	5	

APPENDIX VII Competition Protest Form

Official Compe	tition Protest Form
Log In Personnel Use Only	Protest Committee Use Only
Date Received:	Disposition:
Time Received:	Upheld:
Fee Received:	Fee Returned: \$
Copy to Protestor:	Denied:
Copy to Protested Entrant:	Signatures: Protest Committee
Signature of Logger:	PCR Member
Class Affected by Protest:	
Class Affected by Protest:	
Class Affected by Protest: [If All Classes, So Specify] Name of Protested Entrant (If Applicable)	
Class Affected by Protest: (If All Classes, So Specify) Name of Protested Entrant (If Applicable) PCR Rules(s), If Applicable	Car No on or rule. Please be careful about the wording so that
Class Affected by Protest: (If All Classes, So Specify) Name of Protested Entrant (If Applicable) PCR Rules(s), If Applicable Describe the specifics of the protestable violatio	Car No on or rule. Please be careful about the wording so that

APPENDIX IX Index

ACCIDENT (Rally) - See Delay Allowances

AUTOMOBILES ENTERED

G-2.2.2.	CAFP Eligibility
G-2.3.	Entrants Per Automobile
G-2.6.	Eligible Automobiles
G-2.6.1.	Non-Street Legal Automobiles –
	Rally
G-2.6.2.	Rally Automobiles
G-2.6.3.	Autocross Automobiles
G-2.6.4.	Technical Quiz Automobiles

AWARDS

G-11.1.	Class Awards
G-11.2.	Concours Awards
G-11.3.	Autocross Awards
G-11.4.	Rally Awards
G-11.5.	Technical Quiz Awards

BODYWORK

A-2.5.6.4.	Chassis/body/Interior (I)
A-2.5.7.4.	Chassis/body/Interior (M)

BRAKES

A-5.	Driver Safety
A-2.5.5.3.	Wheel/Brake/Tire (P)
A-2.5.6.3.	Wheel/Brake/Tire (I)
A-2.5.7.3.	Wheel/Brake/Tire (M)

BUMPERS

A-2.5.5.4.	Chassis/Body/Interior (P)
A-2.5.6.4.	Chassis/Body/Interior (I)

CALCULATORS (RALLY)

R-2.	Classification/Classes
IC 2.	Classification/ Classes

CAMBER

A-2.5.5.2.	Suspension (P)
A-2.5.6.2.	Suspension (I)

CARBURETORS

A-2.5.5.1. Engine (P)

CHASSIS

A-2.5.5.4.	Chassis/Body/Interior (P)
A-2.5.6.4.	Chassis/Body/Interior (I)

CHECKPOINTS – See Control Stations

Cl

CLASSIFICATION		
G-3.2.	Questions	
G-5.2.	Misclassification	
G-8.	Disputes	
C-2.	Concours	
A-2.	Autocross	
R-2.	Rally	
Q-2.	Technical Quiz	
CLASS PROG	GRESSION (Autocross)	
A-2.2.	Classes	
A-2.4.	Category Progression	
CLEANING (Concours) – See Preparation (Concours)		
CLOTHING (Autocross)		
A-5.1.	Automobiles and Drivers (Safety)	
CONCOURS		
Appendix I	- Definition of Concours Automobiles	
C-2.1.	Restoration (Full, Street)	
C-2.2.	Preservation (Full)	
C-2.3.	Preparation (Full, Touring and Street)	
CONDUCT		
G-5.1.	Unsportsmanlike Conduct	
	Also See G-5. Disqualification	

R-8.1.1.	Open Controls (and subsections)
R-8.2.	Unmanned Controls (and subsections)

Manned Route Controls R-8.3.

COURSE (Autocross)

A-3. Course (and subsections)

CREEPING (Rally)

R-10. Competitor's Rules

DELAY ALLOWANCES

Delay Allowances (and subsections) R-9.

DISQUALIFICATION

G-5.	Causes for Disqualification
G-5.1.	Unsportsmanlike Conduct
G-5.2.	Misclassification
G-5.3.	Alcohol, Narcotics, Illegal Substances
G-5.4.	Schedules
G-5.5.	Unsafe Driving
G-5.6.	Other Causes
G-9.5.3.	Automatic Disqualification
DO-IT-YOURSELF-CONTROLS (DIYC)	
R-8.2.	Unmanned Timing Controls (DIYC)

ELIGIBILITY

G-2.2.	Eligible Entrants
G-2.3.	Entrants Per Automobile
G-2.4.	Registration Requirements
G-2.6.	Eligible Automobiles (and subsections)
G-2.7.	Registration Fees

ENGINES

G-2.6.	Eligible Automobiles
A-2.5.1.	Engine Swaps
A-2.5.2.	Update/Backdate Modifications
A-2.5.5.1.	Engine (P)
A-2.5.6.1.	Engine (I)
A-2.5.7.1.	Engine (M)

ENTRANTS PER AUTOMOBILE

(Also See Pa	assengers)
G-2.3.	Entrants Per Automobile

EXHAUST

A-5.	Driver Safety
A-2.5.5.1.	Engine (P)
A-2.5.6.1.	Engine (I)

FAIRNESS (Also see Sportsmanship)

```
G-4. Fairness
```

FEES

G-2.7.	Registration Fees
G-9.5.1.	Non-Conforming Automobile
G-9.5.2.	Responsibility for Inspection Expense

FENDERS

A-2.5.5.4.	Chassis/Body/Interior (P)
A-2.5.6.4.	Chassis/Body/Interior (I)

FLAGS

A-4. Flags

FORMS

G-2.4.	Registration Requirements	
A-5.	Driver Safety	
G-9.2.	Submission of Protest	
C-6.1.	Forms (Concours)	
A-7.	Competitor's Rules (Autocross)	
R-8.1.2.	Leg Information (Rally)	
R-8.1.3.	Control Departure (Rally)	
R-8.2.3.	DIYC Control Departure (Rally)	
R-8.2.4.	DIYC Leg Information (Rally)	
R-9.3.	Delay Allowance	
Appendix IV – Concours Score Sheets		
Appendix V – Classification Charts Appendix		
Appendix VIII – Protest Form		

FLUIDS, AUTOMOTIVE

A-5. Driver Safety

FLYWHEEL

A-2.5.5.1. Engine (P)

"FREE" AUTOCROSS MODIFICATIONS

A-2.5.3. "Free" Modifications

GASOLINE

A-2.5.5.1.	Engine (P)
A-2.5.6.1.	Engine (I)

GEARS

A-2.5.6.5. Transmission (I) Appendix VI – Specifications

GENERAL RULES (See Official Rules)

GENERALS (Rally)

R-4. General Instructions (and subsections)

GLOSSARY (Rally) Appendix VII – Rally Glossary

GPS/NAVIGATIONAL AIDES (Rally)

R-2. Classification/Classes

HELMETS

A-5.	Driver Safety
A-5.1.	Automobiles and Drivers

IGNITION

A-2.5.5.1.	Engine (P)
A-2.5.6.1.	Engine (I)
A-2.5.7.1.	Engine (M)

IMPOUND

A-3.4.	Safety and Impound Areas
A-7.	Competitor's Rules (Autocross)

IMPROVED (Classification Category)

A-2.1.	Categories (Autocross)
A-2.2.	Classes
A-2.4.	Class Progression
A-2.5.6.	Improved Modifications

INSPECTION

G-7.	Safety (Tech) Inspection (and subsections)
G-9.5.1.	Non-Conforming Automobile
G-9.5.4.	Rubbing Tire Protests
C-5.1.2.	Inspection of Automobiles (Concours)
A-5.	Driver Safety
A-7.	Competitor's Rules (Autocross)

JUDGES

C-5.1.1. Judges

JUDGING PROCEDURES

C-5.1.	Judging Standards
C-5.1.2.	Inspection of Automobiles

LIMITED SLIP

A-2.5.5.5.	Transmission (P)
A-2.5.6.5.	Transmission (I)

LUBRICATION

A-5.	Driver Safety
A-2.5.5.1.	Engine (P)
A-2.5.6.1.	Engine (I)

MAPS

A-3.3. Course Map

MEASUREMENT (Rally)

- R-3. General Description of Rally
- R-4. General Instructions
- R-7. Odometer Calibration Run
- R-11. Timing and Scoring

MODEL RANGES

MODIFIED (Classification Category)

- A-2.1. Categories (Autocross)
- A-2.2. Classes
- A-2.4. Class Progression
- A-2.5.7. Modified Modifications

OFFICIAL RULES

Introduction	1
I-1.	Usage
G-3.1.	Knowledge of Rules

OFFICIAL RULES (Continued)

- G-3.2. Questions
- G-3.3. Supplementary Regulations
- G-3.4. Verbal Instructions
- R-4. General Instructions (Rally)

 $\pmb{\mathsf{OIL}}-See\ Lubrication$

OUT TIMES (Rally)

R-5.1.	Official Time
R-8.1.3.	Control Departure
R-8.2.3.	DIYC Control Departure

OWNER'S MANUALS

A-2.5.4. Showroom Stock Modifications

PASSENGERS

A-7. Competitor's Rules (Autocross)

PASSING

R-10. Competitor's Rules (Rally)

PCR AND COMMITTEE

- I-3. PCR Committee and Functions PCR
- I-4. Revision Procedure
- G-3.2. Questions
- G-5. Cau0ses for Disqualification
- G-9.1. Right to Protest
- G-9.2. Protest Committee Procedures
- G-9.3. Final Authority
- G-10. Scoring

POSTING

C-6.4.	Posting of Scores (Concours)
A-8.2.5.	Posting of Scores (Autocross)
R-11.4.	Posting of Scores (Rally)
Q-5.	Scoring (Technical Quiz)

POOLING OF CLASSES

A-9.	Smaller	Region	Classing	(Autocross)
11-7.	omaner	Region	Classing	(110001033)

PREPARING (Concours)

C-3.	Preparing Your Porsche
C-4.	Competitor's Rules

PRODUCTION (Classification Category)

A-2.1.	Categories (Autocross)
A-2.2.	Classes
A-2.4.	Class Progression
A-2.5.5.	Production Modifications

PROTESTS

G-9.	Protests (and	subsections)

PYLONS

A-6.4.	Penalties
A-3.1.	Boundaries
A-8.2.3.	Pylon Penalties

RADIOS (Rally)

REGISTRATION

G-2.	Registration (and subsections)
G-2.4.1.	Registration Deadlines

ROADS (Rally) - See Route

ROLL BARS

A-5.	Driver Safety
A-2.5.5.4.	Chassis/Body/Interior (P)
A-5.1.	Automobiles and Driver

ROLL CAGES

A-5.	Driver Safety
A-2.5.6.4.	Chassis/Body/Interior (I)
A-2.5.7.4.	Chassis/Body/Interior (M)
A-5.1.	Automobiles and Driver

ROOF, ROOF PANELS

ROTORS

A-2.5.5.3.	Wheel/Brake/Tire (P)
A-2.5.6.3.	Wheel/Brake/Tire (I)

ROUTE (Rally)

R-3.	General Description	on of Rally
------	---------------------	-------------

- R-4. General Instructions (and subsections)
- R-6. Route Instructions (and subsections)

ROUTE INSTRUCTIONS

R-6. Route Instructions (and subsections)

RULES (See Official Rules)

G-3.	Par	ade	Competi	tion	Rules

- (and subsections)
- C-4. Competitor's Rules (Concours)
- A-7. Competitor's Rules (Autocross)
- R-10. Competitor's Rules (Rally)
- Q-4. Competitor's Rules (Technical Quiz)

RUNS (Autocross)

A-6.	Autocross Runs	(and subsections)
------	----------------	-------------------

SAFETY

0/11 211	
G-7.	Safety (Tech) Inspection (and subsections)
A-5.	Driver Safety (and subsections)
A-7.	Competitor's Rules (Autocross)
R-10.	Competitor's Rules (Rally)

SCHEDULES

G-5.4.	Schedules
G-9.3.2.	Time and Place (Protests)
G-9.4.	Concours Protests
G-9.5.	Autocross Protests
G-9.6.	Rally Protest
G-9.7.	Technical Quiz Protests
C-5.1.2.	Inspection of Automobiles
A-6.1.	Schedules (Autocross)
A-6.3.	Reruns
R-5.1.	Official Time (Rally)
R-6.1.	Equal Time for Study (Route Instructions)
Q-1.	Introduction to Tech Quiz
COODING	

SCORING

A-8.	Autocross
C-6.	Scoring (Concours)
C-5.	Judging (Concours) Procedures
G-10.	Scoring
Q-5.	Scoring (Technical Quiz)
R-11.	Rally

SEAT BELTS

A-5.	Driver Safety
A-5.1.	Automobiles and Drivers (Autocross)
R-10.	Competitor's Rules (Rally)

SERIES, AUTOMOTIVE

A-2.5.1. Engine SwapsA-2.5.2. Update/Backdate Modifications (Charts)

SHOULDER HARNESS

A-5.1.	Automobiles	and Drivers
--------	-------------	-------------

SHOWROOM STOCK

A-2.1.	Categories (Autocross)
A-2.2.	Classes
A-2.4.	Class Progression
A-2.5.3.	"Free" Modifications

A-2.5.4. Showroom Stock Modifications

SIGNS, DISPLAYS

- C-4. Competitor's Rules (Concours)
- A-3.2. Entrance/Exit (Autocross)
- A-7. Competitor's Rules (Autocross)
- R-4.1. Contents (Rally Generals)
- R-4.2. Questions and Answers (Rally)
- R-6.3. Content of (Route) Instructions
- R-8.1.1. Location of Open Controls
- R-8.2.1. Location of DIYC Controls

SPLIT CLASSES

C-5.2.2.3. Judging Procedures for Split Classes

SPOILERS

A-2.5.5.4. Chassis/Body/Interior (P) A-2.5.6.4. Chassis/Body/Interior (I)

SPORTSMANSHIP

G-5.1. Unsportsmanlike Conduct

STEERING

A-5.

Driver Safety

SUPERCHARGER

A-2.5.6.1. Engine (I)

SUPPLEMENTAL REGULATIONS

G-3.3. Supplementary Regulations

SUSPENSION

Driver Safety
Suspension (P)
Suspension (I)
Suspension (M)

TECH INSPECTION (See Safety)

TECHNICAL AND HISTORICAL QUIZ

Q-3. Content/Format

TERMINOLOGY (Rally)

R-4.1. Contents (General Instructions) Appendix VII – Glossary

TIED SCORES

C-6.3.	Tied Scores (Concours)
A-8.2.4.	Tied Scores (Autocross)
R-11.3.	Tied Scores (Rally)
Q-5.	Scoring (Technical Quiz)

TIMING

A-8.1.	Timing (Autocross)
R-5.1	Official Time (Rally)
R-11.1.	Timing (Rally)

TIRES

A-5.	Driver Safety Rubbing Tire
G-9.5.4.	Protests
A-2.5.5.3.	Brake/Wheel/Tire (P)
A-2.5.6.3.	Brake/Wheel/Tire (I)
A-2.5.7.3.	Brake/Wheel/Tire (M)
A-5.1.	Automobiles and Drivers

TONNEAU COVER

A-5.1. Open and Semi-Open Automobiles

TRACK WIDTH

A-2.5.5.3. Wheel/Brake/Tire (P) A-2.5.6.3. Wheel/Brake/Tire (I) Appendix VI – Specifications

TROPHIES (See Awards)

TURBOCHARGER

A-2.5.5.3. Engine (I)

WEIGHT

A-2.5.5.4. Chassis/Body/Interior (P) A-2.5.6.4. Chassis/Body/Interior (I) Appendix VI – Specifications

WHEELBASE

A-2.5.2. Update/Backdate Modifications Appendix VI – Specifications

WHEELS

A-5.	Driver Safety
A-2.5.5.3.	Wheel/Brake/Tire (P)
A-2.5.6.3.	Wheel/Brake/Tire (I)
A-2.5.7.3.	Wheel/Brake/Tire (M)

WINDOWS

A-5.1. Automobiles and Drivers

WINDSHIELDS

A-2.5.5.4.	Chassis/Body/Interior (P)
A-5.1.	Automobiles and Drivers

Note: This Index is not comprehensive enough to cover every rule in the rulebook. But rather covers most of the items that history has shown to be important to provide specific location of such information.

APPENDIX X Parade Over-Subscription Procedure

The Parade Registration Oversubscription Procedure

The PCA National Board of Directors previously determined that the current Parade format should be retained with minimal change. This will, on occasion, require limiting registration due to food service, lodging accommodations, and/or maximum number of cars at the various events. The basic philosophy of Parade registration shall be "first come, first served". In the event of oversubscription, i.e., a greater number of applications for registration than there are openings available, the lottery system, or "luck of the draw", is determined to be the most equitable system to use. The Parade Committee shall determine the maximum number of Parade registrations that will be available for the Parade.

The following is a detailed description of the oversubscription procedure as adopted by the Executive Council on October 14, 1978, and as amended in June 2005:

- 1. Announcement. Details regarding Parade registration shall be published in Panorama at least six to eight weeks prior to the earliest eligible registration postmark date. The registration period shall not begin on a Saturday, Sunday, or Federal holiday.
- 2. Region Presidents and National Staff. Region Presidents and members of the National Staff, as listed in the back of Panorama shall have registration preference if their individual applications are postmarked or correctly filed electronically on the first eligible day.
- 3. Four Applications per Region Guaranteed. Each Region shall be guaranteed acceptance of four (4) applications, provided they are postmarked or correctly filed electronically on the first eligible day. This guarantee shall be over and above the preferred acceptances for Region Presidents and members of National Staff.
- 4. Region of Record. The Region of Record for Parade registration shall be the Region shown on the member's mailing label for the issue of Panorama containing the Parade registration application. The identification of Region on the mailing label is via a two or three letter code.
- 5. Oversubscription Calculations. If the maximum allowable registration is oversubscribed with applications postmarked, or correctly files electronically, as specified by the host Region(s), on the first eligible day, they shall first be sorted by Region and the applications from Region Presidents and National Staff members shall be accepted. All

Regions having four or less applications shall be allowed to enter in full. The remaining applications postmarked or correctly filed electronically, as specified by the host Region(s), on the first eligible day shall then be counted and the pro-rata percentage of remaining available registrations shall be applied to each individual Region's remaining applications, to be drawn by lot according to the following example:

Maximum allowable registrations

Maximum allowable registrations	
(excluding workers)	400
First day Applications received or electronically	
filed (total)	580
First day Applications received or electronically	
filed Region Presidents	35
First day Applications received or electronically	
filed National Staff	25
First day Applications, 4 or less per Region	80
Total first day applications received or electronically	у
filed	580
Less Region President, National Staff, and 4-or-less	
per Region	140
Total remaining applications	440
Maximum available registrations	400
Less Region President, National Staff, and 4-or-less	
per Region	140
Spaces remaining	260
Spaces remaining, divided by remaining	
applications results in a "pro-rata" percentage	
allocation: 260/440 =	= 59%

In this example, 59% of the remaining applications from each Region shall be drawn by lot until that Region's allocation, or the minimum allocation of four (whichever is greater) has been filled.

- 6. National Pool. After registration is filled, all remaining applications postmarked, or correctly filed electronically on the first eligible date (580 in the above example) shall go into a National Pool, regardless of Region, and they shall then be drawn by lot and assigned a standby number. Each applicant on this standby list shall be notified of their position on the list.
- 7. Standby List. As and when cancellations are received from those originally accepted, applications will be accepted from the standby list of the National Pool, in numerical order. Applicants on the standby list shall be notified every 30 to 60 days of the status of the list.
- 8. Refunds. Applicants on the standby list shall be entitled to a full refund of their entry fee if their written withdrawal request is received by the Parade Registrar at least 30 days prior to the first official day of the Parade. Applicants who remain on the standby list during the last 30 days prior to the first official day of the Parade shall be entitled to a refund only if the applicant has not been offered the opportunity to register during this final 30-day period. In other words, if an applicant is on the standby list in the 30-day period preceding the Parade and is not allowed to register because of a lack of openings by cancellation, then that applicant will receive a full refund.
- **9.** Exchange or Transfer. There will be no exchange or transfer of registrations permitted.

APPENDIX XI Autocross Tech Inspection Sheet



YEAR/MODELCAR #	NAME:				
automobile to tech inspection for verification !!! PASS FAIL	YEAR/MODEL		COLOR	CAR #	
 HELMET-SNELL, SA, SAH, K or M 2005 or later required. Face shield required for cars without windshields. Sh SAH, K or M stickers must be attached inside the helmet. SEAT BELTS/HARNESSES-Must be present and adequate. Where installation is other than factory design, the belt mounting must be securely anchored, metal-to-metal, with large diameter washers on the both sides of the floor, mo holes. Non-factory shoulder harness may be used in an open vehicle only if the automobile is equipped rollbar/cage. ROLLBARS/CAGES-Rollbars are required in open vehicles driving in Modified Classes, if factory rollover protectio not exist, cages are optional. Rollbars/Cages must be equipped with adequate padding. Rollbars/Cages, when requir must meet current PCR guidelines. BREAK PEDAL-Free return and in good operating condition. Firm brake pedal. WINDSHIELDS/WINDOWS-No major cracks. Bolt-on windshields may be removed. GAS CAP-Gasket intact and cap tightened. RUST-No rust or damage to suspension or chassis parts that affect the integrity of the chassis or brakes. STEERING and SUSPENSION-No excessive looseness is steering or suspension. Axle and shocks bolt tight. Ball jc good condition. Tie rods secure. Axle boots and oil seals in good condition. Check half-shaft bolts and shock bolts. CAMBER-(356 automobiles) No positive camber on any car. WHEELB ELARINGS-Correct adjustment, check for play and no damage. WHEELS-No cracks, no bends and all ug nuts must be torqued to manufacturer's, minimum on diameter of engage Snap on wheel covers and trim must be removed from steel wheels. TIRES-Must be free of visible sidewall cracks or belts showing. Clearance between tires and any potential rubbing p must be in compliance of chosen car class in the PCRs. BAXKE FLUID- Level in reservoir between min and max lines. H BATTERY-Securely fastened and in good condition.					
 HELMET-SNELL, SA, SAH, K or M 2005 or later required. Face shield required for cars without windshields. Sh SAH, K or M stickers must be attached inside the helmet. SEAT BELTS/HARNESSES-Must be present and adequate. Where installation is other than factory design, the belt mounting must be securely anchored, metal-to-metal, with large diameter washers on the both sides of the floor, mo holes. Non-factory shoulder harness may be used in an open vehicle only if the automobile is equipped rollbar/cage. ROLLBARS/CAGES-Rollbars are required in open vehicles driving in Modified Classes, if factory rollover protectio not exist, cages are optional. Rollbars/Cages must be equipped with adequate padding. Rollbars/Cages, when requir must meet current PCR guidelines. BREAK PEDAL-Free return and in good operating condition. Firm brake pedal. WINDSHIELDS/WINDOWS-No major cracks. Bolt-on windshields may be removed. GAS CAP-Gasket intact and cap tightened. RUST-No rust or damage to suspension or chassis parts that affect the integrity of the chassis or brakes. STEERING and SUSPENSION-No excessive looseness is steering or suspension. Axle and shocks bolt tight. Ball jc good condition. Tie rods secure. Axle boots and oil seals in good condition. Check half-shaft bolts and shock bolts. CAMBER-(356 automobiles) No positive camber on any car. WHELE BEARINGS-Correct adjustment, check for play and no damage. WHELE BC-No cracks, no bends and all lug nuts must be torqued to manufacturer's, minimum on diameter of engage Snap on wheel covers and trim must be removed from steel wheels. TIRES-Must be free of visible sidewall cracks or belts showing. Clearance between tires and any potential rubbing p must be in compliance of chosen car class in the PCRs. BRAKE FLUID- Level in reservoir between min and max lines. BATTERY-Securely fastened and in good condition.	PASS FAIL				-
DDIVEDS CICNATIDE. DATE.	1. HELMET-SN SAH, K or M 2. SEAT BELTS, mounting mu holes. Non-fa 3. ROLLBARS/(not exist, cage must meet cur 4. BREAK PED 5. WINDSHIEI 6. GAS CAP-Ga 7. RUST-No rus 8. STEERING a good conditio 9. CAMBER-(33) 10. WHEEL BEA 11. WHEELS-No Snap on whee 12. TIRES-Must must be in co 13. BRAKE FLUI 14. BATTERY-Se 914s. The pos 15. EXHAUST-M 16. FLUID LEAK 17. THROTTLE 18. DOOR, HOC 19. CAR NUMBI	ickers must be attached i HARNESSES-Must be p t be securely anchored, n tory shoulder harness ma AGES-Rollbars are requi are optional. Rollbars/C ent PCR guidelines. L-Free return and in goo DS/WINDOWS-No maj- ket intact and cap tighten or damage to suspension d SUSPENSION-No exc . Tie rods secure. Axle b 5 automobiles) No positi RINGS-Correct adjustme cracks, no bends and all fi covers and trim must be e free of visible sidewall c upliance of chosen car cla D- Level in reservoir betw urely fastened and in good 5-No fluid leaks of any ki: ETURN-Freely operatin D AND DECK LIDS-Mu RS-Car numbers provide	inside the helmet. resent and adequate. Where netal-to-metal, with large dia ay be used in an open vehicle red in open vehicles driving cages must be equipped with of operating condition. Firm or cracks. Bolt-on windshiel ted. or chassis parts that affect th ressive looseness is steering of boots and oil seals in good co ve camber on any car. ent, check for play and no da ug nuts must be torqued to r removed from steel wheels. tracks or belts showing. Clea ss in the PCRs. ween min and max lines. od condition. No acid leaks of atteries should (optionally) b condition, no leaks, securely nd. (oil, gas, brake fluid, coo g and good springs on the ca ist be fastened securely. d at Parade registration mus	installation is other than ameter washers on the bot e only if the automobile is in Modified Classes, if fac adequate padding. Rollba h brake pedal. Ids may be removed. he integrity of the chassis of or suspension. Axle and sh ondition. Check half-shaft mage. nanufacturer's, minimum trance between tires and a pr corrosion. Check fuel I be covered by cap or tape. y mounted. blant or trans fluid). ars so equipped. t be affixed on the front an	factory design, the belt th sides of the floor, mountin equipped rollbar/cage. ctory rollover protection doe ars/Cages, when required, or brakes. hocks bolt tight. Ball joints i t bolts and shock bolts. on diameter of engagement. iny potential rubbing point ines under the battery tray o nd both sides of the car.
DRIVERS SIGNATURE: DATE:	DRIVERS SIGNATURE:			DATE:	
	SERVICE STAMP:			DATE:	

APPENDIX XII Roll Bars / Roll Cages

Roll bars are required in open vehicles driving in Improved and Modified classes, Cages are optional. For purposes of these rules, if you chop the top off of your automobile, it is considered a convertible. Automobiles with original factory rollover protection, unaltered, will be considered as adequately meeting this requirement. Installed roll bars/cages (not original factory rollover protection) must be equipped with adequate padding in all areas potentially exposed to the driver. Roll bars/cages, when installed, must meet the current PCA Driver's Education Minimum Standards as written below. For reference, the 2014 Club Racing Rules regarding specifications is also referenced below.

The PCA DE Minimum Standards contain the following:

Cabriolet/Convertible Cars

Any make of car delivered with factory installed roll over protection meets the minimum standards for PCA DE events. In these cars we recommend the soft-top be in the up position or the hard top installed. If the top is in the down position, restraint system must be used. An SFI and/or FIA approved arm restraint system for use with OEM three-point belts.

If a car does not have factory installed roll over protection, a roll bar or roll cage must be installed, which meets the "broomstick" rule (the driver's helmeted head is below a bar placed on top of the roll bar and windshield). Design, installation and materials of roll bars or cages and their installation must meet PCA Club Racing specifications, contained in Roll Cage Specifications of the PCA Club Racing Rules (referenced below). All targa tops must be installed unless there is addition roll over protection. All sunroofs must be in the closed position. The windshield alone is not considered to be factory roll over protection.

*Velocity Management, Inc. is a source for the SFI approved arm restraint system for use with the OEM threepoint belts. Conctact info is www.gofastbesafe.com and the part number is QE3ptArm.

ROLL BAR/CAGE SPECIFICATIONS (2014 Club Race Rules)

Roll Cages and Bars: The roll cage/roll bar must be securely mounted with the mounting plates at the bottom of the hoops mounted directly to the floor and/or longitudinal members of the unibody and make metal to metal contact. Any padding, carpet, upholstery, etc. must be removed to satisfy this requirement. The mounting area of bolt-in roll cage/roll bar must be backed by a plate of a size equal to that of the upper mounting plate with a minimum thickness of 3/16". Bolts must be grade 5 or higher. The roll cage/ roll bar must be full cockpit width, except as originally supplied by the factory for open racecars, and have two fore/aft tubing braces. The braces must be mounted as near to the top of the main hoop as possible at an included angle of at least 30 degrees. Also, the assembly must contain a diagonal (left to right side) tubing brace from one upper side of the main hoop to a floor or unibody lower frame mounting point of a bar member on the other side to obtain the strength benefits

of triangulation. Roll cage/roll bar tubing in the Stock/ Prepared Classes must remain within the passenger compartment. The removal of the door glass to facilitate side impact protection is allowed. Carbon fiber roll cages or bars are not allowed.

Roll Cages: The roll cage must have a full width main hoop and a full-width front hoop or two side halo hoops around the door opening connected by tubing across the top of the entire windshield. The tops of the hoops must be as close to the roof as closely as possible in closed-top cars. In open-top cars, the top of the main hoop must be at least 2" above the driver's helmet, and the plane formed by the top of the main hoop and the top of the front hoop must be above the driver's head in both closed and open top cars. The front (or side halo) and main hoops must go to the floor pan and be connected with each other with tubing as close to the roof line as possible. The cage must have at least one additional bar across the door opening

below the window level on each side connecting the front and main hoops for side impact protection. Additional side impact protection (two bars or "NASCAR" style bars protruding into the door) is strongly recommended.

Factory Roll Cages as delivered in factory race cars are allowed. Roll cages sold or installed by Porsche in street cars are allowed in stock class cars if certified to meet FIA regulations. If the car exceeds the stock class rules, then a cage meeting the specifications above must be installed.

Roll Bars: All provisions under section "Roll Cage and Bars" apply. Note that roll bars without terminal mounting plates braced on the frame are not acceptable. The top of the main hoop must be at least 2" above the driver's helmet when the driver is seated in the normal driving position. Porsche Tequipment bars and factory roll bars in Boxsters are not sufficient to meet these rules. An inspection hole 3/16" in diameter must be provided in a non-critical area for verification of tube thickness. Any portion of the assembly which may come in contact with the driver's helmet must be covered with high density foam at least 3/4" thick held securely in place with zip ties, electrical tape or duct tape. Foam must be equivalent to SFI 45.1 or FIA 8857 standards for hardness.

Minimum Roll Bar Tubing Sizes Car Weight without Driver

All required tubing must have the following minimum diameters and wall thicknesses:

	Under 1500 lbs.	Over 1500 lbs.
Mild Steel	1.5" x .120"	1.75" x .120"
Alloy Steel	1.375" x .090	1.625" x .095"

Minimum Roll Cage Tubing Sizes

All required tubing must have the following minimum diameters and wall thicknesses:

Car Weight without Driver

	Under 2500 lbs.	Over 2500 lbs.
Mild Steel	1.50" x .095"	1.75" x .095"
		or 1.50" x .120"
Alloy Steel	1.375 x .095"	1.50" x .095"



Porsche Club of America COMPETITION RULES

Published by the PCA National Parade Competition Committee The Porsche Club of America, Inc. 2017 visit us at www..pca.org